Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




62.57

MAR 1 3 1941

U. S. Department of Agriculture

r r ominal



Price List SPRING 1941

F. & F. Nurseries

SPRINGFIELD



NEW JERSEY



Conditions of Sale

Orders Are Accepted Subject to prior sale, and to condition of stock at delivery date, under the following terms.

Goods in Transit—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

Claims must be made within five days after receipt of goods. Prices in this catalogue cancel all previous lists and quotations, are subject to change without notice and they are F.O.B. our nurseries, packing extra. The price columns indicate the unit price for each plant. The ten rate applies to purchases of 5 to 24 plants of same size and variety. The hundred rate applies to purchases of 25 or more plants of same size and variety.

Terms Cash—For customers of established credit accounts will be opened due in 30 days from date of invoice. Interest at six per cent (6%) per year will be charged on all accounts from due date. Orders for C.O.D. shipment must be accompanied by one-third of the amount.

Special Selection—Plant materials specially selected at the nursery will be sold at prices commensurate with the value of the specimens chosen, irrespective of the listed prices.

Ball and Burlap—The specification "B&B" in this list signifies digging with a ball of earth, which, where indicated, is included in the price. For digging all other items (not specified B&B) in this manner, there is an additional charge based upon the dimensions of the earth ball as follows:

9"	diam\$.35	21"	diam\$	3.00	42"	diam\$13.00
				diam			diam 18.00
15"	diam	1.00	30"	diam	6.00	54"	diam 24.00
18"							diam 33.00

Platforms, as part of our equipment, are to be returned.

SCHEDULE OF DELIVERY CHARGES

Amt. of Order on one delivery	First Zone 1-15 miles	Second Zone 15-30 miles	Third Zone 30-50 miles
\$1,000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than \$100	Free	Free	Free
Amt. of Order on one delivery	Fourth Zone 50-75 miles	Fifth Zone 75-100 miles	Additional information
\$1,000 or more \$500 to \$999 \$300 to 499 \$100 to 299 Less than \$100	Free	5% of order 8% of order 10% of order Ship Ship	on special deliveries given on request.

Delivery Dates are made subject to enforced delay caused by weather or other conditions beyond our control.

BOXING CHARGES

Length	12x15''	15x16"	17x20''	19x24"	23x28''	27x32''	31x36"
4' 6' 8' 10' 12' 14'	.75 1.00 1.25 1.75	1.00 1.25 1.50 2.50 3.00	1.25 1.50 1.75 2.75 3.25 3.75	1.50 1.75 2.00 3.25 3.50 4.00	1.75 2.00 2.50 3.50 4.00 4.25	2.00 2.50 2.75 4.00 5.00 5.50	2.50 2.75 3.25 4.50 5.50 6.00

Deciduous and Evergreen Trees, Shrubs and Vines



The figures immediately following the name of each plant indicate the approximate height at maturity, which will vary considerably according to soil, exposure and other factors.

				-	_ 1	P			
ABEL	IA qı	randifl	ora.	5'-6'			Each		Hundred Abelia
	12 t		in.		n	ots	.90	.75	
	1½ t		ft.	B.	-	В	1.35	1.20	
ABIES	S con	color.	50	-60′				W	hite Fir
	15 t	to 18	in.	В.	&	В	1.20	1.00	
	1½ t	0 2	ft.	В.	&	В	1.75	1.50	
		0 21/2		B.	&	В	2.50	2.25	
		0 3	ft.	В.		В	3.75	3.30	
	3 1	to 4	ft.	В.	&	В	4.50		
	nolep	is. 60)'-70 '					Ni	kko Fir
	_	0 6	ft.	В.		В	8.00	7.00	
		0 10	ft.	В.		В	15.00	13.50	
		0 12	ft.	B.	-	B	18.00		
				В.	Cr	В	24.00		
veit		50′-60						Ve	itch Fir
		0 5	ft.			B	5.25		
		0 6	ft.			В	7.00		
ACAN	OHTI	PANA	X p	entaphy	llu	m. 7′-8′	Fi	ve Leaf	Āralia
	1½ t		X p			m. 7′-8′	F i	ve Leaf	Aralia .30
2	1½ t	0 2	ft. ft.	***************************************					
2	1½ t	0 2	ft.		•••••	***********	.40	.35	.30
2	1½ t	0 2	ft. ft.		•••••	************	.40	.35 .45	.30
ACER	1½ to 2 to 3 to matur	o 2 o 3 o 4	ft. ft. ft.	•••••••••••	•••••	************	.40 .50 .65	.35 .45 .60	.30
ACER	1½ to 2 to 3 to matur	0 2 0 3 0 4 m atro	ft. ft. ft.	ureum r	ov &	um. 8'-10'	.40 .50 .65 Purp	.35 .45 .60	.30 .40 Maple 1.20
ACER	1½ to 2 to 3 to 3 to 4 to 4 to 4 to 4 to 4 to 4	0 2 0 3 0 4 m atrop 0 1½ 0 2	ft. ft. ft.	ureum n B, B,	 & & &	um. 8'-10'	.40 .50 .65 Purp 1.50 2.25	.35 .45 .60 le Japan 1.35 2.00	.30 .40 Maple 1.20 1.80
ACER pali	1½ to 2 to 3 to 3 to 4 to 4 to 4 to 4 to 4 to 4	0 2 0 3 0 4 m atroi 0 1½ 0 2 0 2½	ft. ft. ft.	ureum r. B. B. B.	0V & & & &	um. 8'-10' B B	.40 .50 .65 Purp 1.50 2.25 3.00	.35 .45 .60 le Japan 1.35 2.00 2.70	.30 .40 Maple 1.20 1.80 2.40
ACER pals	1 ½ to 2 to 3 to matur 1 to 1 ½ to 2 to 2 ½ to	2 3 4 4 m atrop 2 2 2 1/2 3	ft. ft. ft. purp ft. ft. ft.	ureum r B. B. B. B.	0V & & & & & & & & & & & & & & & & & & &	B B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60	.30 .40 Maple 1.20 1.80 2.40 3.30
ACER	1½ to 1½ to 1½ to 1½ to 2½ to 2½ to 3 to 3	2 3 4 4 m atrop 2 2 2 1/2 3	ft. ft. ft. purp ft. ft. ft. ft.	ureum r B. B. B. B. B.	00V & & & & & & & & & & & & & & & & & & &	b B B B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 5.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00
ACER pali	1½ to 1½ to 1½ to 1½ to 2½ to 2½ to 3 to 3	2 3 3 4 4 m atrop 2 2 2 2 2 3 3 4 5 5	ft. ft. ft. purp ft. ft. ft.	ureum r B. B. B. B.	00V & & & & & & & & & & & & & & & & & & &	B B B B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 5.00 7.50	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75	.30 .40 Maple 1.20 1.80 2.40 3.30
ACER pali	1½ to 22 to 33 to 34 to 34 to 35 to 36 to	0 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ft.	B.	10V & & & & & & & & & & & & & & & & & & &	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 7.50 9.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00
ACER pali	1½ to 22 to 33 to 44 to 45 to	0 2 3 4 4 m atrop 1 1/2 2 2 2 1/2 3 4 5 5 6 6 m. 10	ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	\$ & & & & & & & & & & & & & & & & & & &	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 5.00 7.50 9.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00
ACER pall	1½ t 2 t 3 t 6 matur 1 t 1½ t 2 t 2 t 4 t 5 t 6	0 2 3 4 4 m atrop 2 2 2 ½ 2 3 4 5 5 6 6 m. 16 2 1 ½ 2	ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B	00V & & & & & & & & & & & & & & & & & & &	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 5.00 7.50 9.00 Purple Jo	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00
ACER pali	1½ t 2 t 3 t 6 matur 1½ t 1½ t 2 t 2 t 4 t 5 t 6 rispu 1 ½ t 1½ t 6	0 2 3 4 4 m atrop 1 1/2 2 2 3 3 4 0 5 5 0 6 m. 10 2 2 2 2 2 2 2 2 3 3 4 0 5 5 0 6 6 m. 10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ft.	ureum r B. B. B. B. B. B.	10V 8888888 888888	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 7.50 9.00 Purple Jo 1.50 2.25	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00
ACER paln	1½ t 2 t 3 t 6 matur 1½ t 1½ t 2 t 2 t 4 t 5 t 6 rispu 1 ½ t 1½ t 6	0 2 3 4 4 5 5 6 6 6 m. 10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ft.	B. B	10V & & & & & & & & & & & & & & & & & & &	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 7.50 9.00 Purple Jo 1.50 2.25 3.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00
ACER paln	11½ t t t t t t t t t t t t t t t t t t	0 2 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft.	ureum r B. B. B. B. B. B. B.	10V 8888888 888888	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 5.00 7.50 9.00 Purple Jo 1.50 2.25 3.00 4.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00
ACER paln	11½ t 1½ t	0 2 3 4 4 m ctro; 0 2 1½2 0 2 ½2 0 3 0 4 0 5 0 6 m. 10 2 ½2 0 2 ½2 0 3 0 4 0 5 0 6	ft.	ureum r B. B. B. B. B. B. B. B.	0V	B	.40 .50 .65 Purp 1.50 2.25 3.00 4.00 7.50 9.00 Purple Jo 1.50 2.25 3.00	.35 .45 .60 le Japan 1.35 2.00 2.70 3.60 4.50 6.75 8.00	.30 .40 Maple 1.20 1.80 2.40 3.30 4.00 6.00

ACER palmatum—	Continued			
	'-6'	Each Cutleaf Jo		
1½ to 2	ft. spread, B. & B	4.00	3.50	1.tapic
2 to 2½:	ft. spread, B. & B	6.00	5.25	
2½ to 3 : 3½ to 3½ f	ft. spread, B. & B	8.00		
	ft. spread, B. & B	10.00		
— purpureum			Cutleaf	
1 to 1½ to 1½ to 2	ft. spread, B. & B ft. spread, B. & B	2.50	2.25	2.00
2 to 2½	ft. spread, B. & B	6.00	5.25	4.80
2½ to 3	ft. spread, B. & B	8.00	7.20	
	t. spread, B. & B			
		ernleaf Ja		Maple
$\frac{2}{2\frac{1}{2}}$ to $\frac{2\frac{1}{2}}{2}$ if		3.00	2.70	
	ft. B. & B ft. B. & B	4.00 6.00	3.60 5.40	
	t. B. & B	9.00	0.40	
—nigrum. 10'-1		Dark Pur	ple Iap	Maple
1 to 1½ f		1.50	1.35	1.20
	t. B. & B	2.25	2.00	1.80
	t. B. & B t. B. & B	3.00	2.70	2.40
	t. B. & B t. B. & B	4.00 5.00	3.60 4.50	3.30
	t. B. & B	7.50	6.75	1.00
	t. B. & B	9.00	8.00	
	t. B. & B	12.00	11.00	
pennsylvanicum.			Striped	Maple
	tt.	2.00 2.75		
	'-80'		T	M1-
platanoides. 60'		2.50	Yorway 2.25	2.00
	t., 11/4 to 11/2 in	3.00	2.70	2.50
	t., 1½ to 1¾ in	3.60	3.30	3.00
	t., 13/4 to 2 in	4.50	4.00	3.60
	t., 2 to 2½ in t., 2½ to 3 in	6.00 7.50	5.40 7.00	5.00
14 to 16 ft	t., 3 to 3½ in	10.00	9.00	
	t., 3½ to 4 in	13.50	12.00	
	t., 4 to 5 in t., 5 to 6 in	20.00 27.00	18.00	
		27.00		
rubrum. 80'-100'		0.75		Maple
	., 1½ to 1½ in ., 1½ to 1¾ in	4.50	3.30	
	i., 13/4 to 2 in	5.75	5.25	
12 to 14 ft	., 2 to 2½ in	7.50	6.75	
	., 2½ to 3 in	9.50	8.75	
14 10 10 11	., 3 to 3½ in	12.00		
saccharum. 100'			Sugar !	Maple
8 to 10 ft		3.30	3.00	2.70
9 to 10 ft. 10 to 12 ft.		4.00 5.00	3.60	
12 to 14 ft		6.50	5.75	
12 to 14 ft	., 2½ to 3 in	9.00	8.00	7.00
14 to 16 ft		13.50	12.00	10.50
16 to 18 ft. 18 to 20 ft.		18.00 22.50	16.50	
spicatum. 15'-20'			untain I	Maple
3 to 4 ft. 4 to 5 ft.		1.50 2.00		
5 to 6 ft.		2.75		

ACTINIDIA		Ten Hu	
ACTINIDIA arguta. 30' Vine.		.50	
	.00		
AESCULUS	Dink	Horsech	estnut
hippocastanum rubicunda. 40'-50'	4.50	Horsech	05
parviflora. 9'-10'	Bottle	ebush Bu	ckeve
1 to 1½ ft	1.35	1.20	
1½ to 2 ft	1.80	1.65	
4 to 5 ft. Specimens	12.50		
ALBIZZIA julibrissin rosea		Si	lktree
4 to 5 ft	1.20		
AMELANCHIER canadensis. 25'		wny Shac	
1½ to 2 ft	.70		.50 .70
2 to 3 ft		1.00	./0
laevis. 30'		any Shac	dhlow
1½ to 2 ft	.75		TDIO W
stolonifera. 4'-5'		varf Shad	
1½ to 2 ft	.90		
3 to 4 ft	1.20		
AMORPHA conescens. 2'-3'		Lead	Plant
1½ to 2 ft	.75	.65	
2 to 3 ft.	.90	.80	
AMPELOPSIS			
heterophylla. 30'-40' Vine.		in Ampe	
heterophylla. 30'-40' Vine. 3 year		in Ampe	
			.50
3 year		.60	.50
3 yearquinquefolia. 40' Vine.	.75	.60 Woo	.50
3 year	.50	.60 Woo .45 Bosto	.50 dbine n Ivy
3 year	.50	.60 Woo .45 Bosto	.50 dbine n Ivy .40
3 year	.50 .50	.60 Wood .45 Bosto	.50 dbine n Ivy .40 eeper
3 year quinquefolia. 40' Vine. 2 year tricuspidata (veitchi). 40'-50' Vine. 2 year, 3" pots — lowi. 6'-8' Vine. 2 year, 2½" pots	.75 .50 .50 Ger c	.60 Wood45 Bosto .45 anium Cr	.50 dbine n Ivy .40 eeper .35
3 year	.75 .50 .50 Ger c	.60 Wood45 Bosto .45 anium Cr	.50 dbine n Ivy .40 eeper .35
3 year	.75 .50 .50 .45 .50 .45 .45	.60 Wood45 Bosto .45 conium Cr40 owering I	.50 dbine n Ivy .40 eeper .35
3 year	.75 .50 .50 .45 .50 .45 .45	.60 Wood45 Bosto .45 canium Cr40 owering I	.50 dbine n Ivy .40 eeper .35
3 year	.75 .50 .50 .45 .50 .45 .45	.60 Wood45 Bosto .45 mium Cr .40 owering I	.50 dbine n Ivy .40 eeper .35
3 year	.75 .50 .50 .45 .50 .45 .45	.60 Wood45 Bosto .45 mium Cr .40 owering I	.50 dbine n Ivy .40 eeper .35 Peach Pink
3 year	.75 .50 .50 .45 .00ble Flo	.60 Wood45 Bosto .45 mium Cr .40 owering 1 .90 1.20 Bear	.50 dbine n Ivy .40 eeper .35 Peach Pink
3 year	.75 .50 .50 .45 .00ble Flo	.60 Wood45 Bosto .45 conium Cr .40 owering I .90 1.20 Bear .50	.50 dbine n Ivy .40 eeper .35 Peach Pink
3 year	.75 .50 .50 .50 .45 .00 1.00 1.35 .60 .60 .75	.60 Wood45 Bosto .45 conium Cr .40 owering I .20 Bear .50 ed Choke .50 .65	.50 dbine n Ivy .40 eeper .35 Peach Pink berry .45 .60
3 year	.75 .50 .50 .45 .00 1.00 1.35 .60 R.	.60 Wood45 Bosto .45 mium Cr .40 wering I .90 1.20 Bear .50 ed Choke .50	.50 dbine n Ivy .40 eeper .35 Peach Pink cherry .45
3 year	.75 .50 .50 .50 .45 .00 1.00 1.35 .60 .60 .75 .90 1.20	.60 Wood45 Bosto .45 anium Cr .40 .90 1.20 Bear .50 ed Choke .50 .65 .80 1.00	.50 dbine n Ivy .40 eeper .35 Peach Pink berry .45 .60 .70 .90
3 year	.75 .50 .50 .50 .45 .00 1.00 1.35 .60 .60 .75 .90 1.20	.60 Wood45 Bosto .45 conium Cr .40 owering I .20 Bear .50 ed Choke .50 .65 .80	.50 dbine n Ivy .40 eeper .35 Peach Pink berry .45 .60 .70 .90
3 year	.75 .50 .50 .50 .45 .00 1.00 1.35 .60 .75 .90 1.20 .60 .75	.60 Wood .45 Bosto .45 anium Cr .40 .90 1.20 Bear .50 .65 .80 1.00 ck Choke .50 .65	.50 dbine n Ivy .40 eeper .35 Peach Pink cberry .45 .60 .70 .90 eberry
3 year	.75 .50 .50 .50 .45 .00 1.00 1.35 .60 .60 .75 .90 1.20 .60	.60 Wood .45 Bosto .45 mium Cr .40 .90 1.20 Bean .50 .65 .80 1.00 ck Choke .50	.50 dbine n Ivy .40 eeper .35 Peach Pink cherry .45 .60 .70 .90 eherry .45
3 year	.75 .50 .50 .50 .45 .45 .60 .75 .90 1.20 .60 .75 .90 1.20 .60 .75 .90	.60 Wood .45 Bosto .45 anium Cr .40 .90 1.20 Bear .50 .65 .80 1.00 ck Choke .50 .65	dbine n Ivy .40 eeper .35 Peach Pink cberry .45 .60 .70 .90 eberry .45 .55

		Each Ten Hundred	
AZALEA amoena	. 4'-6'	Amoena Azalea	
15 to 18 1½ to 2	in. spread, B. & B in. spread, B. & B ft. spread, B. & B ft. spread, B. & B ft. spread, B. & B	1.35 1.20 2.00 1.80 2.75 2.50 4.00 3.50 6.00 5.50	
3 to 3½ 3½ to 4 4 to 5	ft. spread, B. & B ft. spread, B. & B ft. spread, B. & B	10.00 9.00 14.00 20.00	
—coccinea. 4'		Red Amoena Azalea	
	in. spread, B. & B	3.00	
	15'-18'	Sweet Azalea	
$1\frac{1}{2}$ to 2 2 to $2\frac{1}{2}$ $2\frac{1}{2}$ to 3 3 to 4	ft. B. & B ft. B. & B ft. B. & B ft. B. & B	2.75 2.50 3.75 3.30 5.00 4.50 6.75 6.00	
calendulacea.	10'-12'	Flame Azalea	
15 to 18 1½ to 2 2 to 2½ 2½ to 3 3 to 4	in. B. & B ft. B. & B ft. B. & B ft. B. & B ft. B. & B	2.00 1.80 1.65 2.50 2.25 2.00 3.50 3.25 3.00 4.50 4.25 6.00	
hinodegiri. 4'-	5′	Hinodegiri Azalea	
9 to 12 12 to 15 15 to 18	in. spread, B. & B in. spread, B. & B in. spread, B. & B	1.20 1.00 .90 2.00 1.80 1.65 3.00 2.70	
kaempferi. 4'-		Torch Azalea	
12 to 15 15 to 18 1½ to 2 2 to 2½ 2½ to 3 3 to 3½ 3½ to 4 4 to 5	ft. B. & B	1.50 1.35 1.20 2.00 1.80 1.50 2.50 2.25 2.00 3.25 3.00 2.70 4.00 3.60 3.25 5.50 5.00 4.50 8.00 7.20 12.00	
-hybrids. 3'-	4' Cleo	patra, Fedora, Othello	
12 to 15 15 to 18 1½ to 2 2 to 2½		2.00 1.80 2.50 2.25 3.25 3.00 4.00 3.60 Snow Azalea	
ledifolia (indica		3.30 3.00	
1½ to 2	ft., spread, B. & B		
macrantha. 3'-	4'	Red Salmon Azalea	
15 to 18	in. B. & B	3.75	
mollis. 4'-5'		Chinese Azalea	
12 to 15 15 to 18	in. B. & B in. B. & B	2.25 2.00 3.00 2.70	
	ahuricum) 5'-6'	Dahurian Azalea	
15 to 18 1½ to 2 2 to 2½	ft. B. & B	1.75 1.65 2.25 2.00 3.00 2.70	



Ä	ZALEA-							Each		Hundred erbloom
	nudiflo		6'-7'		D	~	D	0.00		HIDOIGIE
	15	to	18	in.	В.		В	2.00	1.80	
	1 1/2	to	2	ft.	В.	E	В	2.75	2,50	
	2	to	21/2	ft.	В.	&	В	3.75	3.30	
	21/2	to	3	ft.	B.	&	B	5.00	4.50	
	3	to	4	ft.	В.	&	В	6.50	6.00	
	4	to	5	ft.	В.	&	В	8.00	7.00	
	**	ĮO.	0	11.	D.	Ct.	D	0.00		
	pontica		6′-8′		· D	~	D	0.05	Pontic 2.00	Azalea
	12	to	15	in.	В.	&	В	2.25		
	15	to	18	in.	В.	E	В	3.00	2.70	2.40
	11/2	to	2	ft.	В.	&	В	4.00	3.60	3.30
	2	to	21/2	ft.	В.	&	В	5.25	4.80	
	21/2	to	3	ft.	B.	&	В	7.00		
	poukha	ner	isis.	4'-	5'				Korean	Azalea
	12	to	15	in.	В.	&	В	2.25	2.00	1.80
	15	to	18	in.	В.	&	В	3.00	2.70	2.50
	11/2		2	ft.	В.	&	В	4.00	3.60	3.30
	2	to	21/2	ft.	В.	&	В	5.25	4.80	0.00
		to	3	ft.	В.	8	В	7.00	6.30	
	472	10	3	11.	D.	Cx	D	7.00	0.30	
	- yodo	gar		4'-5	*			You	dogawa	Azalea
	12	to	15	in.	spread,	B.	& B	2.00	1.80	1.50
	15	to	18	in.	spread,	B.	& B	2.75	2.50	2.25
	11/2	to	2	ft.	spread,	B.	& B	3.75	3.30	3.00
	2	to	21/2		spread,			5.00	4.50	
		07.1			-					
	rosea.	6'-			D	~	-		y Pinxte	rbloom
	15	to	18	in.	В.		В	2.00	1.80	
	11/2	to	2	ft.	В.	&	В	2.75	2.50	
	2	to	21/2	ft.	В.	E	B	3.75	3.30	
	21/2	to	3	ft.	В.	&	В	5.00	4.50	
	3	to	4	ft.	В.		В	6.75	6.00	
	1-1:			6'						_
	schlippe 12	to	15	in.		&	D	0.05	-	Azalea
		-					B	2.25	2.00	
	15	to	18	in.	В.		В	3.00	2.70	
	1 1/2	to	2	ft.	В.	&	В	4.00	3.60	
	vaseyi.		0'-12'					P	inkshell	Azalea
	15	to	18	in.	В.	&	В	2.25	2.00	1.80
	11/2	to	2	ft.	B.	&	В	3.00	2.70	2.40
	2	to	21/2	ft.	В.	&	В	4.00	3.60	3.30
	21/2	to	3	ft.	В.	&	В	5.25	4.80	4.25
	3	to	4	ft.	В.	&	В	6.50	6.00	5.40
	4	to	5	ft.	В.	&	В	9.00	0.00	3.40
	viszosa		9'-10'		2.	~			C	
	11/2		2	ft.	В.	&	В	0.75	Swamp	Azalea
	4	to	5		В.			2.75	2.50	
				ft.		Cr	B	8.00	7.20	
	5	to	6	ft.	B.	Or	B	10.00	9.00	



B

E

					— B —			
RFN7	OIN	70	stiva	ام	12'-15'	Each	Ten Hur	
DLIAT	11/2		2	ft.		40	Spice	
	2	to	3	ft.	•••••	.40	.35	.30
	3	to	4	ft.	***************************************	.60 .75	.50	.40
	4	to	5	ft.	***************************************	1.00	.65 .90	.55
DEDD	_				pratti. 8'-10'	1.00		
DEND		to	11/2			00	Pratt Barl	perry
	$\frac{1}{1\frac{1}{2}}$	to		ft.	••••••	.60 .75	.55 .65	
	2	to		ft.		1.00	.90	
aha	enqu	145	3'-4'					
CHE	12		15		В. & В	2.00	nault Barl	berry
					D. & D			
gae			i. 4'		D 6 D		Black Barl	perry
	12		15	in.	B. & B	1.50	1.35	
	15 1½	to	18	in. ft.	B. & B B. & B	2.25	2.00	
	3	ft.	4	II.	В. & В	2.75 6.00		
			0/ 5/		D. & D			
juii	iana		6′-7′	۲.	D 7 D		green Barl	
	1			ft.	B. & B	.90	.80	.75
	11/2	to	$\frac{2}{2\frac{1}{2}}$	ft.	B. & B B. & B	1.35	1.20	1.00
	$\frac{2}{2\frac{1}{2}}$		3	ft.	В. & В	2.25 2.75	2.00	
	5	ft.	spec			10.00	4.40	
ma	icrac		^	10'-			spine Barl	horry
1110	2	to	3	ft.		.80	.70	berry
	3	to	4	ft.		1.00	.90	
nei	uher	ti la	tifoli	or (il	icifolia). 5'-6'	Broad	Leaf Bar	berry
	2.		21/2			1.35	1.20	
	21/2		3		***************************************	2.00	1.80	
						Ten	H'dr'd Tl	././d
thu	inbei	rai.	5′-7	,			nese Bar	
		to	15			.18	.15	.12
	15	to	18			.22	.18	.15
	11/2	to	2	ft.	***************************************	.30	.25	.20
	2	to	21/2	ft.		.40	.35	.30
						Each	Ten Hur	
_			oured				anese Bar	.22
	12	to	15			.30 .45	.2 7 .36	.30
		to	18			.60	.50	.40
	11/2	to	$\frac{2}{2^{1/2}}$	ft. ft.		.75	.65	.40
				11.		., 0	Box Bar	hove
	mino		2′-3′	ž.		.35	.30	-
	9	to	12				spine Bar	
					1.5	inree		
tric			hora					
tric	12	to	15	in.	В. & В	1.20	1.00	.90
tric	12 15	to to	15 18	in.	B. & B B. & B			
	12 15 1½	to to to	15 18 2	in.	В. & В	1.20 1.80 2.25	1.00 1.50 2.00	.90 1.35
	12 15 1½ 1½	to to to	15 18 2 '-6'	in. in. ft.	B. & B B. & B B. & B	1.20 1.80 2.25	1.00 1.50 2.00 ernae Bar	.90 1.35
	12 15 1½ 1½	to to to to	15 18 2 '-6' 1½	in. in. ft.	B. & B B. & B B. & B	1.20 1.80 2.25 V	1.00 1.50 2.00	.90 1.35
	12 15 1½ 1½ 1 1½	to to to to to	15 18 2 '-6' 1½ 2	in. in. ft. ft.	B. & B B. & B B. & B	1.20 1.80 2.25	1.00 1.50 2.00 ernae Bar	.90 1.35
	12 15 1½ 1½	to to to to	15 18 2 '-6' 1½	in. in. ft.	B. & B B. & B B. & B	1.20 1.80 2.25 V .90 1.35	1.00 1.50 2.00 ernae Bar .80 1.20	.90 1.35
vei	12 15 1½ 1½ 1 1½ 2	to to to to to to	15 18 2 '-6' 1½ 2 3 4	in. in. ft. ft. ft. ft. ft.	B. & B B. & B B. & B	1.20 1.80 2.25 V .90 1.35 1.80 2.50	1.00 1.50 2.00 ernae Bar .80 1.20 1.65	.90 1.35 berry
vei	12 15 1½ 1½ 1 1½ 2 3	to to to to to to to	15 18 2 '-6' 1½2 2 3 4	in. ft. ft. ft. ft.	B. & B B. & B	1.20 1.80 2.25 Vo. .90 1.35 1.80 2.50	1.00 1.50 2.00 ernae Bar .80 1.20 1.65	.90 1.35 berry
vei	12 15 1½ 1½ 1 1½ 2 3	to to to to to to	15 18 2 '-6' 1½ 2 3 4 x. 3	in. ft. ft. ft. ft. ft. ft.	B. & B B. & B B. & B	1.20 1.80 2.25 V .90 1.35 1.80 2.50	1.00 1.50 2.00 ernae Bar .80 1.20 1.65	.90 1.35 berry
vei	12 15 1½ 1½ 1 1½ 2 3	to to to to to to to	15 18 2 '-6' 1½2 2 3 4 x. 3	in. in. ft. ft. ft. ft. in. in.	B. & B B. & B B. & B	1.20 1.80 2.25 V .90 1.35 1.80 2.50 V	1.00 1.50 2.00 ernae Bar .80 1.20 1.65	.90 1.35 berry berry 1.50
vei	12 15 1½ 1½ 1 1½ 2 3	to to to to to to	15 18 2 '-6' 1½ 2 3 4 x. 3 15 18 2	in. ft. ft. ft. ft. ft. ft.	B. & B B. & B B. & B	1.20 1.80 2.25 V .90 1.35 1.80 2.50	1.00 1.50 2.00 ernae Bar .80 1.20 1.65 Varty Bar 1.65 2.00	.90 1.35 berry berry 1.50

wilsoni subcaulialata. 5'-6' Wilson Barberry 2 to 3 ft. B. & B. 2.25 3 to 4 ft. B. & B. 3.00 BETULA alba fastifiata. 20'-25' Columnar White Birch 6 to 8 ft. B. & B. 7.00 10 to 12 ft. B. & B. 7.00 10 to 12 ft. B. & B. 7.00 11 to 12 ft. B. & B. 11.00 — laciniata. 30'-40' Weeping Cutleaf Birch 5 to 8 ft. 3.00 2.70 3.30 8 to 10 ft. B. & B. 6.75 6 to 8 ft. B. & B. 6.75 6 to 8 ft. B. & B. 9.00 populifolia. 35'-40' Gray Birch 6 to 8 ft. clumps, B. & B. 5.25 4.80 8 to 10 ft. clumps, B. & B. 5.25 4.80 8 to 10 ft. clumps, B. & B. 9.00 8.00 BIGNONIA grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine 2 year 90 8. 3 year 1.25 1.10 4 to 6 ft. specimens, B. &	BERBERIS	Each Ten Hundred
## 2 to 3 ft. B. & B		
BETULA alba fastifiata. 20'-25' 6 to 8 ft. B. & B. 7,00 10 to 12 ft. B. & B. 11,00 — laciniata. 30'-40' 8 to 10 ft. B. & B. 11,00 — laciniata. 30'-40' 8 to 10 ft. B. & B. 11,00 — laciniata. 30'-40' 8 to 10 ft. B. & B. 3,00 2,70 8 to 10 ft. B. & B. 3,00 2,70 8 to 10 ft. B. & B. 6,75 8 to 6 ft. B. & B. 6,75 6 to 8 ft. B. & B. 9,00 populifolia. 35'-40' 6 to 8 ft. Clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 12 ft. clumps, B. & B. 7,50 6,75 10 to 6 ft. specimens, B. & B. 4,50 EUXUS sempervirens angustifolia. 2'-3' 10 to 12 in. B. & B. 1,20 1,00 12 to 15 in. B. & B. 1,20 1,00 12 to 15 in. B. & B. 1,20 1,50 — arborescens. 15'-20' 5 to 6 ft. B. & B. 21,00 Dwarf Bush Boxwood	2 to 2 ft R & R	
### Columnar White Birch 6	3 to 4 ft. B. & B	
alba fastifiata. 20'-25' Columnar White Birch 6 to 8 ft. B. & B		
6 to 8 ft. B. & B		C. I. TITL'II- Di-J.
No. 10 11 15 15 16 16 16 10 10 12 15 15 15 10 10 12 15 15 10 10 10 12 15 15 10 15 10 15 10 10	alba fastifiata. 20'-25'	F 00
No. 12 tt. B. & B. 11.00	6 to 8 tt. B. & B	7.00
Trumpet Vine Syear Syea		11.00
Trumpet Vine Syear Syea	— laciniata. 30'-40'	Weeping Cutleaf Birch
8 to 10 ft. 3.75 3.30 - youngi. 8'-15' Young's Weeping Birch 5 to 6 ft. B. & B. 6.75 6 to 8 ft. B. & B. 9.00 populifolia. 35'-40' Gray Birch 6 to 8 ft. clumps, B. & B. 7.50 6.75 10 to 12 ft. clumps, B. & B. 7.50 6.75 10 to 12 ft. clumps, B. & B. 9.00 BIGNONIA grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine 2 year 90 .80 3 year 1.25 1.10 4 to 6 ft. specimens, B. & B. 4.50 radicans. 60'-80' Vine. Trumpet Vine 2 year .35 .30 .25 BUDDLEIA alternifolia. 8'-10' Alternate Leaf Buddleia 2 year .50 .45 davidi veitchi. 10'-12' Butterfly Bush 2 year .50 .40 .35 Charming Pink Butterfly Bush 2 year .50 .40 .35 Charming Pink Butterfly Bush 50 .40 .35 EUXUS sempervirens angustifolia. 2'-3' Willowleaf Box 10 to 12 in. B. & B. 1.20 1.00 12 to 15 in. B. & B. 1.20 1.50 - arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B. 21.00 - suffruticosa. 5'-6' Dwarf Bush Boxwood		
S to 6 ft. B. & B	8 to 10 ft	
6 to 8 ft. B. & B	— youngi. 8'-15'	Young's Weeping Birch
6 to 8 ft. B. & B	5 to 6 ft. B. & B	6.75
6 to 8 ft. clumps, B. & B 5.25 4.80 8 to 10 ft. clumps, B. & B 7.50 6.75 10 to 12 ft. clumps, B. & B 9.00 8.00 BIGNONIA grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine 2 year	6 to 8 ft. B. & B	9.00
8 to 10 ft. clumps, B. & B	populifolia. 35'-40'	Gray Birch
BIGNONIA grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine 2 year .90 .80 .1.25 1.10 4 to 6 ft. specimens, B. & B. 4.50		
### BIGNONIA grandiflora Mad. Gallen. 25'-30'		
grandiflora Mad. Gallen. 25'-30' Vine. Gallen Trumpet Vine 2 year .90 .80 3 year 1.25 1.10 4 to 6 ft. specimens, B. & B. 4.50 Trumpet Vine 2 year .35 .30 .25 BUDDLEIA alternifolia. 8'-10' Alternate Leaf Buddleia 2 year .50 .45 davidi veitchi. 10'-12' Butterfly Bush 2 year .40 .35 .30 — Ile de France. 4'-5' Hybrid Butterfly Bush .50 .40 .35 Charming Pink Butterfly Bush .50 .40 EUXUS sempervirens angustifolia. 2'-3' Willowleaf Box 10 to 12 in. B. & B. & B. 1.20 1.00 12 to 15 in. B. & B. & B. 1.80 1.50 — arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B. & B. 21.00 — suffruticosa. 5'-6' Dwarf Bush Boxwood	10 to 12 ft. clumps, B. & B	9.00 8.00
2 year	BIGNONIA	
3 year	grandiflora Mad. Gallen. 25'-30' Vine.	
## to 6 ft. specimens, B. & B. 4.50 radicans. 60'-80' Vine.		
radicans. 60'-80' Vine. Trumpet Vine 2 year .35 .30 .25 BUDDLEIA alternifolia. 8'-10' Alternate Leaf Buddleia 2 year .50 .45 davidi veitchi. 10'-12' Butterfly Bush 2 year .40 .35 .30 — Ile de France. 4'-5' Hybrid Butterfly Bush 2 year .50 .40 .35 Charming Pink Butterfly Bush 2 year .50 .40 EUXUS sempervirens angustifolia. 2'-3' Willowleaf Box 10 to 12 in. B. & B. B. B. 1.20 1.00 1.50 — arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B. & B. 21.00 — suffruticosa. 5'-6' Dwarf Bush Boxwood		
2 year		
BUDDLEIA alternifolia. 8'-10' 2 year		
2 year		
davidi veitchi. 10'-12' Butterfly Bush 2 year .40 .35 .30 — Ile de France. 4'-5' Hybrid Butterfly Bush 2.50 .40 .35 Charming Pink Butterfly Bush 2.50 .40 EUXUS sempervirens angustifolia. 2'-3' Willowleaf Box 10 to 12 in. B. & B		
2 year	2 year	.50 .45
— Rede France. 4'-5' Hybrid Butterfly Bush 2 year .50 .40 .35 Charming Pink Butterfly Bush .50 .40 EUXUS sempervirens angustifolia. 2'-3' Willowleaf Box 10 to 12 in. B. & B	davidi veitchi. 10'-12'	Butterfly Bush
2 year	2 year	.40 .35 .30
Charming Pink Butterfly Bush 2 year .50 .40 BUXUS sempervirens angustifolia. 2'-3' Willowleaf Box 10 to 12 in. B. & B. 1.20 1.00 12 to 15 in. B. & B. 1.80 1.50 — arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B. 21.00 — suffruticosa. 5'-6' Dwarf Bush Boxwood	— Ile de France. 4'-5'	Hybrid Butterfly Bush
2 year	2 year	.50 .40 .35
2 year	Charming	Pink Butterfly Bush
10 to 12 in. B. & B 1.20 1.00 12 to 15 in. B. & B 1.80 1.50 - arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B 21.00 - suffruticosa. 5'-6' Dwarf Bush Boxwood	2 year	
10 to 12 in. B. & B 1.20 1.00 12 to 15 in. B. & B 1.80 1.50 - arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B 21.00 - suffruticosa. 5'-6' Dwarf Bush Boxwood	BUXUS sempervirens angustifolia. 2'-3'	Willowleaf Box
— arborescens. 15'-20' Tree Box 5 to 6 ft. B. & B 21.00 — suffruticosa. 5'-6' Dwarf Bush Boxwood		
5 to 6 ft. B. & B 21.00 — suffruticosa. 5'-6' Dwarf Bush Boxwood	12 to 15 in. B. & B	1.80 1.50
- suffruticosa. 5'-6' Dwarf Bush Boxwood	— arborescens. 15'-20'	Tree Box
	5 to 6 ft. B. & B	21.00
	— suffruticosa. 5'-6'	Dwarf Bush Boxwood
	Specimens 21/2 to 4 ft. B. & B	



--- C

			Each	Ten H	undred
CALLICARPA	A purpu	rea. 4'-5'	Chinese		
1½ to	2 ft.	***************************************	.35	.30	.27
2 to	3 ft.	• • • • • • • • • • • • • • • • • • • •	.45	.40	.35
3 to	4 ft.	***************************************	.55	.50	.45
CALYCANTE	IUS flori	dus. 8'-9'	Common	Sweet	Shrub
1½ to	2 ft.	***************************************	.40	.35	.30
2 to	3 ft.		.50	.45	.40
3 to	4 ft.	***************************************	.65		.50
4 to	5 ft.	***************************************	.90		
CARPINUS I	betulus.	50'-60'	Europe	an Hor	nbeam
2 to	3 ft.	***************************************	2.00	1.80	1.50
3 to	4 ft.	***************************************	2.50	2.25	2.00
4 to	5 ft.	***************************************	3.50	3.00	
5 to	6 ft.	***************************************	5.00	4.50	
6 to	8 ft.		6.00	5.40	
8 to	10 ft.		8.00	7.20	
CADVODTE	TC :	- 11//0/		D1	Catana
CARYOPTER					Spirea
2 year	••••	••••••	.40	.32	.24
CASSIA mai	ylandic	z. 3'-4'		Wild	Senna
2 year			.50	.45	
CEDRUS atla	intica gl	auca. 60'-70'	Blue	Ātlas	Cedar
3 to		В. & В	6.00		
4 to		В. & В	7.50		
	12 ft.				
libani. 60	0'-80'		Cedo	r of Le	ebanon
	9'-80' 4 ft.	В. & В		r of Le	ebanon
3 to	4 ft.		6.00		ebanon
3 to	4 ft.	B. & B	6.00		
3 to CELASTRUS 2 year	4 ft.	ntus. 30'-35'	6.00 Orient	al Bitte .30 m Bitte	ersweet .25
3 to CELASTRUS 2 year scandens.	4 ft.	atus. 30'-35'	6.00 Orient .35 America	al Bitte .30 m Bitte	ersweet .25
3 to CELASTRUS 2 year scandens. 2 year	4 ft.	atus. 30'-35'	6.00 Orient .35	al Bitte	.25
3 to CELASTRUS 2 year scandens. 2 year 3 year	4 ft.	xtus. 30'-35'	6.00 Orient .35 America	al Bitte .30 m Bitte .30 .45	.25 ersweet .25 .40
3 to CELASTRUS 2 year scandens. 2 year 3 year	4 ft. orbiculo 20'-25'	rtus. 30'-35'	6.00 Orient .35 Americo .35 .50	al Bitte .30 m Bitte .30 .45	.25 ersweet .25 .40 n Bush
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN	4 ft. orbiculo 20'-25'	rtus. 30'-35'	6.00 Orient .35 Americo .35 .50	al Bitte .30 m Bitte .30 .45 Buttor .35	.25 ersweet .25 .40
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to	4 ft. orbiculo 20'-25'	ccidentalis. 12'-15'	6.00 Orient .35 Americo .35 .50	al Bitte .30 m Bitte .30 .45	.25 ersweet .25 .40 n Bush
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft.	rtus. 30'-35'	6.00 Orient .35 Americo .35 .50	al Bitte .30 m Bitte .30 .45 Buttor .35 .50	.25 .25 .40 n Bush
CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLLUM j	cidentalis. 12'-15'	6.00 Orient .35 Americo .35 .50 .40 .60 .75	al Bitte .30 m Bitte .30 .45 Butto .35 .50	.25 .25 .25 .40 n Bush .30
GELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to	4 ft. orbicule 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLIUM j 8 ft.	rius. 30'-35' rcidentalis. 12'-15' aponicum. 70'-80' B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75	al Bitte .30 m Bitte .30 .45 Buttor .35 .50 Katsur 5.40	.25 .25 .25 .40 n Bush .30
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN: 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to	4 ft. orbicule 20'-25' IHUS oc 2 ft. 3 ft. 4 ft. 'LLUM j. 8 ft. 10 ft.	ccidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00	al Bitte .30 m Bitte .30 .45 Butto .35 .50	.25 .25 .40 n Bush .30
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 8 to 10 to	4 ft. orbicule 20'-25'	rius. 30'-35' ccidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00	al Bitte .30 m Bitte .30 .45 Buttor .35 .50 Katsur 5.40	.25 .25 .40 n Bush .30
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 8 to 10 to	4 ft. orbicule 20'-25' THUS oc 2 ft. 3 ft. 4 ft. 'LLUM j. 8 ft. 10 ft.	rius. 30'-35' ccidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00	al Bitte .30 m Bitte .30 .45 Butto .35 .50 Katsur 5.40 8.00	25 25 25 25 25 25 25 25 25 25 25 25 25 2
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 8 to 10 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLLUM j 8 ft. 10 ft. 12 ft. 15 ft.	rius. 30'-35' ccidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame	al Bitte .30 m Bitte .30 .45 Buttor .35 .50 Katsur 5.40 8.00	.25 .25 .40 n Bush .30
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLLUM j 8 ft. 10 ft. 12 ft. 15 ft. 3 ft. 3 ft.	rius. 30'-35' ricidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70	al Bitte .30 m Bitte .30 .45 Buttor .35 .50 Katsur 5.40 8.00	25 25 25 25 25 25 25 25 25 25 25 25 25 2
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to 3 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLLUM j 8 ft. 10 ft. 12 ft. 15 ft. adensis, 3 ft. 4 ft.	rius. 30'-35' ridentalis. 12'-15' aponicum. 70'-80' B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70 .90	al Bitte .30 m Bitte .30 .45 Buttor .35 .50 Katsur 5.40 8.00 rican I	25 25 25 25 25 25 25 25 25 25 25 25 25 2
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLLUM j 8 ft. 10 ft. 12 ft. 15 ft. 3 ft. 3 ft.	rius. 30'-35' ricidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70 .90 1.20	al Bitte .30 m Bitte .30 .45 Buttor .35 .50 Katsur 5.40 8.00 rican I .60 .80 1.00	25 25 25 25 25 25 25 25 25 25 25 25 25 2
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to 3 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLLUM j 8 ft. 10 ft. 12 ft. 15 ft. adensis, 3 ft. 4 ft.	rius. 30'-35' ridentalis. 12'-15' aponicum. 70'-80' B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70 .90 1.20 Ch	al Bitte	25 25 25 25 25 25 25 25 25 25 25 25 25 2
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to 3 to 4 to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLUM j 8 ft. 10 ft. 12 ft. 15 ft. cadensis, 3 ft. 4 ft. 5 ft.	rius. 30'-35' ridentalis. 12'-15' aponicum. 70'-80' B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70 .90 1.20 Ch	al Bitte	25 arsweet .25 .40 n Bush .30 a Tree
3 to CELASTRUS 2 year scandens. 2 year 3 year 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to 3 to 4 to chinensis.	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLUM j 8 ft. 10 ft. 12 ft. 15 ft. adensis, 3 ft. 4 ft. 5 ft.	rius. 30'-35' ridentalis. 12'-15' aponicum. 70'-80' B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70 .90 1.20 Ch .65 .90	al Bitte	25 .40 n Bush .30 a Tree Redbud Redbud .55 .70
3 to CELASTRUS 2 year scandens. 2 year 3 year CEPHALAN 1½ to 2 to 3 to CERCIDIPHY 6 to 8 to 10 to 12 to CERCIS can 2 to 3 to 4 to chinensis. 1½ to	4 ft. orbiculo 20'-25' THUS oc 2 ft. 3 ft. 4 ft. TLUM j 8 ft. 10 ft. 12 ft. 15 ft. cadensis, 3 ft. 4 ft. 5 ft.	rius. 30'-35' ricidentalis. 12'-15' aponicum. 70'-80' B. & B B. & B B. & B B. & B	6.00 Orient .35 America .35 .50 .40 .60 .75 6.00 9.00 12.00 15.00 Ame .70 .90 1.20 Ch	al Bitte	25 arsweet .25 .40 n Bush .30 a Tree



CHAMAEC	YPARI	S				Each		Hundred
obtusa.		ft	В.	3	В	13.50	Hinoki	Cypress
							uhmass	Cypress
— lycopo				2	В		uDilloss	Oypress
		ft.	D.	Cx	D			~
— gracili							Hinoki	Cypress
4 to	5	ft.,	В.	&	В	9.00		
—— aur	eα. 1	0'-12'				_	Hinoki	Cypress
6 to	8	ft.	В.	&	В	13.50		
com	pacta.	6'-8'				Compact	Hinoki	Cypress
	6	ft.	В.	&	В	13.50		
6 to	6	ft. spec	ime	ns	В. & В.	21.00		
— nana.	2'-3'					Dwarf	Hinoki	Cypress
12 to		in.	В.	&	В	3.75	3.30	3.00
15 to		in.			В			
18 to	21	in.	В.	&	В	6.00	5.40	5.00
— young	i. 20'	-25′				Young	Golden	Cypress
6 to		ft.			В	12.00		
8 to		ft. ft.			B	20.00		
10 to) 14	11.	ם.	Ct	D	30.00		
pisifera.)′						Cypress
1½ to		ft.			B	1.50		
2 to 4 to		ft. ft.			B	2.00		1.05
5 to		ft.			В	6.00		
6 to		ft.			B			
8 to	10	ft.	В.	Ċ	В	13.50	12.00	
- durad								Cypress
$1\frac{1}{2}$ to 2		ft. ft.	В. В.		В			
6 to		ft.	В.		В			1.00
8 to		ft.	В.	&	В	13.50	12.00	
10 to	12	ft.	В.	8	В	20.00	18.00	
— filifero							Thread	Cypress
7 to	S c	ft.	B.	&	В	12.00		
— — au							Thread	Cypress
1½ to	2	ft. spre ft. spre ft. spre	ad,	В.	& B	2.25		
3 to	3	ft. spre	aa, ad.	B.	& B	5.00 7.50		
4 10	5	II. spre	eaa,	D.		10.00	01, 0	
5 to	6	ft. spre	ad,	В.	& B	13.50		
plumosα.	35′-4	10'					Plume	Cypress
15 to		in.	В.	&	B		.90	
$1\frac{1}{2}$ to 2		ft. ft.	В. В.	&	B			
3 to		ft.	В.	&	В			
6 to		ft.	B.	&	В			
7 to		ft. ft.	В. В.	&	B			9.00
10 (D.	ď	J	20.00		
— aurea							n Plume	Cypress
15 to		in. ft.	В. В.	&	B	1.00		
2 to		ft.	В.	&	B	1.50 2.00		
5 to		ft.	B.	&	В			

CHAMAECY	PARIS	plumosa-	-Co	ontinued	Each	Ten	Hundred				
- lutescen	s. 3'-	4'		Dwarf	Yellow	Plumo	Carnacac				
			D	c D	1 6110 W	riume	Cypress				
10 10	12 1	n. spread, n. spread,	D.	& B	1.00	.90	.80				
12 10	10 1	n. spreaa,	B.	& B	1.35	1.20	1.10				
15 to	18 1	n. spread,	B.	& B	2.00 3.00	1.80					
1½ to	Z i	t. spread,	В.	9 R	3.00						
— nana.	2'				Descent	Diverse	C				
							Cypress				
		t. spread,			5.00						
2½ to	3 t	t. spread,	В.	& B		6.75					
3 to	$3\frac{1}{2}$ f	t. spread,	В.	& В	9.00						
01											
squarrosa	neng.	2'			Dwa	rf Moss	Cypress				
2½ to	3 f	t. spread,	В.	& В	6.00	5.40					
- veitchi. 25'-30' Veitch Moss Cypress											
15 to	18 i		2	В			.75				
	2 f										
1½ to				В	1.50						
2 to	3 I	t. B.	Or	D	2.00	1.80	1.65				
CITION ENTER	IIIC		001	0.57		3373. **					
CHIONANTH			4U -	25			e Fringe				
2 to	3 f	t			.60	.50					
3 to	4 f	t			.75	.65					
4 to	5 f	t			.90	.80					
5 to	6 f	t			1.20	1.10					
6 to	7 f	t			1.50	1.35					
CLADRASTIS	5 luteo	. 40′-50′				Yello	ow-wood				
4 to	6 f	t			3.50	3.00					
6 to					5.00	4.50					
8 to					7.00	6.00					
0 10	10 1				, .00	0.00					
CLEMATIS paniculata. 25'-30' Vine. Sweet Autumn Clematis											
CLEMATIS p	anicul	ata. 25'-31)' T	line.	Sweet A	utumn	Clematis				
2 year	**********				.30	.25	.20				
2 year	**********					.25	.20				
2 year 3 year	*********				.30	.25	.20				
2 year 3 year CLETHRA al	nifolia	. 7′-8′			.30 .45	.25 .40	.20 .30 er Sweet				
2 year 3 year CLETHRA al 1½ to	nifolia 2	. 7′-8′			.30 .45	.25 .40 Summe	.20 .30 er Sweet				
2 year 3 year CLETHRA al 1½ to 2 to	nifolia 2 :	. 7'-8' ft			.30 .45	.25 .40 Summe .45 .65	.20 .30 Example 2 .40 .55				
2 year 3 year CLETHRA al 1½ to	nifolia 2 :	. 7′-8′			.30 .45	.25 .40 Summe	.20 .30 Example 2 .40 .55				
2 year 3 year CLETHRA al 1½ to 2 to 3 to	nifolia 2 : 3 : 4 :	. 7'-8' ft			.30 .45	.25 .40 Summe .45 .65	.20 .30 er Sweet .40 .55				
$\begin{array}{c} 2 \ \ \text{year} \\ 3 \ \ \text{year} \\ \\ \textbf{CLETHRA al} \\ 1^{1/2} \ \ \text{to} \\ 2 \ \ \ \text{to} \\ 3 \ \ \text{to} \\ \\ \\ \textbf{COLUTEA a.} \end{array}$	nifolia 2 3 4 4	. 7'-8' ft. ft. ft. cens. 10'	-12		.30 .45	.25 .40 Summe .45 .65 .80	.20 .30 er Sweet .40 .55				
2 year 3 year CLETHRA al $1\frac{1}{2}$ to 2 to 3 to COLUTEA a 3 to	nifolia 2 : 3 : 4 : rbores	. 7'-8' ft ft cens. 10'	-12		.30 .45 .50 .70 .90	.25 .40 Summe .45 .65	.20 .30 er Sweet .40 .55				
$\begin{array}{c} 2 \ \ \text{year} \\ 3 \ \ \text{year} \\ \\ \textbf{CLETHRA al} \\ 1^{1/2} \ \ \text{to} \\ 2 \ \ \ \text{to} \\ 3 \ \ \text{to} \\ \\ \\ \textbf{COLUTEA a.} \end{array}$	nifolia 2 : 3 : 4 : rbores	. 7'-8' ft. ft. ft. cens. 10'	-12		.30 .45	.25 .40 Summe .45 .65 .80	.20 .30 er Sweet .40 .55				
2 year 3 year CLETHRA al 1½ to 2 to 3 to COLUTEA α 3 to 4 to	nifolia 2 : 3 : 4 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1	. 7'-8' ft cens. 10'- ft.	-12'		.30 .45 .50 .70 .90	.25 .40 Summe .45 .65 .80 Bladde	.20 .30 er Sweet .40 .55				
2 year 3 year CLETHRA al $1\frac{1}{2}$ to 2 to 3 to COLUTEA a 3 to	nifolia 2 : 3 : 4 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1	. 7'-8' ft cens. 10'- ft.	-12'		.30 .45 .50 .70 .90	.25 .40 Summe .45 .65 .80 Bladde .50	20 .30 er Sweet .40 .55 er Senna				
2 year 3 year CLETHRA al 1½ to 2 to 3 to COLUTEA a 3 to 4 to CORNUS alk	nifolia 2 : 3 : 4 : rbores 4 : 5 : boa (sib	. 7'-8' ft cens. 10'- ft	-12*		.30 .45 .50 .70 .90	.25 .40 Summe .45 .65 .80 Bladde .50	20 .30 er Sweet .40 .55 er Senna				
2 year 3 year 2 year 3 year 2 11/2 to 2 to 3 to 2 2 to 3 to 2 2 to 3 to 4 to 2 2 to 3 to 4 to 2 2 to 3 to 4 to 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nifolia 2 : 3 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10' ft it it it	-12*		.30 .45 .50 .70 .90	.25 .40 Summe .45 .65 .80 Bladde .50	20 .30 er Sweet .40 .55 er Senna				
2 year 3 year CLETHRA al 1½ to 2 to 3 to COLUTEA a 3 to 4 to CORNUS alk	nifolia 2 : 3 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10'- ft	-12*		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50	20 30 er Sweet .40 .55 er Senna				
2 year 3 year 2 year 3 year 2 11/2 to 2 to 3 to 2 2 to 3 to 2 2 to 3 to 4 to 2 2 to 3 to 4 to 2 2 to 3 to 4 to 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	nifolia 2 3 4 rbores 4 5 6 a (sib) 4 1 5	. 7'-8' ft. cens. 10' ft. irica.) 8'- it.	-12*		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50	20 .30 er Sweet .40 .55 er Senna				
2 year 3 year 3 year 4 to 2 to 2 to 3 to 6 COLUTEA a 4 to 6 CORNUS alk 3 to 4 to 6 alternifolio	nifolia 2 3 4 rbores 4 5 a (sib 4 5 a. 15	. 7'-8' ft. cens. 10' ft. irica.) 8'- it.	-12'		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50	20 .30 er Sweet .40 .55 er Senna				
2 year 3 year 3 year 1½ to 2 to 3 to 4 to CORNUS alk 4 to alternifolio 2 to	nifoliα 2 : 3 : 4 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10' ft irica.) 8'- it 20'	-12'		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50	20 30 er Sweet .40 .55 er Senna Dogwood .45				
2 year 3 year 3 year 4 to 2 to 2 to 3 to 6 COLUTEA a 4 to 6 CORNUS alk 3 to 4 to 6 alternifolio	nifoliα 2 : 3 : 4 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10' ft irica.) 8'- it 20'	-12'		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .655 .80 Bladde .50 Coral I .45 .50 agoda I .50 .65	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55				
2 year 3 year 3 year 1½ to 2 to 3 to 4 to CORNUS alk 4 to alternifolio 2 to	nifoliα 2 : 3 : 4 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft 20'	-12'		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .655 .80 Bladde .50 Coral I .45 .50 agoda I .50 .65	20 .30 er Sweet .40 .55 er Senna Dogwood .45				
2 year 3 year 3 year 3 year 4 to 2 to 2 to 3 to 4	nifolia 2 : 3 : 4 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10' ft irica.) 8'- ft tt 20'	10′		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .655 .80 Bladde .50 Coral I .45 .50 agoda I .50 .65	20 30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood				
2 year 3 year 3 year 3 year 4 to 2 to 3 to 4	nifolia 2 : 3 : 4 : 4 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10' ft ft.	-12'		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 agoda I .50 .50 Silky I	20 .30 er Sweet .40 .55 er Sennα Dogwood .45 .55 Dogwood .35				
2 year 3 year 3 year CLETHRA al 1½ to 2 to 3 to COLUTEA a 3 to 4 to CORNUS alk 3 to 4 to alternifolia 2 to 3 to umamum. 2 to 3 to	nifolia 2 : 3 : 4 : 4 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft 20' ft.	-12*		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 agoda I .50 Silky I .45 .55	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .35 .45				
2 year 3 year 3 year CLETHRA al 1½ to 2 to 3 to COLUTEA a 3 to 4 to CORNUS alk 3 to 4 to alternifolia 2 to 3 to umamum. 2 to 3 to 4 to	nifolia 2 3 4 4 7 rbores 4 5 6 7 8 15 3 4 4 5 8 7 15 7 15 7 15 7 15 7 15 7 15 7 15	. 7'-8' ft. ft. cens. 10' ft. ft. ft. di. cens. 20' ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 agoda I .50 .65 Silky I .45	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55				
2 year 3 year 3 year CLETHRA al 1½ to 2 to 3 to COLUTEA a 3 to 4 to CORNUS alk 3 to 4 to alternifolia 2 to 3 to umamum. 2 to 3 to	nifolia 2 3 4 4 7 rbores 4 5 6 7 8 15 3 4 4 5 8 7 15 7 15 7 15 7 15 7 15 7 15 7 15	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft.	10′		.30 .45 .50 .70 .90 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 agoda I .50 .65 Silky I .45 .55 .65	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55				
2 year 3 year 3 year 3 year 3 year 6 1 1 1/2 to 2 to 3 to 6 2 to 3 to 6 4 to 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	nifolia 2 : 3 : 4 : 5 : 5 : 6 : 6 : 6	. 7'-8' ft. ft. cens. 10' ft. ft. ft. di. cens. 20' ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 sgoda I .50 Silky I .45 .55 .65	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55				
2 year 3 year 3 year 3 year 3 year 6 1 1 1 1 2 to 2 to 3 to 4 to 6 1 1 1 2 to 2 to 3 to 4 to 6 1 1 1 2 to 3 to 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	nifolia 2 : 3 : 4 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft cens. 10' ft irica.) 8'- it 20' it ft	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 silky I .45 .55 .65 .75	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55 Dogwood .45 .55 Dogwood .45 .55				
2 year 3 year 3 year 3 year 3 year 6 1 1 1/2 to 2 to 3 to 6 2 to 3 to 6 4 to 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	nifolia 2 : 3 : 4 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft. ft. cens. 10' ft. ft. ft. di. cens. 20' ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 sgoda I .50 Silky I .45 .55 .65	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55 Dogwood .45 .55 Dogwood .45 .55				
2 year 3 year 3 year 3 year 3 year 3 year 6 11½ to 2 to 3 to 4 to 6 12 to 3 to 6 12 to 6	nifolia 2 : 3 : 4 : 5 : 5 : 5 : 6 : 6 : 6 : 6 : 6 : 6 : 6	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 xgoda I .50 .65 Silky I .45 .55 .65 .75	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55				
2 year 3 year 3 year 3 year 3 year 6 1 1 1 1 2 to 2 to 3 to 4 to 6 1 1 1 2 to 2 to 3 to 4 to 6 1 1 1 2 to 3 to 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	nifolia 2 3 4 rbores 4 5 6 8'-10' 3 4 5 6 6 7 8. 6"	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75 .50 .60	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 rgoda I .50 .65 Silky I .45 .55 .65 .75 Bu: .32	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55 .60 .60 erchberry .24				
2 year 3 year 3 year 3 year 3 year 3 year 6 11½ to 2 to 3 to 4 to 6 12 to 3 to 6 12 to 6	nifolia 2 3 4 rbores 4 5 6 7 8'-10' 3 4 5 6 8'-10' 3 4 5 6 7 8 7 8 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75 .50 .60 .75	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 rgoda I .50 .65 Silky I .45 .55 .65 .75 Bu: .32 Giant I	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55 .60 .60 mchberry .24 Dogwood .80				
2 year 3 year 3 year 3 year 3 year 3 year 6 2 to 2 to 3 to 4 to 6 2 to 6 3 to 6 4 to 6 4 to 6 5 to 6 canadensis 3" Pots controvers	nifolia 2 3 4 rbores 4 5 6 7 8'-10' 3 4 5 6 8'-10' 3 4 5 6 7 8 7 8 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8	. 7'-8' ft. cens. 10' ft. irica.) 8'- ft.	10′		.30 .45 .50 .70 .90 .60 .75 .50 .60 .75 .50 .60	.25 .40 Summe .45 .65 .80 Bladde .50 Coral I .45 .50 rgoda I .50 .65 Silky I .45 .55 .65 .75 Bu: .32	20 .30 er Sweet .40 .55 er Senna Dogwood .45 .55 Dogwood .45 .55 .60 .60 mchberry .24 Dogwood .80				

~										
	ORNUS-		ntin	1100				Each	Ten H	undred
C							3271.			
	florida.	23	5′-30				VV II	ite Flow	_	
	3	to	4	ft.	B.	&	В	1.50	1.35	1.20
	4	to	5	ft.	В.	8	В	2.50	2.25	2.00
	5	to	6	ft.	В.	&	В	3.50	3.25	3.00
	6		8	ft.	В.	&	В	5.00	4.50	
		to	_						4.00	
	8	to	10	ft.	В.	2	В	7.50		
	10	to	12	ft.	B.	8	В	13.50		
	flore	ple	nα.	20'				Double V	Vhite Do	gwood
	3	to	4	ft.	R	2	В	4.50		
	0	10	-1	11.	D.	~		1.00		
	pend		3.0	'-12'				38700	ping Do	hoown
	-								sping Do	g wood
	2	to	3	ft.	В.	&	В	3.75		
	rubr	α.	25'-	30'			R	ed Flow	ering Do	gwood
	2	to	3	ft.	В.	&	В	1.80	1.50	1.35
	3	to	4	ft.	В.	&	В	3.00	2.70	2.40
					-					
	4	to	5	ft.	В.	&	В	4.50	4.00	3.60
	5	to	6	ft.	В.	&	B	6.75	6.00	
	6	to	7	ft.	В.	&	В	10.00		
	weld	chi.	15'	-20'				V	Telch Do	awood
				_	D	~	В			3
	2	to	3	ft.	В.			2.00		
	3	to	4	ft.	В.	Ór.	В	3.00		
	kousa.	15	-20					K	ousa Do	gwood
	2	to	3	ft.	В.	&	В	.75	.65	
	3	to	4	ft.	В.	&	В	1.80	1.65	1.50
										1.00
	4	to	5	ft.	В.	&	В	2.75	2.40	
	5	to	6	ft.	В.	&	B	4.00	3.60	
	6	to	8	ft.	В.	8	В	6.00	5.40	
	8	to	10	ft.	В.	&	В	9.00	8.00	
	_							0.00	0.00	
	chin	ens	g.	15'-2	n'			Chi	nese Do	hoown
					•	_				9 11000
	2					2	В			
		to	3	ft.	В.	&		1.20	1.00	.90
	3	to	3	ft.	В. В.	&		1.20	1.00 1.65	.90 1.50
	3 4		4	ft.	В.	&	В	1.80	1.65	1.50
	4	to to	4 5	ft. ft.	В. В.	&	B	1.80 2.75	1.65 2.50	
	4 5	to to	4 5 6	ft. ft. ft.	B. B. B.	8 8 8	B B	1.80 2.75 4.00	1.65	1.50
	4	to to	4 5	ft. ft.	В. В.	&	B	1.80 2.75	1.65 2.50	1.50
	4 5 6	to to to	4 5 6 8	ft. ft. ft.	B. B. B.	8 8 8	B B	1.80 2.75 4.00 6.00	1.65 2.50 3.60	1.50 2.25
	4 5	to to	4 5 6 8	ft. ft. ft.	B. B. B.	8 8 8	B B	1.80 2.75 4.00 6.00	1.65 2.50	1.50 2.25
	4 5 6	to to to	4 5 6 8	ft. ft. ft.	B. B. B.	8 8 8	B B	1.80 2.75 4.00 6.00	1.65 2.50 3.60	1.50 2.25
	4 5 6 mas. 2	to to to to to	4 5 6 8 20'	ft. ft. ft. ft.	B. B. B. B.	88888	B B B B	1.80 2.75 4.00 6.00	1.65 2.50 3.60 Prnelian	1.50 2.25 Cherry .90
	4 5 6 mas. 2 3	to to to to to to to	4 5 6 8 20' 3 4	ft. ft. ft. ft. ft.	B. B. B. B. B.	8888 88	B B B B	1.80 2.75 4.00 6.00 Co 1.20 1.80	1.65 2.50 3.60 ernelian 1.00 1.65	1.50 2.25 Cherry .90 1.50
	4 5 6 mas. 2 3 4	to to to to to to to	4 5 6 8 20' 3 4 5	ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	8888 888	B B B B B	1.80 2.75 4.00 6.00 Co 1.20 1.80 3.00	1.65 2.50 3.60 Proelian 1.00 1.65 2.70	1.50 2.25 Cherry .90
	4 5 6 mas 2 3 4 5	to to to to to to to	4 5 6 8 20' 3 4 5 6	ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	8888 8888	B B B B B B	1.80 2.75 4.00 6.00 Co 1.20 1.80 3.00 4.00	1.65 2.50 3.60 ernelian 1.00 1.65	1.50 2.25 Cherry .90 1.50
	4 5 6 mas. 2 3 4	to to to to to to to	4 5 6 8 20' 3 4 5	ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	8888 888	B B B B B	1.80 2.75 4.00 6.00 Co 1.20 1.80 3.00	1.65 2.50 3.60 Proelian 1.00 1.65 2.70	1.50 2.25 Cherry .90 1.50
	4 5 6 2 3 4 5 6	to to to to to to to to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B. B.	8888 8888	B B B B B B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 Prnelian 1.00 1.65 2.70 3.60	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas 2 3 4 5	to to to to to to to to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B. B.	8888 8888	B B B B B B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 Proelian 1.00 1.65 2.70	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 2 3 4 5 6	to to to to to to to to to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B.	888888888888888888888888888888888888888	B B B B B B B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas. 2 3 4 5 6 panicu 1½	to to to to to to to to to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B	88888888888	B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas. 2 3 4 5 6 panicu 1½ 2	to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 crnelian 1.00 1.65 2.70 3.60 Gray Do .40	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas. 2 3 4 5 6 panicu 1½ 2 3	to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 crnelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas. 2 3 4 5 6 panicu 1½ 2	to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 crnelian 1.00 1.65 2.70 3.60 Gray Do .40	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas. 2 3 4 5 6 panicu 1½ 2 3	to	4 5 6 8 20' 3 4 5 6 8	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 Cc 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 crnelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80	1.50 2.25 Cherry .90 1.50 2.40
	4 5 6 mas. 2 3 4 5 6 panicu 1½ 2 3	to	4 5 6 8 20' 3 4 5 6 8 	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00	1.65 2.50 3.60 crnelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 5 6 panicu 1½ 2 3 4 stolonii:	to t	4 5 6 8 20' 3 4 5 6 8 	ft.	B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .70 .90 1.00	1.65 2.50 3.60 crnelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90	1.50 2.25 Cherry .90 1.50 2.40 gwood .50
	4 5 6 6 mas. 2 3 4 5 6 6 panicu 1½ 2 3 4 4 stolonii: 2	to t	4 5 6 8 20' 3 4 5 5 6 8 . 1 2 3 4 5 5 6 8 . 3 4 5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ft.	B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .50	1.65 2.50 3.60 cornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 5 6 6 panicu 1½ 2 3 3 4 4 stolonii 2 3	to t	4 5 6 8 20' 3 4 5 5 6 8 . 1 2 3 4 5 . 3 4 5 . 3 4 5 . 3 4 5 . 3 4 5 . 3 6 8 8 . 3 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .70 .90 1.00	1.65 2.50 3.60 cornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 stolonia 2 3 4 4	to t	4 5 6 8 20' 3 4 5 5 6 8 . 1 2 3 4 5 5 6 8 . 3 4 5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .50	1.65 2.50 3.60 cornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 5 6 6 panicu 1½ 2 3 3 4 4 stolonii 2 3	to t	4 5 6 8 20' 3 4 5 5 6 8 . 1 2 3 4 5 . 3 4 5 . 3 4 5 . 3 4 5 . 3 4 5 . 3 6 8 8 . 3 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .70 .90 1.00	1.65 2.50 3.60 cornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 stolonia 2 3 4 4	to t	4 5 6 8 8 220' 3 4 5 6 8 2 3 4 5 8 3 4 5	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .70 .90 1.00 Red .50 .60 .75	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55 .65	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 stoloni: 2 3 4 5 5	to t	4 5 6 8 20' 3 4 5 6 8 1 2 3 4 5 6 8 3 4 5 6	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00 .50 .70 .90 1.00 .50 .60 .75 .90	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55 .65 .80	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 5 5 — flav.	to t	4 5 6 8 20' 3 4 5 6 8 2 3 4 4 5 6 8 3 4 5 6 6 8 1 1 1 2 3 4 4 5 6 6 8 1 1 1 2 3 4 5 6 6 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .70 .90 1.00 Bed .50 .60 .75 .90	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55 .65 .80	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 stoloni: 2 3 4 5 5 — flav: 2	to t	4 5 6 8 20' 3 4 5 6 8 1 2 3 4 5 6 8 3 4 5 6	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00 .50 .70 .90 1.00 .50 .60 .75 .90	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55 .65 .80	1.50 2.25 Cherry .90 1.50 2.40 gwood .30 .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 5 5 — flav.	to t	4 5 6 8 20' 3 4 5 6 8 2 3 4 4 5 6 8 3 4 5 6 6 8 1 1 1 2 3 4 4 5 6 6 8 1 1 1 2 3 4 5 6 6 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00 .50 .70 .90 1.00 Red .50 .60 .75 .90	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55 .65 .80 niwig Do .55	1.50 2.25 Cherry .90 1.50 2.40 gwood .50 gwood .50
	4 5 6 6 mas. 2 3 4 4 5 6 6 panicu 1½ 2 3 4 4 stoloni: 2 3 4 5 5 — flav: 2	to t	4 5 6 8 20' 3 4 5 6 8 2 3 4 5 6 8 3 4 5 6 8 3 4 5 6 8 3 4 5 6	ft.	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.75 4.00 6.00 1.20 1.80 3.00 4.00 6.00 50 .70 .90 1.00 Bed .50 .60 .75 .90	1.65 2.50 3.60 ornelian 1.00 1.65 2.70 3.60 Gray Do .40 .60 .80 .90 Osier Do .45 .55 .65 .80	1.50 2.25 Cherry .90 1.50 2.40 gwood .50 gwood .60

CODY! ODG!		2/ 10/			Ten Hu	
CORYLOPSIS					e Winter	hazel
	3 ft. 4 ft.	B. & B B. & B	S }	2.50 3.50		
	5 ft.	B. & B	3	5.00		
				0.00		
COTONEAST	_			Creepin	g Cotone	easter
4" Pots	, 9 to 12 ir	n. spread	d	1.50	1.35	1.20
apiculata.	4'-5'			Tippe	d Coton	easter
4" Pots	, 12 to 15 in	n. spread	d	1.50		
dammeri.					er Coton	easter
4" Pots	, 12 to 15 in	n. spread	d	1.50	1.35	
dielsiana.	(applanata)	5′-6′		Diel	's Coton	easter
2 to	3 ft.	B. & E	3	1.65 2.25	1.50	
3 to	4 ft.	B. & F	3	2.25	2.00	
divaricata.	4'-6'			Spreadin	g Coton	easter
		B. & F	3			
2 to	3 ft.	B. & B	3	1.00 1.50	1.35	1.20
	4 ft.	B. & E	3	2.00	1.80	1.50
4 to	5 ft.	B. & E	3	2.75	2.40	
foveolata.	8'-10'			Pitte	ed Coton	easter
3 to	4 ft.	B. & H	3	2.25		
4 to	5 ft.	B. & I	3	3.00		
franchetti.				Franch	et Coton	easter
1½ to	2 ft.	B. & H B. & H	3		1.20	
2 to	3 ft.	R & F	B	1.80	1.65	
2 10		D. 0. 1				
		D. Q. 1		Ro	ck Coton	easter
horizontali	s. 2'-3'				ck Coton	
horizontali				1.20	1.00	.90
horizontali	s. 2'-3'			1.20 Owarf Ro	1.00	.90
horizontali 4" Pots — perpusi	s. 2'-3'	•••••	 D	1.20 Owarf Ro	1.00	.90
horizontali 4" Pots — perpusi	s. 2'-3'	•••••	 D	1.20 Owarf Ro 1.20	1.00	.90 easter .90
horizontali 4" Pots — perpusi 4" Pots hupehensi	s. 2'-3'	•••••	E	1.20 Owarf Ro 1.20	1.00 ck Coton 1.00	.90 easter .90
horizontali 4" Pots — perpusi 4" Pots hupehensi	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft.	B. & 1 B. & 1	 r B	1.20 Dwarf Ro 1.20 Hupe 1.20 1.65	1.00 ck Coton 1.00	.90 easter .90
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft.	B. & 1 B. & 1 B. & 1	B B	1.20 Dwarf Ro 1.20 Hupe 1.20 1.65 2.25	1.00 ck Coton 1.00	.90 easter .90
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft.	B. & 1 B. & 1	B B	1.20 Dwarf Ro 1.20 Hupe 1.20 1.65	1.00 ck Coton 1.00	.90 easter .90
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft.	B. & 1 B. & 1 B. & 1	B B	1.20 Dwarf Ro 1.20 Hupe 1.20 1.65 2.25	1.00 ck Coton 1.00 eh Coton	.90 easter .90
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft.	B. & 1 B. & 1 B. & 1	B B	1.20 Dwarf Ro 1.20 Hupe 1.20 1.65 2.25 3.00	1.00 ck Coton 1.00 eh Coton	.90 easter .90 easter
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyll 4" Pots	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in	B. & I B. & I B. & I	B B B	1.20 Dwarf Ro 1.20 Hupe 1.20 1.65 2.25 3.00	1.00 ck Coton 1.00 eh Coton Rock	.90 easter .90 easter
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyl: 4" Pots racemiflor	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica	B. & 1 B. & 1 B. & 1	B B B	1.20 Nearf Roo 1.20 Hupe 1.20 1.65 2.25 3.00 .60 Oral Fruite	1.00 ck Coton 1.00 ch Coton Rock .50	.90 easter .90 easter
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyli 4" Pots racemiflor 1½ to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft.	B. & 1 B. & 1 B. & 1 B. & 1	B B B B	1.20 Dwarf Roo 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35	1.00 ck Coton 1.00 ch Coton Rock .50 cd Coton 1.20	.90 easter .90 easter
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyll 4" Pots racemiflor 1½ to 2 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 3 ft.	B. & 1 B. & 1 B. & 1 B. & 1	B B B B	1.20 Nearf Roo 1.20 Hupe 1.20 1.65 2.25 3.00 .60 Oral Fruite	1.00 ck Coton 1.00 ch Coton Rock .50	.90 easter .90 easter xspray .45 easter 1.10
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyli 4" Pots racemiflor 1½ to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 3 ft.	B. & 1 B. & 1 B. & 1 B. & 1	B B B B B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00	1.00 ck Coton 1.00 ch Coton Rock .50 cd Coton 1.20 1.80	.90 easter .90 easter xspray .45 easter 1.10 1.65
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyll 4" Pots racemiflor 1½ to 2 to 3 to 4 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft.	B. & 1 B. & 1	B B B B B	1.20 Nwarf Roo 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00	1.00 ck Coton 1.00 eh Coton Rock .50 ed Coton 1.20 1.80 2.25 2.70	.90 easter .90 easter aspray .45 easter 1.10 1.65 2.00
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyll 4" Pots racemiflor 1½ to 2 to 3 to 4 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. la. 5 ft. 4 ft. 5 ft. la. 6 ft.	B. & 1 B. & 1 B. & 1 B. & 1 B. & 1 B. & 1	B B B B B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle	1.00 ck Coton 1.00 ch Coton 1.00 ch Coton 1.20 1.80 2.25 2.70 ccf Coton	.90 easter .90 easter aspray .45 easter 1.10 1.65 2.00
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyl: 4" Pots racemiflor 1½ to 2 to 3 to 4 to salicifolia 1 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. floccosa. 6 1½ ft.	B. & 1 B. & 1	B B B B B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle 1.00	1.00 ck Coton 1.00 eh Coton Rock .50 ed Coton 1.20 1.80 2.25 2.70	.90 easter .90 easter aspray .45 easter 1.10 1.65 2.00
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyll 4" Pots racemiflor 1½ to 2 to 3 to 4 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. floccosa. 6 1½ ft.	B. & 1 B. & 1 B. & 1 B. & 1 B. & 1 B. & 1	B B B B B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle	1.00 ck Coton 1.00 ch Coton Rock .50 cd Coton 1.20 1.80 2.25 2.70 cd Coton .90	.90 easter .90 easter aspray .45 easter 1.10 1.65 2.00
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyl: 4" Pots racemiflor 1½ to 2 to 3 to 4 to salicifolia 1 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. lla. 5 ft. floccosa. 6 1½ ft. 2 ft.	B. & 1 B. & 1	B	1.20 Nearf Root 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle 1.00 1.35 Sim	1.00 ck Coton 1.00 ch Coton 1.00 ch Coton 1.20 1.80 2.25 2.70 ccf Coton .90 1.20 on Coton	easter .90 easter .90 easter .45 easter 1.10 1.65 2.00
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyl: 4" Pots racemiflor 1½ to 2 to 3 to 4 to salicifolia 1 to 1½ to simonsi. 3 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-21/2' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. floccosa. 6 11/2 ft. 2 ft. 2 ft. 4 ft. 5'-6' 4 ft.	B. & 1 B. & 1	B	1.20 Nwarf Roo 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle 1.00 1.35 Sim 2.50	1.00 ck Coton 1.00 ch Coton 1.20 1.80 2.25 2.70 ccf Coton .90 1.20 on Coton 2.25	easter .90 easter .90 easter .45 easter 1.10 1.65 2.00
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyl: 4" Pots racemiflor 1½ to 2 to 3 to 4 to salicifolia 1 to 1½ to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. floccosa. 6 1½ ft. 2 ft. 2 ft.	B. & 1 B. & 1	B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle 1.00 1.35 Sim 2.50 3.00	1.00 ck Coton 1.00 ch Coton 1.00 ch Coton 1.20 1.80 2.25 2.70 caf Coton 90 1.20 on Coton 2.25 2.70	.90 easter .90 easter .8pray .45 easter 1.10 1.65 2.00 easter
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyl: 4" Pots racemiflor 1½ to 2 to 3 to 4 to salicifolia 1 to 1½ to simonsi. 3 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. floccosa. 6 1½ ft. 2 ft. 5'-6' 4 ft. 5 ft.	B. & 1 B. & 1	B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle 1.00 1.35 Sim 2.50 3.00	1.00 ck Coton 1.00 ch Coton 1.20 1.80 2.25 2.70 ccf Coton .90 1.20 on Coton 2.25	.90 easter .90 easter .8pray .45 easter 1.10 1.65 2.00 easter
horizontali 4" Pots — perpusi 4" Pots hupehensi 1½ to 2 to 3 to 4 to microphyll 4" Pots racemiflor 1½ to 2 to 3 to 4 to salicifolia 1 to 1½ to 1½ to simonsi. 3 to 4 to	s. 2'-3' lla. 1'-2' s. 5'-6' 2 ft. 3 ft. 4 ft. 5 ft. la. 2'-2½' s, 12 to 18 in a soongarica 2 ft. 3 ft. 4 ft. 5 ft. floccosa. 6 1½ ft. 2 ft. 5'-6' 4 ft. 5 ft.	B. & 1 B. & 1 B. & 1 B. & 1 B. & 1 B. & 1 B. & 2 B. & 3 B.	Co B B B B B	1.20 Warf Ro 1.20 Hupe 1.20 1.65 2.25 3.00 .60 oral Fruite 1.35 2.00 2.50 3.00 Willowle 1.00 1.35 Sim 2.50 3.00	1.00 ck Coton 1.00 ch Coton 1.00 ch Coton 1.20 1.80 2.25 2.70 caf Coton 90 1.20 on Coton 2.25 2.70	.90 easter .90 easter .8pray .45 easter 1.10 1.65 2.00 easter

					Each		lundred
CRATAE	GUS	arı	nold	iana. 18'-20'	A	rnold Ha	wthorn
3	to	4	ft.		2.00	1.80	
4	to	5	ft.		2.50	2.25	
5	to	6	ft.		3.25	3.00	
carrier	i.	15'-2	0'		Co	irrier Ha	wthorn
4	to	5	ft.		2.75	2.40	
5	to	6	ft.		3.50	3.30	
6	to	8	ft.		4.50	4.00	
8	to	10	ft.		6.00	5.40	
					2012	. 1	.7
coccin	eα.	10'-	12		Th	icket Ha	
2	to	3	ft.		1.20	1.00	.90
3	to	4	ft.		2.00	1.80	1.20
4	to	5	ft.		2.50	2.25	2.00
5	to	6	ft.		3.25	3.00	2.70
6	to	8	ft.		4.00	3.60	
8	to	10	ft.		5.50		
							PR11
cordate	α.	20′-2	5		Wo	shington	
2	to	3	ft.		1.20	1.00	.90
3	to	4	ft.		2.00	1.80	1.65
4	to	5	ft.		2.75	2.40	2.20
5	to	6	ft.		3.50	3.30	3.00
6	to	8	ft.	******	4.50	4.20	4.00
8	to	10	ft.		6.75		
	11:	001	0.57		,	T 1	FIFT.
crusga	111.	20′-	25		(Cockspur	Thorn
3	to	4	ft.		2.00	1.80	
4	to	5	ft.		2.50	2.25	
ellwan	~~~	~~~	7	5′-20′	Ellenon	nger Ha	urih ovn
	-						
4	to	5	ft.	•••••	2.50	2.25	2.00
5	to	6	ft.		3.25	3.00	2.70
6	to	8	ft.		4.00	3.60	
8	to	10	ft.		5.50	5.00	
mollis.	20	'-25'			Do	wny Ha	wthorn
3	to	4	ft.			_	
				***************************************	1.80	1.65	
4	to	5	ft.	••••••	2.50	2.25	
5	to	6	ft.	***************************************	3.25	3.00	
6	to	8	ft.		4.00	3.60	
8	to	10	ft.	В. & В	9.00		
10	to	12	ft.	В. & В	13.50		
nitida.	25	'-30'			GI	ossy Hav	wthorn
2	to	3	ft.		1.20	1.00	.90
3	to	4	ft.		2.00		
4	to	5	ft.	**********		1.80	1.65
5	to	6	ft.	***************************************	2.50	2.25	
6			ft.	***************************************		3.00	
0	to	8	II.	•••••	4.00	3.60	
οχγασα	mthe	T			En	glish Hay	wthorn
Douk				Double Pink	2422		
						Paul's S	ocarlet
3	to	4		(no white)	1.80		
4	to	5	_	(no white)	2.50		
5	to	6	ft.	***************************************	3.50		
6	to	8	ft.	•••••	5.00		
8	to	10	ft.	В. & В	10.00		
				1 001			
- rose	a n				Pink En	glish Ha	wthorn
4	to	5	ft.	***************************************	3.00		
5	to	6		***************************************	4.50		



CRYPTOMERIA japonica lobbi. 50'-60' Each Ten Hundred Lobb Cryptomeria											
Onli				_							tomeria
	4	to	5	ft.			В		4.50	4.00	3.60
	5	to	6	ft.	В.		В		6.00	5.40	
	8	to	10	ft.	В.		В		13.50	12.00	
	10	to	-	ft.	В.		В		20.00	18.00	
	12	to		ft.			В		30.00		
		to	16	ft.			В		40.00		
	16	to	18	ft.	B.	&	В		50.00		
CYD	ONIA	ja	poni	ca.	3'-5'				Flo	wering	Quince
	1	to	11/2	ft.					.35	.30	.25
	1 1/2	to	2	ft.					.45	.40	.35
	2	to	3	ft.					.60		
	3	to	4	ft.					.75		
	cora	llina		· E ·						Comm	d Glow
			11/2						.85	.75	.65
	1 1/2	to	2	it.		• • • • •			1.00	.90	
	gran	diflo		3'-4	ľ.					wering	Quince.
	11/2	to	2	ft.					1.00	.90	
		to	3	ft.					1.35	1.20	
	3	to	4	ft.					1.80	1.65	
	niva	lis.	3'-4	,				Wh		wering	Quince
	1	to	11/2	ft.					.75	.65 .80	.60
	11/2	to	2	ft.					.90	.80	.70
	2	to	21/2	ft.					1.35	1.20	
_	- pvq:	mae	_ (2' 2'				D	mrr Fl	amarina	Quince
	1	to	11/2	ft.	spread				.85	.75	
	1 1/2	to	2	ft.	spread				1.20	1.00	
					ı. 4'-5'				Doul	ble Red	_
	11/2	to	2	ft.					1.00	.90	.80
	2	to	3	ft.	***********				1.35	1.20	
	3	to	4	ft.					1.80	1.65	
m	aulei	. 2	' -3'					Les	ser Flo	owering	Quince
	1	to	11/2	ft	enread				.60	.50	.40
	11/2	to	2	ft	spread				.80	.50	.60
	2	to	21/2	ft	spread				1.00	.90	.80
CYT	ISUS										Broom
011					2 ft				.75		.60
	0	FOIS	1 1/	2 10	4 Il		**********		./ 0	.50	



DAPHNE cneorum. 1' Rose Daphne 9	D		
9 to 12 in. spread, B. & B 1.35 1.20 1.00 12 to 15 in. spread, B. & B 1.80 1.65 1.50 15 to 18 in. spread, B. & B 2.25 2.00 1.80 18 to 21 in. spread, B. & B 2.25 2.00 1.80 18 to 21 in. spread, B. & B 2.25 2.00 1.80 genkwa. 3' February Daphne 3" Pots 75 .65 mezereum. 2½'.3' February Daphne 1½ to 2 ft., pot grown 1.35 1.20 DEUTZIA gracilis. 3'-4' Slender Deutzia 12 to 15 in 40 .36 .33 15 to 18 in 50 .45 .40 1½ to 2 ft 50 .45 .40 1½ to 2 ft 60 .55 .50 -rosea. 3' Rose Panicle Deutzia 15 to 18 in 40 .36 .33 1½ to 2 ft 55 .45 lemoinei. 4'-5' Lemoine Deutzia 1½ to 2 ft 30 .25 .30 2 to 3 ft 40 .36 .33 2 to 3 ft 40 .36 .33 2 to 3 ft 40 .36 .33 3 to 4 ft 50 .45 .40 magnifica. 8'-10' scabra Pride of Rochester. 8'-9' pink Deutzia 1½ to 2 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 2 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 5 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 5 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 5 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 5 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 5 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 5 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 6 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 7 ft 180 1.50 A to 6 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 8'-9' Fink Deutzia 1½ to 9 ft 90 scabra Pride of Rochester. 9'-9' Scap ft 90		Each	
12 to 15 in, spread, B. & B. 1.80 1.65 1.50 18 in. spread, B. & B. 2.25 2.00 1.80 180 to 21 in. spread, B. & B. 2.25 2.00 1.80 3.00 2.70 3.00 3.00 2.70 3.00 3.00 2.70 3.00 3.00 2.70 3.00 3.00 2.70 3.0		2.05	•
15 to 18 in. spread, B. & B. 2.25 2.00 1.80			
genkwa. 3' 3" Pots			
3" Pots		3.00	2.70
DEUTZIA gracilis. 3'-4' Slender Deutzia		.75	
DEUTZIA gracilis. 3'.4' Slender Deutzia	mezereum. 2½'-3'	Fe	bruary Daphne
12 to 15 in.	$1\frac{1}{2}$ to 2 ft., pot grown	1.35	1.20
15	DEUTZIA gracilis. 3'-4'	5	Slender Deutzia
11/2 to 2 ft. .60	12 to 15 in		.36 .33
rosea. 3' Rose Panicle Deutzia 15 to 18 in			
15 to 18 in	1½ to 2 ft	.60	.55 .50
11/2 to 2 ft. .50 .45 .60	— rosea. 3'		
Lemoine			
lemoinei. 4'.5' Lemoine Deutzia			
1	Z 10 Z72 II	.03	.00
1½ to 2 ft.			
2 to 3 ft. .50 .45 .40 magnifica. 8'-10' Showy Deutzia 1½ to 2 ft. .35 .30 .27 2 to 3 ft. .45 .40 .36 3 to 4 ft. .60 .54 4 to 5 ft. .75 .70 5 to 6 ft. .90 .90 scabra Pride of Rochester. 8'-9' Pink Deutzia 1½ to 2 ft. .30 .27 2			
magnifica. 8'-10' Showy Deutzia 1½ to 2 ft. .35 .30 .27 2 to 3 ft. .45 .40 .36 3 to 4 ft. .60 .54 4 to 5 ft. .75 .70 5 to 6 ft. .90 scabra Pride of Rochester. 8'-9' Pink Deutzia 1½ to 2 ft. .30 .27 2			_
1½ to 2 ft.			
2 to 3 ft			
3 to 4 ft			
## to 5 ft			
Scabra Pride of Rochester. 8'-9' Pink Deutzia			
1½ to 2 ft			
2 \$ 3 ft	scabra Pride of Rochester. 8'-9'		Pink Deutzia
2	1½ to 2 ft.	.30	.27
## 10 5 ft	2 6 3 ft		.36 .33
ELAEAGNUS longipes. 5'-6' Gumi-Cherry Eleagnus 1½ to 2 ft			
ELAEAGNUS longipes. 5'-6' Gumi-Cherry Eleagnus 1½ to 2 ft			
ELAEAGNUS longipes. 5'-6' Gumi-Cherry Eleagnus 1½ to 2 ft. .60 .54 2 to 3 ft. .70 .60 4 to 6 ft. 1.20 1.00 6 to 7 ft. 1.80 1.50 ELSHOLTZIA farquhari. 3'.4' Mint Shrub 3 year .50 .40 ENKIANTHUS campanulatus. 12'-15' Redvein Enkianthus 2 to 2½ ft. B. & B. 3.00 2.70 2½ to 3 ft. B. & B. 3.75 3.30 3 to 4 ft. B. & B. 5.00 4.50 4 to 5 ft. B. & B. 6.00 5.40 5 to 6 ft. B. & B. 7.50 Spring Heath	5 to 6 it	.80	./0 .60
1½ to 2 ft. .60 .54 2 to 3 ft. .70 .60 4 to 6 ft. 1.20 1.00 6 to 7 ft. 1.80 1.50 ELSHOLTZIA farquhari. 3'.4' Mint Shrub 3 year .50 .40 ENKIANTHUS campanulatus. 12'-15' Redvein Enkianthus 2 to 2½ ft. B. & B. 3.00 2.70 2½ to 3 ft. B. & B. 3.75 3.30 3 to 4 ft. B. & B. 5.00 4.50 4 to 5 ft. B. & B. 6.00 5.40 5 to 6 ft. B. & B. 7.50 Spring Heath	— E —		
2 to 3 ft			
4 to 6 ft			
6 to 7 ft			
3 year			
3 year	FISHOITTIE formulasi 2' 4'		Mint Cl. 1
2 to 2½ ft. B. & B 3.00 2.70 2½ to 3 ft. B. & B 3.75 3.30 3 to 4 ft. B. & B 5.00 4.50 4 to 5 ft. B. & B 6.00 5.40 5 to 6 ft. B. & B 7.50 ERICA cornect. 10"-12" Spring Heath		.50	
2½ to 3 ft. B. & B 3.75 3.30 3 to 4 ft. B. & B 5.00 4.50 4 to 5 ft. B. & B 6.00 5.40 5 to 6 ft. B. & B 7.50 ERICA cornect. 10"-12" Spring Heath	ENKIANTHUS campanulatus. 12'-15'	Redv	ein Enkianthus
4 to 5 ft. B. & B 6.00 5.40 5 to 6 ft. B. & B 7.50 ERICA cornect. 10"-12" Spring Heath	2 to 2½ ft. B. & B		2.70
4 to 5 ft. B. & B 6.00 5.40 5 to 6 ft. B. & B 7.50 ERICA cornect. 10"-12" Spring Heath	2½ to 3 ft. B. & B		
5 to 6 ft. B. & B 7.50 ERICA cornect. 10"-12" Spring Heath	0 10 1 11 2. 0 2		
			5.40
	FPIC# 10" 12"		Coning IV
		.60	7

	Each Ten Hundred
EUONYMUS alatus. 8'-9'	Winged Euonymus
1½ to 2 ft	.50 .45 .40
2 to 3 ft	.65 .60 .55
3 to 4 ft	.90 .80
4 to 5 ft	1.20
	oact Winged Euonymus
1½ to 2 ft	
2 to 3 ft	.85 .80
3 to 4 ft	1.00
10/15/	Possition Possit
europaeus. 12'-15'	Burning Bush
1½ to 2 ft.	.50 .40
2 to 3 ft	.60 .50
3 to 4 ft	.70 .60
hamiltonianus. 9'-10'	Hamilton Fuonsmus
	Hamilton Euonymus
1½ to 2 ft	.75 .65 .60
2 to 3 ft	.90 .80 .75
3 to 4 ft	1.00 .90
patens. 8'-10'	Spreading Euonymus
-	
1 to 1½ ft. B. & B	.60 .54 .50 .85 .75 .70
	.85 .75 .70 1.20 1.10
2 to 3 ft. B. & B	1.20 1.10
radicans. 15'-20' Vine.	Wintercreeper
2 year, 6 to 9 in	.40 .35 .25
Z year, 6 to 9 m	.40 .55 .25
— carrieri. 3'-4' Vine.	Glossy Wintercreeper
2 year, 9 to 12 in	.50 .45 .40
z year, 9 to 12 m	.50 .45 .40
coloratus. 4'-6' Vine.	Purple Wintercreeper
2 year, 12 to 15 in	.40 .35 .30
z year, 1z to 15 m	.40 .00
— minimus. 3' Vine.	Baby Wintercreeper
2 year, 6 to 8 in	.40 .35 .30
Z year, o to o m	
- vegetus. 12'-15' Vine.	Bigleaf Wintercreeper
2 year, 9 to 12 in	.60 .55 .45
2 year, 5 to 12 m.	
yedoensis. 9'-10'	Yeddo Euonymus
1½ to 2 ft	.60
2 to 3 ft	.75 .65
3 to 4 ft	.90 .80
EXOCHORDA grandiflora. 8'-10'	Pearl Bush
2 to 3 ft	.50 .45
3 to 4 ft	.65 .55 .50
giraldi wilsoni. 10'-12'	Wilson Pearl Bush
1½ to 2 ft	.60 .50
2 to 3 ft	.75 .60



		F			
			Each	Ten Hu	
FAGUS ame	ricana.	30'-100'		nerican	
3 to	4 ft.	В. & В	2.25 3.25	2.00	1.80 2.70
4 to 5 to	5 ft. 6 ft.	B. & B B. & B	5.00	4.50	4.00
6 to	8 ft.	В. & В	7.50	6.75	6.00
8 to	10 ft.	В. & В	11.00	10.00	
sylvatica.	80'-100'		Eu	ropean	Beech
2 to	3 ft.	В. & В	1.65	1.50	1.35
3 to	4 ft.	В. & В	2.25	2.00	1.80
4 to	5 ft.	В. & В	3.25	3.00	2.70
5 to	6 ft.	B. & B	5.00	4.50 6.75	4.00 6.00
6 to	8 ft. 10 ft.	B. & B B. & B	7.50 11.00	10.00	0.00
— asplenii		'- 70'		ernleaf	Beech 2.70
2 to 3 to	3 ft. 4 ft.	B. & B B. & B	3.25 4.50	3.00	3.60
3 to 4 to	5 ft.	B. & B	6.50	6.00	5.40
5 to	6 ft.	В. & В	9.00	8.00	
6 to	8 ft.	В. & В	12.00	11.00	
8 to	10 ft.	В. & В	15.00		
— fastigia	ta. 40'-5	0'	τ	Upright	Beech
2 to	3 ft.	В. & В	3.25	3.00	
3 to	4 ft.	В. & В	4.50	4.00	
4 to 5 to	5 ft. 6 ft.	B. & B B. & B	6.50 9.00	6.00 8.00	
6 to	8 ft.	B. & B	12.00	0.00	
8 to	10 ft.	В. & В	15.00		
— pendulo	x. 50′-60°		w	eeping	Beech
4 to	5 ft.	В. & В	7.50		
5 to	6 ft.	В. & В	10.00		
6 to	8 ft.	B. & B	13.50		
8 to 10 to	10 ft. 12 ft.	B. & B B. & B	18.00 21.00		
		<i>D.</i> G <i>D</i>			
— riversi.	70′-80′	D 2 D		Purple	Beech
4 to 5 to	5 ft. 6 ft.	B. & B B. & B	6.50 9.00	6.00 8.10	
6 to	8 ft.	В. & В	12.75	12.00	
8 to	10 ft.	В. & В	18.00	16.50	
10 to	12 ft.	В. & В	21.00		
FORSYTHIA					
intermedic		ilis. 8'-9' She	owy Borde	er Golde	en Bell
1½ to	2 ft.	***************************************	.30	.27	.24
2 to 3 to	3 ft. 4 ft.	***************************************	.40 .50	.35	.30
4 to	5 ft.	***************************************	.65	.60	.40
			-		
	-8′			an Gold	ienbell
1½ to	2 ft.	•••••	.50	.45	
suspensa.	6′		Weepin	g Golde	en Bell
1½ to	2 ft.		.35	.30	.25
2 to	3 ft.		.40	.35	.30
3 to 4 to	4 ft. 5 ft.	***************************************	.55 . 70	.50	.45
4 10	J 11.	***************************************	./0	.00	

-- G ---

	Peak W. II 1							
GENISTA pilosa. 1'-2'	Each Ten Hundred Silky Leaf Broom							
4" Pots, 9 to 12 in. spread	.90 .80 .70							
prostrata. 3"								
3" Pots, 6 to 9 in spread	Creeping Broom .75 .60							
sagittalis. 9"-12" 4" Pots, 5 to 8 in. spread	Arrowhead Broom							
	.90 .72							
sylvestris pungens. 4"	Prickly Broom							
3" Pots, 6 to 9 in. spread	.75 .60							
tinctoria. 2'-3'	Woadwaxen							
2 to 3 ft	.90 .80							
— plena. 2'-3'	Double Woadwaxen							
2 year, 6 to 9 in	1.00							
GINKGO biloba. 100'	Maidenhair Tree							
6 to 8 ft	3.50 3.30							
8 to 10 ft., 11/4 to 11/2 in	5.00 4.50							
10 to 12 ft., 1½ to 1¾ in	7.00 6.50							
12 to 14 ft., 1 ³ / ₄ to 2 in 12 to 14 ft., 2 to 2 ¹ / ₂ in	9.00 8.00							
14 to 16 ft., 2½ to 3 in	11.00 13.50							
GYMNOCLADUS dioica. 60'-80	Kentucky Coffee Tree							
2 to 3 ft	.80 .70							
3 to 4 ft	1.20 1.00							
4 to 6 ft	1.80							
— H —								
**								
HALESIA tetraptera. 20'-25'	Great Silver Bell							
HALESIA tetraptera. 20'-25' 3 to 4 ft.	.65 .60 .55							
HALESIA tetraptera. 20'-25' 3 to 4 ft	.65 .60 .55 .90 .80 .70							
HALESIA tetraptera. 20'-25' 3 to 4 ft	.65 .60 .55 .90 .80 .70 1.20 1.00 .90							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25'	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25'	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70							
### HALESIA tetraptera. 20'-25' 3 to 4 ft	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft. vernalis. 4'-6' 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35							
### HALESIA tetraptera. 20'-25' 3 to 4 ft	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft. vernalis. 4'-6' 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. virginiana. 15'-25' 1½ to 2 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40							
### HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ###################################	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. vernalis. 4'-6' 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. virginiana. 15'-25' 1½ to 2 ft. 2 to 3 ft. HEDERA helix. 60'-75'	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55 English Ivy							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft. vernalis. 4'-6' 1½ to 2 ft. 2 to 3 ft. virginiana. 15'-25' 1½ to 2 ft. 2 to 3 ft. HEDERA helix. 60'-75' 4" Pots, 1½ to 2 ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft. vernalis. 4'-6' 1½ to 2 ft. 2 to 3 ft. virginiana. 15'-25' 1½ to 2 ft. 3 to 4 ft. virginiana. 15'-25' 1½ to 2 ft. 2 to 3 ft. Pots, 1½ to 2 ft. 3 to 4 ft. HEDERA helix. 60'-75' 4" Pots, 1½ to 2 ft. 6" Pots, 2 to 2½ ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55 English Ivy .35 .30 .25 1.00 .90							
### HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ###################################	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55 English Ivy .35 .30 .25 1.00 .90 Baltic Ivy							
HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. HAMAMELIS japonica. 20'-25' 2 to 3 ft. mollis. 15'-25' 4 to 5 ft. 5 to 6 ft. vernalis. 4'-6' 1½ to 2 ft. 2 to 3 ft. virginiana. 15'-25' 1½ to 2 ft. 3 to 4 ft. virginiana. 15'-25' 1½ to 2 ft. 2 to 3 ft. Pots, 1½ to 2 ft. 3 to 4 ft. HEDERA helix. 60'-75' 4" Pots, 1½ to 2 ft. 6" Pots, 2 to 2½ ft.	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55 English Ivy .35 .30 .25 1.00 .90							
### HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ###################################	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55 English Ivy .35 .30 .25 1.00 .90 Baltic Ivy .45 .40 .35							
### HALESIA tetraptera. 20'-25' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. ###################################	.65 .60 .55 .90 .80 .70 1.20 1.00 .90 1.50 1.35 Japanese Witch Hazel 1.50 Chinese Witch Hazel 3.00 2.70 4.50 Vernal Witch Hazel .75 .70 1.00 .90 1.35 Witch Hazel .50 .45 .40 .60 .55 English Ivy .35 .30 .25 1.00 .90 Baltic Ivy .45 .40 .35 .60 .55 .50							

HEDERA helix—Continued	Each	
— deltoidea.	75	Heartleaf Ivy
4" Pots, 4 to 6 in	.75	
— minima.		Erect Ivy
3" Pots, 3 to 5 in	.50	.45 .35
— pedata.		Birdsfoot Ivy
3" Pots, 6 to 9 in	.60	.50 .40
-Pittsburgh self branching.		Pittsburgh Ivy
3" Pots, 6 to 9 in	.45	.40 .30
	.00	Rose of Sharon
HIBISCUS syriacus. 10'-12' Double White Single Purple Sin	ale Rea	
1½ to 2 ft	.35	
2 to 3 ft	.45	.40 .36
3 to 4 ft	.60	.55
4 to 5 ft	.75	
	R. Smi	th, Single white
1½ to 2 ft	.50	.45
2 to 3 ft	.60	.54
3 to 4 ft	.75	.70
HYDRANGEA		
arborescens grandiflora. 4'-5'		Hill Hydrangea
1½ to 2 ft	.40	.35 .30
paniculata. 10'		icle Hydrangea
1½ to 2 ft	.30	.27 .25 .40 .35
3 to 4 ft.	.60	.55 .50
— grandiflora. 8'-10'		Peegee
2 to 3 ft	60	.55
petiolaris. 35'-40' Vine.		ing Hydrangea
4" Pots, 9 to 12 in	1.50	
quercifolia. 3'-4' 11/2 to 2 ft		leaf Hydrangea
2 to 3 ft.	.80	.60 .70
HYPERICUM gureum. 3'-4'		en St. Johnswort
2 to 3 ft	.60	
3 to 4 ft.	.75	.65 .60
moserianum. 1½'		Goldflower
2 year, 12 to 18 in	.40	.30 .24
—I—		
ILEX cornuta. 10'		Chinese Holly
1½ to 2 ft. B. & B	2.00	22011
2 to 3 ft. B. & B	2.50	
crenata. 12'-15'		Japanese Holly
1 to 1½ ft. B. & B	1.35	1.20 1.00
1½ to 2 ft. B. & B 2 to 3 ft. B. & B	2.00	1.80 1.50
2 to 3 ft. B. & B 3 to 4 ft. B. & B	3.00 5.50	2.70 2.25 4.80 4.50
4 to 5 ft. B. & B	8.00	7.00 6.30
5 to 6 ft. B. & B	10.00	9.00

ILEX crena	itaCo	ntinue	d.			Each	Ten H	undred
conve	xa (bul	lata.)	3'-4'			Boxle	eaf Japan	Holly
6 to		in.			g	.60	.50	.40
9 to		in.			B	1.20	1.00	.90
12 to		in.	В.		B	1.65	1.50	
15 t		in.	В.		B	2.00	1.80	
1½ to 2 to		ft. ft.	В.		B	3.00		
2½ t		ft.			В	4.00		
	t.	II.			В	9.00		
-			2.	<u></u>		0.00		
— heller	i. 1'-1	1/2"					Heller	Holly
		in. sp	oread,	В.	& B	.90	.75	.60
					& B	1.20	1.00	.90
					& B	2.00	1.80	
15 t 1½ t					& B	3.75		
					& B	5.25 7.50		
۷ ۱	0 272	II. SF	neda,	D.	G D	7.00		
- micro	phylla.	8'-10)′		L	ittleleaf	Japanese	Holly
					& B	1.35	1.20	1.00
1½ t			2 .		& B	2.25	2.00	1.80
					& B	3.50	3.25	3.00
	0 3				& B	5.00	4.50	4.00
	0 4				& B	7.50	7.00 9.00	6.00
	o 5				& B	13.50	9.00	
	.0 0	II. DU	isity,	ν.	G D	10.00		
— rotun	difolia.	12′-	15'			Roundl	eaf Japar	Holly
2 1	to 3	ft.	В.	&	В	3.50	3.00	
3 1	0 4	ft.	В.	&	В	5.00	4.50	
glabra.	4'-6'						Tr	kberry
			D	2	D	1 25		whelly
	to 15	in.	В.		B	1.35 2.00	1.20 1.80	
	to 2	ft.	В.		В	2.75	2.50	2.25
	to $2\frac{1}{2}$				В	3.75	3.50	3.25
	to 3				В	5.00	4.50	4.00
	to 3½		В.	&	В	7.00	6.30	
1 11	F0/ 0/	01					D	t II-II
latifolia.			" Pote			2.25	Broadlea	Holly
1	10 172	11., 0	1013			2.20		
opaca.	30'-40'						American	Holly
11/2	to 2	ft.			В	1.50	1.35	
	to 3	ft.			B	3.00	2.70	
	to 4	ft.	B.		В	5.00	4.50	
	to 5	ft.	B.	8	B	7.50	6.75 9.00	
	-	ft.	D.	2	В		9.00	
	to 7	ft. sr	pecime	ens	. B.&B.	25.00	to 75.00	each
	.0 0	01			, -,,-,			
— xantl			-30′			Yello	w Fruite	d Holly
1	to 1½	ft.	В.	&	В	2.25		
1 1/2	to 2	ft.	В.	&	В	3.50		
	-1 01	10'				Comm	non Wint	orhous
verticille						.50	.45	.40
	to 2 to 3					.65	.60	.55
	to 4					.80		.65
	to 5					1.00		
1								
— poly	carpa.	7'-8'			Lo	rge Fru	ited Wint	erberry
						.90		

					_		J —			
				79		- /		Each		Hundred
J A					am. 4' 2 ft			.75		Jasmine
TTI	•									Innines
JU	2½		3	nsıs ft.	s. 18′- 20 ' B.		В	2.50		Juniper 2.00
	3	to	4	ft.	В.	-	В			
	4	to	5	ft.	В.	&	В	4.50	4.00	3.60
	5	to	6	ft.	B.	&	В	6.00	5.40	
	— albo	vo	riego	rta.	8'-10'		Wh	ite Leaf	Chinese	Juniper
	5	to	6	ft.	B.	&	В			
	6	to	7	ft.		8	B			
	7	to	8	ft.	В.		B			
						<u>u</u>	D		Chinoso	Tuninar
	— colu	to	aris.	ft.	'-25' B.	2	В		Chinese 5.25	4.80
	6	to	7	ft.	В.		В		6.75	6.00
	7	to	8	ft.	В.	&	В		9.00	7.20
	8	to	10	ft.	В.	&	В			11.00
	10 12	to	12	ft.	В.	&	В		16.50	
	12	to	14	ft.	В.	Ct	В		20.00	
	— colu								Column	
	3	to	4	ft.			B			3.00
	4 5	to	5	ft. ft.		2	B		4.00 5.25	
	— fortu					۵	<i></i>	0.70		Tuninas
	10 Fit	to		ft.		2	В	6.00	Fortune	Juniper
	— jαpo			′-5′	۵.	4	<i></i>		~~~	Tuninar
		to		ft.	В	2	В		apanese	Jumper
	— neal					a	D		Chinasa	Tourismon
	15		18	in.		2	В		Chinese 1.00	.90
	1 1/2		2	ft.	В.		В		1.65	1.50
	2	to	3	ft.	В.		В		2.00	
	— pfitz	erio	ına.	5'-0	6′				Pfitzer	Juniper
					spread				2.00	
	1 1/2			ft.	spread,	B.	& B	2.75	2.50	
	2 2½				spread,				3.00	
	sarg					D.	G D	4.00	C	T
					spread,	R	& B	3.30	3.00	Juniper
	2	to	21/2	ft.	spread,	В.	& B	4.50	0.00	
	excelsa	st	ricta.	5	-6'			Spin	y Greek	Juniper
	12	to		in.		&	В	.90	.80	.70
	15	to	18	in.	В.	&	В	1.20	1.10	1.00
	2 2 1/2	to	21/2		В.		B		2.25	
	3	to	3	ft. ft.	В. В.		B	3.00	2.70	2.40
	horizon			'-2'		. ~		0.70		- Ci-
	15	to	18		spread,	В	& B	1.50	1.35	g Savin
	11/2		2		spread,			2.00	1.80	
	— Bar	Hai	bor.	6"	-12"			Bar	Harbor	Tuniner
	9	to	12	in.	spread,	В.	& В	1.80	1.65	Janapor
	doug	ılas	i. 1'					W	zukegan	Tuniner
	11/2				spread,	В	& B		2.00	Jumper
	2	to	21/2	ft.	spread,	B.	& B	3.00	2.70	
	21/2	to	3	ft.	spread,	В.	& B		3.30	

.TTRTTT	TOT	ra	C	,	1					
JUNIE								Each		
hor	izon	talis			ı. 1'			Blue (Creeping	Savin
		to			spread,			1.35	1.20	1.00
	11/2				spread,			1.80	1.65	
	$\frac{2}{2\frac{1}{2}}$		3		spread,			2.25	2.20	
					spread,	D.		3.00	2.70	
- :		osa	. 1'	-2'			Plu	med Spr	eading]	uniper
		to	18		spread,			1.50	1.20	1.10
	11/2		2		spread,			2.00	1.80	
	2	to			spread,			2.50	2.25	
	21/2	to	3 1/2		spread,			3.00 4.00	260	2.20
,				II.	spreau,	D.	Q D	4.00	3.60	3.30
sar	oina.				_	~	_			Savin
	15		18	in.			B	1.20	1.00	
	11/2	to	2	ft.		Ox	В	2.00	1.80	
:	fasti	giat	a. 1	0'-1	12'				Upright	Savin
	4	to	5	ft.	В.	&	В	5.00	4.50	
	5	to	6	ft.		&	В	6.00	5.40	
te			folia			5	C D		k Leaf]	uniper
	12	to			spread,			1.35	1.20	
	15	to			spread,	D.	α D	2.00	1.80	
squ	amo	ıta.	1'-2	*				Scal	y Leaf J	uniper
	12	to	15	in.	spread,	В.	& B	2.00	1.80	1.65
	15	to			spread,			2.75	2.40	2.25
	11/2				spread,			3.60	3.30	
	2	to			spread,			4.50	4.00	
	4	to	5	II.	spread,	D.	α D	15.00		
vir	ginic	ma	burk	i.	12'-15'				Burk's	Cedar
	4	to	5	ft.			В	5.25	4.80	
	5	to	6	ft.			B	6.75	6.00	
	6	to	7	ft.	B.	à	В	9.00		
	cann	arti	. 20	-25	5'				Cannart	Cedar
	2	to	21/2	ft.	В.	&	В	2.40	2.25	2.00
	21/2	to	3	ft.	B.		B	3.00	2.70	2.40
	3	to	4	ft.	В.		В	3.75	3.30	3.00
	4	to	5	ft.	B.		B	5.25	4.80 6.00	4.20 5.40
	5	to	6 7	ft. ft.	В. В.		B	6.75 9.00	8.00	7.20
	7	to	8	ft.			В	12.00	11.00	7.20
	8	to	10	ft.	В.	&	В	15.00	13.50	
	مامح		ssimo		15'-18'			Go	ldtip Re	dcedar
	4	to	5	ft.		2	В	4.50	4.00	
		to		ft.			В	6.00	1.00	
			a. 1					IIn	right Re	dcedar
1						-	D		4.50	20044-
	3	to	4	ft.	B.		B	5.00	5.40	
	4 5	to	5	ft.	В.	&	B	7.00	6.30	
	_	to	6		D.	4	<i>D</i>		ilver Re	dandar
	glau		20'-		D	c	D	3.00	2.70	2.40
		to	3	ft.	B.	&	B	3.75	3.30	3.00
	3	to to	5	ft. ft.	В. В.	&	В	5.25	4.80	4.20
	5	to	6	ft.	В.	8	B	6.75	6.00	5.40
	6	to	7	ft.	В.	&	B	9.00	8.00	
	7	to	8	ft.	В.	&	B	12.00		
	8	to	10	ft.	В.	&	B	15.00		
	wle l		41	E'					Globe	Cedar
	glob		4'-		D	2	R	3.00	2.70	2.40
		to	18	in.	B. B.	&	B	4.00	3.60	3.30
	11/2		$\frac{2}{2\frac{1}{2}}$	ft.	В.	&	В	5.00	4.50	
	4	to	474	Tr.	D.	u	~~			

****	177777		C 1	al				Each	Ten H	undroc
JUNIE						٥,		Edeli	Keteleer	
			ketel		18′-2		_	0.00	3.00	2.70
	-	to	4	ft.	В.		B	3.30 4.50	4.00	3.75
		to	5	ft.	В.	&	B	5.40	5.00	4.50
	-	to	6	ft.	В. В.	&	B	6.50	6.00	5.40
		to	7	ft.	В.	8	В	8.00	7.20	6.75
		to to	10	ft.	В.	&	В	10.00	9.00	8.00
	_				Д.	O.	D			1 - 1
]	pyra		alis.	25'					midal Re	
	11/2		2	ft.	В.	&	B	1.50	1.35	1.20
	2	to	21/2		В.	&	В	2.25	2.00	1.80 2.40
		to	3	ft.	В.	&	В	3.00	2.70	2.40
	3	to	4	ft.	B.	8	B	4.50 5.25	4.00 4.80	
	4	to	5	ft.	В.	&	В	3.43	4.00	
	scho	tti.	20'-	25'					Schott Re	dcedar
	21/2	to	3	ft.	В.	&	В	3.00	2.70	2.40
	3	to	4	ft.	B.	&	B	3.75	3.30	3.00
	4	to	5	ft.	В.	&	В	5.25	4.80	4.20
	5	to	6	ft.	В.	8	В	6.75	6.00	5.40
	6	to	7	ft.	В.	&	В	9.00	8.00	
	7	to	8	ft.	В.	&	В	12.00	11.00	
	8	to	10	ft.	В.	&	В	15.00		
	smith	ıi.	6'-8'						Smith J	uniper
	11/2	to	2	ft.	B.	&	В	2.00	1.80	1.65
	2	to	21/2	ft.	B.	&	В	2.50	2.25	2.00
		to	3	ft.	В.	&	В	3.25	3.00	2.70
	3	to	4	ft.	В.	&	В	4.00	3.60	
	3	to	4	ft.				4.00	3.60	
	3	to	4	ft.			В	4.00	3.60	
KALI								4.00	3.60	Laurel
KALI				oliα.	3′-4′	_1		4.00 3.50		Laurel
KALI	MIA	ang to	ustif	oliα.	3′-4′	_]	X —		Sheep	Laurel
	MIA 0 2 2½	ang to to	2½ 3	oliα. ft.	- 3′-4′ В.	_]	К —	3.50 4.50	Sheep 3.00 4.00	
	MIA o	ang to to	2½ 3 6'-8'	oliα. ft. ft.	З ′-4′ В. В.	_] & &	К — В В	3.50 4.50	Sheep 3.00 4.00 Mountain	Laurel
	MIA 6 2 2½ ifolia 12	to to to	2½3 36'-8'	oliα. ft. ft.	3'-4' B. B.	_] & &	B B	3.50 4.50 I 1.65	Sheep 3.00 4.00 Mountain 1.50	Laurel
	MIA 6 2 2½ ifolica 12 15	to to to to	2½ 3 6'-8'	oliα. ft. ft.	3'-4' B. B.	_] & & & &	К — В В	3.50 4.50 1 1.65 2.25	Sheep 3.00 4.00 Mountain 1.50 2.00	Laurel 1.35 1.80
	MIA 6 2 2½ ifolia 12	to to to to	2½3 3 6'-8' 15	oliα. ft. ft. in. in.	3'-4' B. B. B.	_] & & & &	B B B	3.50 4.50 I 1.65	Sheep 3.00 4.00 Mountain 1.50	Laurel
lat	2 2½ ifolia 12 15 1½ 2	to to to to to	2½3 36'-8' 15 18 2 2½2	olia. ft. ft. in. in. ft. ft.	3'-4' B. B. B. B. B.	_] & & & & & & & & & &	B B B B B	3.50 4.50 I 1.65 2.25 3.00 4.00	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60	Laurel 1.35 1.80 2.40
lat	2 2½ ifolica 12 15 1½ 2	to to to to to apo	2½3 6'-8' 15 18 2 2½2	olia. ft. ft. in. in. ft. ft. ft.	3'-4' B. B. B. B.	_] & & & & & & & & & & & & & & & & & &	B B B B B B	3.50 4.50 1 1.65 2.25 3.00 4.00 Kerria	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe	Laurel 1.35 1.80 2.40
lat	MIA 2 2½2½ ifolica 12 15 1½2 2	to to to to to to to	2½3 6'-8' 15 18 2 2½2 onica	olia. ft. ft. in. in. ft. ft. ft.	3'-4' B. B. B. B. B.		B B B B B	3.50 4.50 I 1.65 2.25 3.00 4.00	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65	Laurel 1.35 1.80 2.40
lat	MIA 2 2 2½ ifolica 12 15 1½ 2	to to to to to to TEI	2½3 6'-8' 15 18 2 2½ 20nica 2	olia. ft. ft. in. in. ft. ft. ft. panicu	3'-4' B. B. B. B.		B B B B B	3.50 4.50 1.65 2.25 3.00 4.00 Kerria	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65	Laurel 1.35 1.80 2.40
lat	MIA $_{2}$ $_{2}$ $_{2}$ $_{2}$ $_{2}$ $_{2}$ $_{2}$ $_{2}$ $_{2}$ $_{3}$ $_{1}$ $_{4}$ $_{2}$ $_{2}$ $_{3}$ $_{1}$ $_{4}$ $_{2}$ $_{3}$ $_{3}$ $_{4}$ $_{4}$ $_{1}$ $_{4}$ $_{4}$ $_{4}$ $_{1}$ $_{4$	to to to to to to to to to	2½2 3 15 18 2 2½2 2½2	in. in. ft. ft. ft. ft. panier	3'-4' B. B. B. B. B. A'] & & & & & & & & & & & & & & & & & &	B	3.50 4.50 1 1.65 2.25 3.00 4.00 Kerria .75	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis	Laurel 1.35 1.80 2.40
lat	2 2½2 15 1½2 2 15 1½2 2 LREU 3 4	to	2½3 3 66'-8' 15 18 2 2½2 2½2	in. in. ft. ft. ft. panice	3'-4' B. B. B. B. B. B. B.	_] & & & & & & & & & & & & & & & & & &	B	3.50 4.50 1 1.65 2.25 3.00 4.00 Kerria .75	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis .90 1.35	Laurel 1.35 1.80 2.40
lat	2 2½2 15 1½2 2 15 1½2 2 LREU 3 4 5	to	2½3 3 66'-8' 15 18 2 2½2 20nica 2	olia. ft. in. in. ft. ft. ft. ft. ft. ft. ft. panicu	3'-4' B. B. B. B. B. B. B. B.		B	3.50 4.50 1.65 2.25 3.00 4.00 Kerria .75	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis	Laurel 1.35 1.80 2.40
lat	2 2½2 15 1½2 2 15 1½2 2 LREU 3 4	to	2½3 3 66'-8' 15 18 2 2½2 2½2	olia. ft. in. in. ft. ft. ft. ft. ft. ft. ft. panicu	3'-4' B. B. B. B. B. B. B. B.		B	3.50 4.50 1 1.65 2.25 3.00 4.00 Kerria .75	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis .90 1.35	Laurel 1.35 1.80 2.40
kerf Koei	2 2½2 2½2 15 1½2 15 1½2 2 1½2 2 1½2 6 6	to	2½3 36'-8' 15 18 2 2½2 2½ 2	olia. ft. in. in. ft. ft. ft. ft. ft. ft. ft. panicu	3'-4' B. B. B. B. A'	_] & & & & & & & & & & & & & & & & & &	B	3.50 4.50 1.65 2.25 3.00 4.00 Kerria .75	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis .90 1.35 2.00	Laurel 1.35 1.80 2.40
kerf Koei	2 2½2 2½2 15 1½2 15 1½2 2 1½2 2 1½2 6 6	to	2½3 36'-8' 15 18 2 2½2 2½ 2	olia. ft. ft. in. in. ft. ft. ft. ft. companion ft. ft. ft. companion ft. ft. ft. companion ft.	3'-4' B. B. B. B. A'-4	_] & & & & & & & & & & & & & & & & & &	B	3.50 4.50 1.65 2.25 3.00 4.00 Kerria .75	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis .90 1.35 2.00	Laurel
kerf Koei	2 2 ½ 2 ½ 1 ½ 1 ½ 2 2 ½ 2 ½ 2 ½ 2 ½ 2 ½	to	2½3 3 65'-8' 15 18 2 2½2 2 000000000000000000000000000000	olia. ft. ft. in. in. ft. ft. ft. ft. consideration of the consideration	3'-4' B. B. B. B. A'	_] & & & & & & & & & & & & & & & & & &	B	3.50 4.50 1.65 2.25 3.00 4.00 Kerria .75 1.00 1.50 2.25 3.25	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis .90 1.35 2.00	Laurel
kerf Koei	2 2 ½ 2 ½ 2 ½ 1 ½ 2 ½ 2 ½ 2 ½ 2 ½ 2 ½ 2	to	2½3 36'-8' 15 18 2 2½2 2½2 66 8 1 am 2	olia. ft. ft. in. in. ft. ft. ft. ft. color ft.	3'-4' B. B. B. B. B. B. C. B.] & & & & & & & & & & & & & & & & & &	B	3.50 4.50 1 1.65 2.25 3.00 4.00 Kerria .75 1.00 1.50 2.25 3.25	Sheep 3.00 4.00 Mountain 1.50 2.00 2.70 3.60 or Globe .65 Varnis .90 1.35 2.00 Beaut .70	Laurel



L									
	Each Ten Hundred								
LABURNUM alpinum. 20'-25'	Scotch Laburnum								
2 to 3 ft									
vulgare. 20'-25'	Golden Chain								
3 to 4 ft	1.20 1.00								
4 to 5 ft									
LAUROCERASUS schipkaensis. 6'-	Cherry Laurel								
2 to 3 ft. B. & B	2.50 2.25								
LESPEDEZA formosa. 6'-7'	Purple Bush Clover								
3 to 4 ft	60 .55								
LEUCOTHOE axillaris. 2'-3'	Lesser Leucothoe								
12 to 15 in. B. & B	1.50 1.35								
15 to 18 in. B. & B 1½ to 2 ft. B. & B	2.25 2.00 3.00 2.70								
$2\frac{1}{2}$ to 3 ft. specimens B. δ									
catesbaei. 4'-5'	Drooping Leucothoe								
1 to 1½ ft. B. & B	1.20 1.00 .90								
1½ to 2 ft. B. & B	1.80 1.50 1.35								
2 to 2½ ft. B. & B									
2½ to 3 ft. B. & B									
Specimen clumps B, & B 6.00 LIGUSTRUM amureuse. 10'-12' Amur Privet									
LIGUSTRUM amurense. 10'-12'									
1½ to 2 ft	20 20 35								
3 to 4 ft.									
ibota regelianum. 4'-6'	Regel Privet								
1½ to 2 ft									
2 to 2½ ft									
2½ to 3 ft	90 .75								
	Ten H'dr'd Th's'nd								
ovalifolium. 10'-15'	California Privet								
1½ to 2 ft									
2 to 3 ft	20 20 00								
3 to 4 ft	.90 .80								
0 10 / 11									
LIOTED THE TOTAL TOTAL	Each Ten Hundred Sweet Gum								
LIQUIDAMBAR styraciflua. 100'									
8 to 10 ft., 1½ to 2 in	6.00 5.40 8.00 7.20								
10 to 12 ft., 2 to 2½ in	*****								
12 to 14 ft., 2½ to 3 in 12 to 14 ft., 3 to 3½ in	13.50								
LONICERA fragrantissima. 6'-8'	Winter Honeysuckle								
1½ to 2 ft	40 .35 .30								
2 to 3 ft	50 .45 .40								
3 to 4 ft	60 .55								
heckrotti. 15'-20' Vine.	Everblooming Honeysuckle								
2 year	75 .65 .60								

LONICE									Ten H	
								l's Japan		
2 3	rear							.20	.18	.15
korolk	owi	flori	bund	la. 8'-1	0'	Br	oαd	Bluelea	f Honey	suckle
1 1/2	to	2	ft.					.50	.45	
2	to	3	ft.					.65	.60	
maack	i po	doca	rpa.	10'-12	,			Late	Honey	suckle
2	to		ft.	************			• •	.50	.45	
3	to	4	ft.	• • • • • • • • • • • • • • • • • • • •				.65	.60	
4	to		ft.	• • • • • • • • • • • • • • • • • • • •				.80	.70	
5		6	ft.	•••••				1.00	.90	
morro	wi.	7′-8′							Honey	
	to		ft.					.40	.35 .45	.30
	to		ft.	•••••					.45	
3	to	_	ft.	************				.60		.50
nothα.								Rutarian	-	
	to		ft.					.50	.45 .55	.40
3	to		ft. ft.					.60	.65	.50
		_								
				rica. 15					ch Wo	odbine
								.60	.55	
-					• • • •			.75	.65	
sachal								Sakhalin		suckle
									.65	
3		4		•••••	• • • •			.90		
syring	anth	a wo		4'-5'				Wol	f Honey	suckle
2	to	3	ft.	•••••				.80	.70	
tataric	a lu	teα.	8'-1	0'		Yel	llow	Fruited	Honey	suckle
11/2	to	2	ft.	************				.50	.45	.40
	to	3	ft.					.60	.55	.50
3	to	4	ft.					.75	.65	
- rose	a.	8'-10	ľ					Tatarian	Honey	suckle
1 1/2	to	2	ft.	*************				.35	.30	.27
2		3	ft.	• • • • • • • • • • • • • • • • • • • •				.45	.40	.36
3	to	4	it.	• • • • • • • • • • • • • • • • • • • •	• • • •	•••••		.60	.50	
					- 1	<u>/I</u>				
MAGNO										
acumin	ata	COL						ellow C		r Tree
4	to	5	ft.	В.	&	В		6.00	5.40	
5		6	ft.	В.	&	В		7.50	7.00	
				B.				10.00		
8	to	10		B.	d	B		13.50	12.00	
10	to	12	ft.	B.	œ	В		15.00	13.50	
amabil		20'-		7	~	D			ely Ma	gnolia
2 3	to	3 4	ft.			B		3.75	3.30	
				D.	a	D	•	5.00	4.50	
conspi	cuα. to	30 5	ft.	D	2	В		Yu	lan Ma	gnolia
5	to	6	ft.			В		6.75 8.50	6.00 7.50	
6	to	8	ft.	В.		В		10.00	7.50	
glauca	. 1	5'-20							C	
2	to	3	ft.	В	3	В		2.25	2.00	et Bay
3	to	4	ft.	В.	8	В		3.00	2.70	1.80
4	to	5	ft.		&	В		3.75	3.30	2.40
5								0.,0	0.00	
U	to	6	ft.	B.	&	В			4.80	
6	to	6	ft. ft.	В. В.		B		5.25 7.50	4.80 6.75	4.20

MAGNO				d			Each	Ten	Hundred
kobus	. 3	0′-35	•					Kobus I	Magnolia
4	to		ft.	B			3.75	3.30	
5	to	6	ft.	В.	_		5.25	4.80	
6	to	8	ft.	B.			7.50	6.75	
8	to	10	ft. ft.	B.	. &		10.00	9.00	
				D.	. &	В	13.50	12.00	
bore			5′-30′				No	thern N	l agnolia
3	to	4	ft.	В.			3.75	3.30	
4	to	5	ft.	В.	&	В	5.00	4.50	
liliflor	α.	15'-1	8'					Lily N	l agnolia
2	to	3	ft.	B.	&	В	3.75	3.30	
3	to	4	ft.	B.	&		5.00	4.50	
—nigr	α.	15'-1	8'				Purnle		lagnolia
2	to	3	ft.	В.	&	В	2.70		agnona
3	to	4	ft.	В.			3.75	2.40	
4	to	5	ft.	В.			5.00	4.50	
5	to	6	ft.	B.	&		7.50	6.75	
6	to	8	ft.	В.	&	В	9.00		
parvif	lora.	10	'-12'				01	vama IV	lagnolia
2	to	3	ft.	В.	&	В	3.75	3.30	
3	to	4	ft.	В.			5.00	4.50	
4	to	5	ft.	B.			7.50	6.75	
5	to	6	ft.	В.	&	В	10.00	9.00	
reflore	scer	ıs.						M	lagnolia
2	to	3	ft.	В.	3	В	3.75	3.30	gc
3	to	4	ft.		&	В	5.00	4.50	
soulan	ισeα	na.	18'-20'	,			S		lagnolia
2	to	3	ft.	В.	&	В	2.70	2.40	2.25
. 3	to	4	ft.	В.		В	3.75	3.30	3.00
4	to	5	ft.	В.	&	В	5.00	4.50	4.00
5	to	6	ft.	В.	&	В	6.30	5.70	5.25
6	to	7	ft.	B.	&	В	8.00	7.20	6.75
7	to	8	ft.	B.	8	В	10.00	9.00	8.00
8 10		10	ft.	B.	8	В	13.50	12.00	11.00
	ft.	_	cimens		&	В	24.00		
— tree	for	m.	7			on single		as shad	e trees.
4	to	8	ft.	B.	&	В	Same p	orice as	above.
— alex	and	rina.	18'-2	0'			Alexo	nder M	agnolia
2	to	3	ft.	В.	&	В	3.00		
3	to	4	ft.	В.		В	4.50		
4	to	5	ft.	B.	&	В	6.00		
5	to	6	ft.	B.	8	В	8.00		
-broz	zoni.	. 18	3'-20'				Bro	zzon M	agnolia
3	to	4	ft.	В.	&	В	5.00	4.50	
								7.6	
lenn		15′-		_	_	_		enne M	
2	to	3	ft.	B.		B	3.00	2.70	2.40 3.60
3 4	to	4	ft.	B.	8	В	4.50	4.00 5.40	5.00
5	to	5	ft.	В. В.		B	6.00 8.00	7.20	0.00
6	to	8	ft.	В.		В	10.00	9.00	
- norh	ertic	ana.	15'-18	3'			No	rbert M	agnolia
3	to	4	ft.	B.	&	B	4.50	4.00	
4	to	5	ft.	B.	&	B	6.00	5.40	
5	to	6	ft.	В.	&	B	8.00	7.20	
6	to	7	ft.	B.		B	10.00	9.00	
7	to	8	ft.	B.	8	В	12.75 15.00	11.00	
2	to	10	ft.	B.	Cr	В	10.00	10.00	

MAGN	IOLL	A so	ulang	eana—Continue			
r	ustice	r. 1	5'-18'		Purple	Saucer Mo	agnolia
3	3 to	0 4	ft.	B. & B	4.50	4.00	
4			ft.	B. & B		5.40	
						TETLES M.	
-		albo		'-15'		White Mo	iduoud
3	3 to		ft.	B. & B		4.00	
4			ft.	B. & B		5.40	
5	i to	0 6	ft.	В. & В			
6	i t	0 7	ft.	В. & В	10.00		
7	7 to	0 8	ft.	B. & B	12.75		
-1-11		10'	10'			Star Mo	vanolia
		10'-			0.85		
2			1/2 ft.	В. & В		3.30	3.00
		0 3	ft.	В. & В		4.50	4.00
3		0 4	ft.	B. & B		6.00	5.40
4		0 5	ft.	B. & 11		9.00	8.00
5	o to	0 6	ft.	В. & В		12.00	
6	5 f	t. spe	ecime	ns B. & B	18.00		
verb	anic	α.					
2	? to	0 3	ft.	B. & B	3.75	3.30	
3			ft.	В. & В		4.50	
MAHO	MIA	aqu	ifoliur			on Holly	_
]	2 t	0 15	in.	B. & B	90	.80	.70
]	5 t	0 18	in.	B. & B	1.20	1.10	1.00
1	1/2 to	0 2	ft.	В. & В		1.65	1.50
2	? t	0 2	1/2 ft.	В. & В		2.25	
MALU	S						
arno	oldia	nα.	12'-15	,		Arnol	d Crab
3			ft.		1.35	1.20	. 0.4.5
4			ft.			1.50	
5		0 6	ft. ft.	•••••		2.25 3.30	
C) [0 0	11.	***************************************	3.30	3.30	
		uine		'-15'	1.05	Carmin	e Crab
3		0 4	ft.	***************************************		1.20	
4			ft.	***************************************		1.50	
5		0 6	ft.			2.25	
6	i t	0 8	ft.		3.50	3.30	
coro	nario	x. 1	5'-18'		V	Vild Swee	t Crab
3	3 to	0 4	ft.		1.50	1.35	
4		0 5	ft.		2.00	1.80	
	t to	0 6	ft.	***************************************			
6	i t	0 8	ft.		4.50		
8	3 t	0 10) ft.	В. & В	10.00		
flori	bund	la.	2'-15'		Iapanese	Flowerin	a Crab
3		0 4	ft.	***************************************		1.20	
4		0 5	ft.	***************************************		1.50	
5		0 6	ft.			2.25	
E		0 8	ft.	***************************************	0 = 0	3.30	
					0.00	0.00	
	revip		6'-8'		Dwarf	Flowerin	g Crab
2		0 3	ft				
3		0 4	ft.		1.00		
4	ł t	0 5	ft.		2.50		
halli	iana	park	manr	i. 12'-15'		Parkma	n Crab
3			ft.		1.75	1.50	
4		_	ft.			2.25	
5						2.40	
	1 4.	0 6	- 54		2 50		
6		0 6	ft. ft.				

MALUS-	-Con	tinu	ed		Each	Ten Hundrea
ioensis			15'-1	18'	Liden	Bechtel Crab
3	to	4			1.75	1.50
4	to	5	ft.		2.50	2.25
5	to	6	ft.	***************************************	3.50	3.30
microm	alus	. 1	0'-12'			Midget Crab
3	to	4	ft.		2.25	2.00
4	to	5	ft.	***************************************	3.00	2.70
niedzw	etzk	vane	т. 1	2'-15'		Redvein Crab
3	to	4	ft.	2 - 10	1.35	1.20
4	to	6	ft.		1.75	1.50
6	to	8	ft.		3.50	3.30
8	to	10	ft.	В. & В	10.00 to	15.00 each
prunifo	lice	15'	.18'		D	ear Leaf Crab
3	to	4	ft.		1.35	1.20
4	to	5	ft.	***************************************	1.75	1.50
5	to	6	ft.		2.50	2.25
6	to	8	ft.		3.50	3.30
sargen	ti.	8′-9′				Sargent Crab
2	to	3	ft.		1.75	1.50
3	to	4	ft.		2.50	2.25
scheid			12′-1			neidecker Crab
3	to	4	ft.		1.35	1.20 1.50
4 5	to	5 6	ft. ft.		1.75 2.50	2.25
6	to	8	ft.		3.50	2.20
						m
siebolo		12′-1			1.05	Toringo Crab
3	to	4	ft.	***************************************	1.35 1.75	1.20 1.50
4 5	to	5 6	ft. ft.		2.50	2.25
6	to	8	ft.		3.50	
8	to	10	ft.	В. & В	10.00 t	o 15.00 each
l			12'-	15'	Thic	k Fruited Crab
— cal			ft.		1.35	A I I I I I I I I I I I I I I I I I I I
3 4	to	5	ft.		1.75	
5	to	6	ft.		2.50	
6	to	8	ft.		3.50	
specta	hilie	, 1	2′-15	,	Chinese I	Flowering Crab
3	to	4	ft.		1.35	1.20
4	to	5	ft.		1.75	
5	to	6	ft.		2.50	
6	to	8	ft.		3.50	15 00h
8	to	10	ft.	В. & В	10.00 1	to 15.00 each
theifer	α.	15'-1	18'			Tea Crab
3	to	4	ft.		1.75	
4	to	5	ft.		2.50	
5	to	6	ft.		3.50	
6	to	8	ft.		5.00	to 15.00 each
8	to	10	ft.	B. & P	10.00	10.00 each
toring	oide	q.	8'-20)'		Cutleaf Crab
3	to	4	ft.		1.75	1.50
4	to	5	ft.		2.50	
5	to	6	ft.		3.50	
6	to	8	ft.		5.00	
MITCHE	TTR	707	one	2"		Partridge Berry
				4	.30	.24 .18
3"	Pot	S				

				Each	Ten	Hundred				
MYRICA car	11		E' C'			ayberry				
						_				
12 to	15	in.		.50	.45	.40				
15 to	18	in.		.65	.60	.54				
1½ to	2	ft.		.80	.70	.60				
2 to	21/2	ft.		1.00	.90					
- N -										
						Neillia				
NEILLIA sin						Menna				
1½ to	2	ft.		.90	.75					
			0/ 50/	Torre	la Ca	ur Gum				
NYSSA sylv	atica	. 6				ur Guin				
3 to	4	ft.		2.25	2.00					
4 to	5	ft.		3.00	2.70					
5 to	6	ft.		4.50						
6 to	8	ft.		5.25						
			-0-							
OXYDENDR	TIME	~~be	reum. 30'-35'	Sorrel Tr	ee-Sc	urwood				
						, uz w oou				
3 to	4	ft.	В. & В	1.75	1.50					
4 to	5	ft.	В. & В	2.25	2.00					
5 to	6	ft.	В. & В	3.25	3.00					
6 to	8	ft.	B. & B	4.50	4.00					
8 to	10	ft.	В. & В	5.25						
			P							
				Fon	T/4-/4	Th's'nd				
PACHYSAN.	DRA	tern	ninαlis. 6"-9"	-		Spurge				
21/4"	leep	pots	3	.15	.10	.09				
				Each	Ten	Hundred				
PHELLODEN	DRO	N -	murense. 40'-50'			ork Tree				
						AL LICE				
6 to	8	ft.		2.50	2.25					
8 to	10	ft.		3.30	3.00					
8 to 10 to	10 12	ft. ft.		3.30 4.50	3.00	ork Tree				
8 to 10 to sachaliner	10 12 nse.	ft. ft. 30'-	40′	3.30 4.50 Sakh o	3.00 4.00 alin Co	ork Tree				
8 to 10 to sachaliner 6 to	10 12 1se. 8	ft. ft. 30'- ft.	40′	3.30 4.50 Sakho 2.50	3.00 4.00 alin Co 2.25	ork Tree				
8 to 10 to sachaliner 6 to 8 to	10 12 nse. 8 10	ft. ft. 30'- ft. ft.	40'	3.30 4.50 Sakho 2.50 3.30	3.00 4.00 xlin Co 2.25 3.00	ork Tree				
8 to 10 to sachaliner 6 to	10 12 1se. 8	ft. ft. 30'- ft.	40′	3.30 4.50 Sakho 2.50	3.00 4.00 alin Co 2.25	ork Tree				
8 to 10 to sachaliner 6 to 8 to 10 to	10 12 nse. 8 10 12	ft. ft. 30'- ft. ft. ft.	40'	3.30 4.50 Sakho 2.50 3.30	3.00 4.00 xlin Co 2.25 3.00 4.00	ork Tree				
8 to 10 to sachaliner 6 to 8 to 10 to	10 12 nse. 8 10 12	ft. ft. 30'- ft. ft. ft.	40' 	3.30 4.50 Sakho 2.50 3.30 4.50	3.00 4.00 xlin Co 2.25 3.00 4.00 Mock	Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPE 1½ to	10 12 nse. 8 10 12 HUS	ft. ft. 30'- ft. ft. ft. coro	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50	3.00 4.00 xlin Co 2.25 3.00 4.00 Mock .27	Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to	10 12 nse. 8 10 12 HUS 2 3	ft. ft. 30'- ft. ft. ft. coro ft. ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50	3.00 4.00 2.25 3.00 4.00 Mock .27 .36	Orange .24 .33				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPE 1½ to	10 12 nse. 8 10 12 HUS	ft. ft. 30'- ft. ft. ft. coro	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40	3.00 4.00 xlin Co 2.25 3.00 4.00 Mock .27 .36 .45	Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to	10 12 nse. 8 10 12 HUS 2 3 4	ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40	3.00 4.00 xlin Co 2.25 3.00 4.00 Mock .27 .36 .45	Orange .24 .33				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to 3 to —Enchant	10 12 nse. 8 10 12 HUS 2 3 4	ft. ft. ft. ft. coro	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid	3.00 4.00 xlin Co 2.25 3.00 4.00 Mock .27 .36 .45	Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to 3 to —Enchant	10 12 nse. 8 10 12 HUS 2 3 4	ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60	3.00 4.00 xlin Co 2.25 3.00 4.00 Mock .27 .36 .45	Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to 3 to —Enchant 2 to 3 to	10 12 nse. 8 10 12 HUS 2 3 4 ment. 3	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75	3.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange .24 .33 .40 Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to 3 to —Enchant 2 to	10 12 nse. 8 10 12 HUS 2 3 4 ment. 3	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75	3.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPH 1½ to 2 to 3 to —Enchant 2 to 3 to	10 12 nse. 8 10 12 HUS 2 3 4 ment. 3	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75	3.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange .24 .33 .40 Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to	10 12 12 8 10 12 4 HUS 2 3 4 ment	ft. ft. 30'- ft. ft. ft. ft. ft. ft. ft. ft. ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid	3.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange .24 .33 .40 Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to 4 to	10 12 8 10 12 HUS 2 3 4 4 4 5	ft. ft. st. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90	3.00 4.00 xlin Cc 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to lemoinei.	10 12 8 8 10 12 HUS 2 3 4 4 ment. 3 4 4 5	ft. ft. 30'- ft. ft. ft. ft. ft. ft. ft. ft. ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90 Lemoine	3.00 4.00 xlin Cc 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to lemoinei. 1½ to	10 12 nse. 8 10 12 HUS 2 3 4 4 ment. 3 4 4 5	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90 Lemoine	3.00 4.00 xlin Cc 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to lemoinei.	10 12 8 8 10 12 HUS 2 3 4 4 ment. 3 4 4 5	ft. ft. 30'- ft. ft. ft. ft. ft. ft. ft. ft. ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90 Lemoine	3.00 4.00 xlin Cc 2.25 3.00 4.00 Mock .27 .36 .45 Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to Enchant 2 to 3 to Innocen 3 to lemoinei. 1½ to 2 to	10 12 8 10 12 HUS 2 3 4 4 	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .75 Hybrid .75 .90 Lemoine .40 .50	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to Enchant 2 to 3 to Innocen 3 to 4 to lemoinei. 1½ to 2 to 3 to	10 12 8 10 12 12 HUS 2 3 4 4 	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90 Lemoine .40 .50 Mountain	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to Enchant 2 to 3 to Innocen 3 to lemoinei. 1½ to 2 to 2 to 3 to	10 12 8 10 12 HUS 2 3 4 4 5 4'-5' 2 3 1danc. 2	ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90 Lemoine .40 .50 Mountain .40	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock	Orange .24 .33 .40 Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to Enchant 2 to 3 to Innocen 3 to 4 to lemoinei. 1½ to 2 to 3 to	10 12 8 10 12 12 HUS 2 3 4 4 	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 Hybrid .75 .90 Lemoine .40 .50 Mountain	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock	Orange .24 .33 .40 Orange Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to 4 to lemoinei. 1½ to 2 to 2 to 2 to 3 to	10 12 10 12	ft. ft. 30'- ft.	40' marius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 .90 Lemoine .40 .50 Mountain .40 .50	3.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock Mock .45 Mock	Orange .24 .33 .40 Orange Orange Orange .33				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to 4 to lemoinei. 1½ to 2 to 2 to 3 to virginalis.	10 12 8 10 12 4 4US 2 3 4 4 5 4 4 5 4 5 7 8 8 10 12 2 3 4 4 5 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakha 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 .90 Lemoine .40 .50 Mountain .40 .50 Virginal	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock .36 .45 Mock .36 .45	Orange .24 .33 .40 Orange Orange Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to 4 to lemoinei. 1½ to 2 to 2 to yirginalis. 1½ to	10 12 10 12	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 .90 Lemoine .40 .50 Mountain .40 .50 Virginal .30	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock .45 Mock .45 Mock .45 Mock .45	Orange .24 .33 .40 Orange Orange Orange .33 Orange .24				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to 4 to lemoinei. 1½ to 2 to 2 to 3 to virginalis.	10 12 8 10 12 4 4US 2 3 4 4 5 4 4 5 4 5 7 8 8 10 12 2 3 4 4 5 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakha 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 .90 Lemoine .40 .50 Mountain .40 .50 Virginal	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock .36 .45 Mock .36 .45	Orange .24 .33 .40 Orange Orange Orange Orange				
8 to 10 to sachaliner 6 to 8 to 10 to PHILADELPI 1½ to 2 to 3 to —Enchant 2 to 3 to —Innocen 3 to 4 to lemoinei. 1½ to 2 to 2 to yirginalis. 1½ to	10 12 10 12	ft. ft. 30'- ft.	40' narius. 8'-10'	3.30 4.50 Sakho 2.50 3.30 4.50 .30 .40 .50 Hybrid .60 .75 .90 Lemoine .40 .50 Mountain .40 .50 Virginal .30	3.00 4.00 4.00 2.25 3.00 4.00 Mock .27 .36 .45 Mock Mock .45 Mock .45 Mock .45 Mock .45	Orange .24 .33 .40 Orange Orange Orange .33 Orange .24				

PHOTINIA villosa. 12'-15'	Each Ten Hundred
	Christmas Berry
2 to 3 ft	.60 .54
3 to 4 ft.	.80 .70
4 to 5 ft	1.00 .90
PHYSOCARPUS opulifolia nana. 4'-5'	Dwarf Ninebark
3 to 4 ft	.60 .54
PICEA asperata. 70'-80'	Rough Branch Spruce
1½ to 2 ft. B. & B	3.00 2.70
2 to 3 ft. B. & B	4.00 3.60
bicolor. 75'-100'	Alcock Spruce
1½ to 2 ft. B. & B	2.50
excelsa. 80'-100'	Norway Spruce
3 to 4 ft. B. & B	2.75
4 to 5 ft. B. & B	4.00
5 to 6 ft. B. & B	6.00
— aurea. 30'-40'	Golden Spruce
2 to 3 ft. B. & B	3.00
1 1 11 11	
— clanbrasiliana. 4'-5'	Barry Spruce
1½ to 2 ft. spread, B. & B	4.50 4.00
2 to 2½ ft. spread, B. & B	6.75 6.00
2½ to 3 ft. spread, B. & B 3 to 4 ft. spread, B. & B	10.00 9.00
3 to 4 ft. spread, B. & B 4 ft. specimens spread, B. & B.	13.50 21.00
1 It. specimens spread, b. & b.	21.00
— conica. 6'-8' Arro	whead Norway Spruce
1½ to 2 ft. B. & B	2.50 2.25 2.00
2 to 2½ ft. B. & B	3.25 3.00
4 to 5 ft. B. & B	6.75 6.00
5 to 6 ft. B. & B	8.25 7.50
— Dwarf forms.	Unnamed
	2.00 1.80
12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B	3.00 2.50
18 to 24 in. spread, B. & B	4.50 4.00
24 to 30 in. spread, B. & B	6.00 5.00
— gregoryana. 3'	Gregory Spruce
2½ to 3 ft. spread, B. & B	10.00
3 to 3½ ft. spread, B. & B	13.50
— maxwelli. 2'	Maxwell Spruce
9 to 12 in. spread, B. & B	4.00 3.60
12 to 15 in. spread, B. & B	5.25 4.80
31/10/	Small same Spares
— microsperma. 1½'-2'	Small cone Spruce
9 to 12 in. spread, B. & B	3.00 2.70 3.75 3.30
12 to 15 in. spread, B. & B	3.75 3.30 4.50 4.00
15 to 18 in. spread, B. & B 18 to 21 in. spread, B. & B	6.00 5.40
10 to 21 m. spread, b. a b	
— pendula. 20'-25'	Weeping Spruce
1½ to 2 ft. B. & B	3.75
2 to 3 ft. B. & B	5.25
4 to 6 ft. B. & B	10.00
	Norman Carre
	rostrate Norway Spruce
12 to 15 in. spread, B. & B	3.75 3.30 4.50 4.00
15 to 18 in. spread, B. & B	4.50 4.00 6.00 5.40
1½ to 2 ft. spread, B. & B	12.00 11.00
2½ to 3 ft. spread, B. & B 3 ft. specimens spread, B. & B.	15.00
o II. specimens spread, D. d D.	

			~		. 7					m 7	v 1 1
	A exc				nued					Ten h	
	- pumi	la.				_				Norway	
		to			spread,					2.70 3.30	2.40 3.00
	12	to			spread,				3.75 4.50	4.00	3.00
		to			spread,				6.00	5.40	
	18	to			spread,	D.					
_	- pyra	mic			0'-50'					Norway	Spruce
	5	to	6	ft.	B.	&	В		7.50		
_	- repe	ns.	11/2					Cı	reeping	Norway	Spruce
		to			spread,	B.	& B.,		3.00	2.70	
	12	to			spread,				3.75	3.30	3.00
	15	to			spread,				4.50	4.00	
	11/2				spread,				6.00	5.40	
	2	to			spread,				9.00	8.10	
q	lauca	CO	nica.	8'	10'				Dwarf	Alberta	Spruce
9.	21/2			ft.	В.	2	B		5.00		
		to	-				B		6.00	5.40	5.00
	4			ft.			B		7.50		
					2.	~	2,,,,,,				Come
h	unnew					_	-			nnewell	Spruce
	1		11/2				B		3.00		
	9	to	10	II.	D.	Or.	В	• • •			
k	oyamo	xi.	40′-5	0'						Coyamai	Spruce
	21/2	to	3	ft.	B.	&	В		3.75		
OI	moriko	Ι.	60'-80	0'						Serbian	Spruce
	11/2			ft.	R	2	В		3.75		
	2						B		5.25	4.80	4.50
	3	to	_				B		7.50		
		to		ft.			В		10.00	9.00	
			00/1	701						0-11-1	Commen
01	riental				70	~	D			Oriental	
	11/2			ft.			B		3.75		
	2	to		ft.	В.		B		5.25 7.50	4.80 6.75	4.50 6.00
	4	to	5	ft.			В			9.00	
	5	to	6	ft.			В			12.00	0.00
				11.	٠.	۵	D				
p	olita.	60)′-75′							Tigertail	Spruce
	1 1/2	to		ft.			В			2.00	
	2	to		ft.			B		3.00	2.70	
	3	to		ft.			B		4.50		
	4	to	5	ft.	В.	à	В		6.00	5.40	
р	ungen	s k	osteri	i. 5	60'-60'				Ko	ster Blue	Spruce
	11/2	to	2	ft.	В.	&	В		4.00	3.60	3.30
					B.						4.00
	21/2	to	3	ft.	B.	&	В		6.50	6.00	5.40
	3	to	4	ft.	B.	&	В		8.50	7.80	7.00
	4	to	5	ft.	B.	&	В		12.00	11.00	10.00
	5	to	6	ft.	B.	&	B		15.00	13.50	12.00
	6	to	7	ft.	В.	&	В		18.00	16.50	15.00
	7	to	8	ft.	В.	&	В		24.00	22.50	
	8	to	10	ft.	В.	&	В		33.00	30.00	
	10	to	12	ft.	B.	8	B		45.00		
	12	to	14	ft.	В.	&	В		54.00		
PIE	RIS flo	orik	ounda		4′-5′				Moun	tain And	romeda
	12	to	15	in.	spread,	В.	& B.		1.65	1.50	
	15	to	18		spread,	_			2.40	2.25	
	11/2	to	2	ft.					3.30	3.00	
	2	to			spread,				4.50	4.00	
	21/2	to	3		spread,				6.00		
	3	to	31/2	it.	spread,	В.	& B.		10.00		

PIERIS je			01	77			Each		lundred
				-7′	~	_		ese Andr	omeda
12 15	to	15 18	in		&		1.50	1.35	
11/2		2	in ft.	. В. В.		B	2.25	2.00	
2	to	21/2		В.	&	В	3.00	2.70	
21/2		3	ft.	В.		В	4.20 6.00	3.75	
3	to	4	ft.	В.	&		10.00	5.40	
DENTE							10.00		
PINUS c	emb		30′-			_		viss Ston	e Pine
2	to	2 1/2	ft.		8		4.50	4.00	
3	to	4	ft.	В. В.		В	6.75		
flexilis		0′-40		D.	Cx	В	12.00		
nexins				D	~	D	0.00		r Pine
5	to	5	ft.	В. В.		В	6.00	5.40	
6	to	7	ft.	В.	&	B	7.50	6.75	
7	to	8	ft.	В.	&	В	9.00 12.00		
8	to	10	ft.	В.	8	В	15.00		
montai	na r	nuah	115.	3'			20.00	Much	o Pine
	to	2		spread,	R	S. B	3.30	7	o Pine
2	to			spread,			4.50	3.00 4.25	
21/2		3		spread,			6.00	4.20	
nigra.	50	′-60°						Austria	n Pine
3	to	4	ft.	В.	&	В	3.50	3.00	
6	to	7	in.		8	B	10.00	3.00	
7	to	8	ft.	В.	&	В	13.50	12.75	
8	to	10	ft.	B.	&	В	18.00	16.50	
10	to	12	ft.	B.	&	B	27.00	24.00	
12	to	14	ft.	В.	&	В	33.00		
resinos	a.	60′-7	0'					Bec	Pine
4	to	5	ft.	В.	&	В	5.25	4.80	
5	to	6	ft.	В.	&	В	7.50	6.75	
6	to	7	ft.	В.	&	В	10.00	9.00	
7	to	8	ft. ft.	В. В.	&	B	13.50	12.75 16.50	
10	to	12	ft.	В.		В	27.00	24.00	
12	to	14	ft.	В.	&	В	33.00	24.00	
strobus	g	0'.10	n'					White	Pine
6	to	7	ft.	В.	&	В	10.00	9.00	2 11116
7	to	8	ft.	В.	&	В	13.50	12.75	
8	to	9	ft.	В.		В	18.00	16.50	
10	to	12	ft.	В.		В	27.00	24.00	
comp			'-8'					ct White	Pine
2.1/2	to	2½ 3					7.50		
							TImala	L. 3871-:4-	Division
— fasti			5 ′-4 ft.		8	В	5.25	tht White	rine
4	to	5	ft.			B	6.75	6.00	
5	to	6	ft.			B	9.00	8.00	
6	to	8	ft.			В	12.00	11.00	
8	to	10	ft.	B.	&	В	13.50		
nana	. 3	'-4'					Dw	arf White	Pine
11/2		2	ft.	spread,	В.	& B	6.00		
_	to		ft.	spread,	В.	& B	9.00		
21/2	to	3	ft.	spread,	В.	& B	12.00		
thunber	gi.	80′-	100'				Japane	se Black	Pine
3	to	4	ft.			B	3.50	100	
4	to		ft.			B	5.25	4.80	
5	to	6	ft.	В.	d	В	7.50	6.75	

	Each Ten Hun	dred
PLATANUS orientalis. 70'-80'	European Plane	Tree
8 to 10 ft	2.40 2.25	2.00
8 to 10 ft., 1½ to 1½ in		2.70
10 to 12 ft., 1½ to 1¾ in		3.50
10 to 12 ft., 13/4 to 2 in	5.25 5.00	
12 to 14 ft., 2 to 2½ in	7.20 6.75	
POLYGONUM auberti. Vine, 40'-50'	Chinese Fleece	Vine
4" Pots	.60 .50	
POPULUS nigra italica. 60'-80'	Lombardy Po	plar
8 to 10 ft	1.35 1.20	
10 to 12 ft	1.80 1.65	
POTENTILLA fruticosa. 3'-4'	Shrubby Cinqu	efoil
1½ to 2 ft	.45 .40	
2 to 3 ft	.60 .55	
2 0 1	.00	
parviflora. 3'-4'	Little Cinqu	efoil
5" Pots	1.00	
PRUNUS cerasifera pissardi. 10'-12'	Durnle Leaf 1	D1
4 to 5 ft	1 00 00	luiii
5 to 6 ft.	1.25	
3 10 0 11	1.20	
glandulosa. 4'-5' Dou	ble Flowering Alm	nond
1½ to 2 ft	.70 .65	.55
2 to 3 ft	.85 .75	.65
33 44.84	*****	,
— alba. 4'-5'	White Alm	nond
1½ to 2 ft	.60 .50 .75 .65	
2 to 3 ft		
	./5 .65	
		Plum
maritima. 8'-10'	Beach I	Plum
maritima. 8'-10' 11/2 to 2 ft	Beach 1 .45 .40	Plum
maritima. 8'-10' 1½ to 2 ft	Beach I	Plum
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25'	.45 .40 .60 Upright Ch	
maritima. 8'-10' 1½ to 2 ft	.45 .40 .60 Upright Ch	
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft.	### Beach II ### .40 ### .40 ### Upright Ch ### 3.00 2.70	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto	### Beach I .45	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft.	### Beach I .45 .40 .60 #### Ch 3.00 2.70 ####################################	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 amn Flowering Ch 1.50 2.00	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft.	### Beach I .45	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 amn Flowering Ch 1.50 2.00	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. Autralia autumnalis. 25'-30' Autralia 4 to 5 ft. 5 to 6 ft.	### Beach I .45	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B.	### Beach I .45 .40 .60 ### Upright Ch 3.00 2.70 ### Flowering Ch 1.50 2.00 3.00 6.00	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B. —Beni-higan. 5 to 6 ft.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autumnalis. 25'-30' Societa S	### Beach II	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B. —Beni-higan. 5 to 6 ft. —Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Jouble 2.00	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autumnalis. 25'-30' Societa S	### Beach II	етту
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B. —Beni-higan. 5 to 6 ft. —Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Jouble 2.00	erry
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autumnalis. 4 to 5 ft. 5 to 6 ft. — Beni-higan. 5 to 6 ft. — Fugenzo (Kofugen) (James H. Veitchen 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. — Kwanzan. 30'	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70) 30' Double 2.00 3.00	erry
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autumnalis. 25'-30' Autumnalis. 25'-30' Serrulata Amanogawa. 20'-25' 5 to 6 ft. — Beni-higan. 5 to 6 ft. — Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70) 30' Double 2.00 3.00 Double	erry
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autu 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — Beni-higan. 5 to 6 ft. — Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. 7 Kwanzan. 30'	### Beach I	erry
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autumnalis. 25'-30' Autumnalis. 25'-30' Serrulata Amanogawa. 20'-25' 5 to 6 ft. — Beni-higan. 5 to 6 ft. — Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft.	Beach I .45 .40 .60 Upright Ch 3.00 2.70 ann Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Double 2.00 3.00 Double 2.00 3.00 Double 2.00 3.00 Double 2.00 3.00	erry
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' A	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Double 2.00 3.00 Double 2.00 3.00 Double 2.00 3.00 5.40 12.00	erry Pink Pink
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autu 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — Beni-higan. 5 to 6 ft. — Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. — Mount Fuji (Shirotae) 30'	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Double 2.00 3.00 Double 2.00 3.00	erry Pink Pink
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Auto 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B. —Beni-higan. 5 to 6 ft. —Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. B. & B. 8 to 10 ft. B. & B. — Mount Fuji (Shirotae) 30' 4 to 5 ft. — Mount Fuji (Shirotae) 30'	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Double 2.00 3.00 Double 2.00 3.00 5.40 12.00 Double W 2.00 1.80	erry Pink Pink
maritima. 8'-10' 1½ to 2 ft. 2 to 3 ft. serrulata Amanogawa. 20'-25' 5 to 6 ft. — autumnalis. 25'-30' Autu 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. — Beni-higan. 5 to 6 ft. — Fugenzo (Kofugen) (James H. Veitch 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. — Kwanzan. 30' 4 to 5 ft. 5 to 6 ft. — Mount Fuji (Shirotae) 30'	Beach I .45 .40 .60 Upright Ch 3.00 2.70 Imm Flowering Ch 1.50 2.00 3.00 6.00 Higan Ch 3.00 2.70 Double 2.00 3.00 Double 2.00 3.00	erry Pink Pink

PRUN	US	serr	ulat	lα(Conti	nue	d		Ea	ch	Ten F	Hundred
N	lade	n (Take	asag	10).	30′-	40'					Cherry
	4	to	5	ft.	•••••	• • • • • • •		••••••		00		
		to		ft.	*****	В.	&	В		00	2.70	
s	ach	alin	ensi	s. (sara	enti	i).	30′-40′			Yama	Cherry
									3.	00	z dind	Ollelly
								В		.00		
S	hirc	fug	en.	30′						Dou	ıble Blu	sh Pink
		to	6	ft.					3.	00		
		to to	8	ft.		B.	2	B	6. 12.			
								50'			gle Blu	sh Pink
										00		
											Japan	Cherry
	z ye 3 ye	ear ear	nea	d d		В.	&	B	5.	75 25		
	_ (C	RA	FTE	D.I.O	(WC					W	eeping	Cherry
				ft.			2	В	3.		3.00	
	4	to	5	ft.		B.	Ċr.	В	5.	UU	4.50	
	5 6	to to	6	ft. ft.				B		.00 .00		
	O	10	0	11.		D.	4	J	10.	.00		
	40							-	11 7	7 77		CII
												Cherry
	2 ye	ear	hea	ıd				Do 1		.50	4.00	
tom	2 ye	ear	hed	.8′		В.	&	В	4.	.50 N	4.00	Cherry
tom	2 ye	ear sa. to	6'-4	rd -8′ ft.		В.	&	В	4.	. 50 N .75	4.00 (anking .65	Cherry
tom	2 yeenta	ear osa. to ple	heα 6' 4 nα.	rd -8' ft. 7'-8		В.	&	В	Dou	.75 ble 1	4.00 Ianking .65 Flowering	Cherry
tom	2 yeenta	ear osa. to ple	heα 6' 4 nα.	rd -8' ft. 7'-8		В.	&	В	Dou	.75 ble 1	4.00 fanking .65 Flowerin .90	Cherry
tom	2 yeento	ear to ple to	6'. 4 nα. 4	ft. 7'-8 ft.	 	В.	&	В	Dou	.75 ble 1	4.00 fanking .65 Flowerin .90	Cherry
tom trild	2 years	to ARI	6'-4 na. 4	ft. 7'-8 ft.	 	B. 10	& 	В	Dou 1	.75 ble 1	4.00 fanking .65 Flowerin .90	Cherry
tom trild	2 years	ear to plet to ARI	6'. 4 na. 4 IX k	ft. 7'-8 ft. acem ft. ft.	 	B. 10 B. B.	& 00' & &	B	Dou 1	.75 ble 1	4.00 Janking .65 Flowerin .90 Golde	Cherry ng Plum n Larch
tom trile	2 years	ear to pler to ARI	6'. 4 nα. 4 IX k 3 4	ft. 7'-8 ft. aem ft. doug	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	B. 10 B. B. B.	& & & & & & & & & & & & & & & & & & &	B B	Dou 1 3 3 3	.75 ble 1 .00	4.00 Janking .65 Flowerin .90 Golde	Cherry
trild PSEU	2 yeento 3 3 bbα 3 DOL 2 3 DOT 2 1/2	plento to to to to	6'4 4 1X k 3 4 3A 3	ft. 7'-8 ft. aem ft. ft. doug ft.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	B. 10 B. B. B.	& & & & & & & & & & & & & & & & & & &	B B 80'	2 Dou	N N 75 N N N N N N N N N N N N N N N N N	4.00 fanking .65 Flowerin .90 Golde Dou 2.25	Cherry ng Plum n Larch
trile PSEU	2 yeento 33 bbα 3 DOL 23 DOT 2½ 3	to to to to to	6'. 4 11X k 3 4 3 4	ft. 7'-8 ft. caem ft. ft. doug	pferi	B. 10 B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	2 3 4	N N 75 N N 00 N N N N N N N N N N N N N N N N	4.00 fanking .65 Flowerin .90 Golde Dou 2.25 3.00 3.60	Cherry ng Plum n Larch
trild PSEU	2 yeento 3 3 bbα 3 DOL 2 3 DOT 2½ 3 4 5	plento ARI to	6.4 4 1X k 3 4 5 6	ft. 7'-8 ft. caem ft.	pferi	B. 10 B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B B 80' B B	2 3 3 4 6	N 75 N 6 N 00 N 00 75 N 00 00 00 00 00 00 00 00 00 00 00 00 0	4.00 fanking	Cherry ng Plum n Larch
trild PSEU	2 yeentc 33 bbα 3 DOL 23 DOT 2½ 3 4 5 6	plento ARN to	4 4 3 4 5 6 8	ft. 7'-8 ft. caem ft. ft. ft. ft. ft. ft. ft. ft.	pferi	B. 100 B. B. B. B. B. B. B. B. B.	& 00°-10°-10°-10°-10°-10°-10°-10°-10°-10°-	B	2 3 3 4 6 9	N 75 N 6 N 1 N 1 N 1 N 1 N 1 N 1 N 1 N 1 N 1	4.00 fanking	Cherry ng Plum n Larch
trild PSEU	2 yeento 3 3 bbα 3 DOL 2 3 DOT 2½ 3 4 5	plento ARI to	6.4 4 1X k 3 4 5 6	ft. 7'-8 ft. caem ft.	pferi	B. 100 B.	& 00° & & & & & & & & & & & & & & & & &	B B 80' B B	2 3 3 4 6 9	N 75 N 6 N 00 N 00 75 N 00 00 00 00 00 00 00 00 00 00 00 00 0	4.00 fanking	Cherry ng Plum n Larch
tom trild	2 yeento 3 bbα 3 DOL 2 3 DOT 2 ½ 3 4 5 6 8 10	to plen to	6.4 4 11X k 3 4 5 6 8 10 12	ft. 7'-8 ft. caem ft.	pferi	B. 10 B.	& & & & & & & & & & & & & & & & & & &	B	2 3 3 4 6 9	.75 N .75 .00 .00 .75 .50 .25 .00 .00 .00 .50	4.00 fanking .65 Flowerin .90 Golde Dou 2.25 3.00 3.60 5.40 8.00 12.00	Cherry ng Plum n Larch
tom trile PSEU	2 ye ento 3 3 bbα 3 DOL 2 3 4 5 6 6 8 10 DOST	to	6'.4 4 1X k 3 4 5 6 8 10 12	ft. 7'-8 ft. 7'-8 ft. doug ft. ft. ft. ft. ft. ft. ft. ft	pferi ylasi	B. B	& CO'-1 & & & & & & & & & & & & & & & & & & &	B	2 3 4 6 9 13 21	.75 N .75 .00 .00 .75 .50 .25 .00 .00 .00 .50	4.00 fanking .65 Flowerin .90 Golde Dou 2.25 3.00 3.60 5.40 8.00 12.00	Cherry ng Plum n Larch glas Fir
tom trild PSEU	2 ye ento 3 bbα 3 DOL 2 3 DOT 2 ½ 3 4 5 6 8 10 DST 4	to plen to	64 4 11X k 3 4 5 6 8 10 12	ft. 7'-8 ft. 7'-8 ft. acem ft.	 pferi glasi	B. 10 B.	& \\ \& \& \& \& \& \& \& \& \& \& \& \&	B	2 3 3 4 6 9 13 21	N N 75 N N N N N N N N N N N N N N N N N	4.00 fanking .65 Flowerin .90 Golde Dou 2.25 3.00 3.60 5.40 8.00 12.00 Epaule	Cherry ng Plum n Larch glas Fir
tom trile PSEU	2 ye ento 3 bbα 3 DOL 2 3 DOT 2 ½ 3 4 5 6 8 10 DST 4	to plent to	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ft. 7'-8 ft. 7'-8 ft. dougle ft.	pferi glasi.	B. 100 B.	& & & & & & & & & & & & & & & & & & &	B	Dou 1 3 3 3 4 6 9 13 21	N N 75 N N N N N N N N N N N N N N N N N	4.00 fanking .65 Flowerin .90 Golde Dou 2.25 3.00 3.60 5.40 8.00 12.00 Epaule	Cherry ng Plum n Larch glas Fir

						_ (5 —				
									Each		Hundred
QUERCU			100						0.75	Wh	ite Oak
6 8	to	8	ft. ft.						3.75 4.50		
coccine	α.	80'-9	0'							Scar	let Oak
8	to	10	ft.						4.00		
8	to	10	ft.,				2 in.		5.25		
10	to	12	ft.,						6.00		
12 12	to	14		1 ³ / ₄ 2			in. 2 in.		8.00		
14	to	16	ft.,	21/2	to	3	in.		13.50		
macroc	arp	α. 8	0′							Mossyc	up Oak
10	to	12		11/2	to	13,	4 in.		6.00		
10	to	12		13/4	to	2	in.		8.00	7.20	
12	to	14	ft.,	2	to	21/	ź in.	• • • •	10.00		
palustr	is.	70′-8	0'							P	in Oak
8	to	10					in.		3.25	3.00	2.70
10	to	11		1 1/2			in.		4.50	4.00	3.60
11 12	to	12 14					in.		6.00	5.40 7.00	
14	to	16		21/2			in.		10.00	9.00	
14	to	16	ft.,	3	to	31/2	in.		13.50	12.00	
16	to	18		31/2			in.		18.00	16.50	
18	to	20	ft.,		to		in.		27.00	24.00	
18	to	20	It.,	5	to	Ь	in.	• • • •	36.00		
robur.	120		r.						0.75	Engli	sh Oak
6	to		ft.				•••••	• • • •	2.75		
rubra.		'-80°									ed Oak
8	to	9	ft.						3.25	3.00	2.70
9	to	10 12					in.		4.50	4.00 5.40	3.60 4.80
10	to	12	ft.,	13/4	to	2	in.		8.00	7.20	6.00
12	to	14	ft.,	2	to	$2\frac{1}{2}$	in.		10.00	9.00	8.00
14	to	16		21/2			in.		13.50	12.00	
14 16	to	16 18		3 1/2			in.		18.00	16.50	
18	to	20			to		in.		24.00 30.00		
			,						00.00		
					_	_ F	2				
BHAMNU	10	avel:	nie-	~	20′-	254				-1: P	-1-11-
		2			<u> </u>	23			.40	olina Bu .36	ckinorn
cathart										amon Bu	ckthorn
	to		ft.						.40	.36	CEIIIOIII
2	to	3	ft.						.50	.45	
frangul	la.	8'-10	*						G	lossy Bu	ckthorn
1 1/2		2	ft.						.40	.35	
2	to	3	ft.	• • • • • • • • • • • • • • • • • • • •			•••••	• • • •	.50	.45	
RHODOD	ENI	RON	Ι αι	buni	olic	ī.	4'		Daphne	Rhodo	dendron
12	to						& B.		3.00	2.70	
	to						& B		4.00	3.60	
1 ½ 2	to	2 1/2					& B. & B.		5.50 7.50	5.00 6.75	
				Spre	aa,		ΔD.		7.00		
canade					D	~	ח		0.05	I	Rhodora
, 1 1/2	to	4	ft.		D.	Ox.	В		2.25		

RF	HODODE	END	RON		Continu	ed	ł		Each	Ten	Hundred
	carolini	anu	m.	5′-6	,				Carolina		
	15		18	in.			S	В	2.25	2.00	1.80
	11/2	to	2	ft.	В			В	3.00	2.75	2.40
	2	to	21/2	ft.	В		&	В	4.00	3.60	3.30
	21/2		3	ft.			&	B	5.25	4.80	
	3	to	4	ft.				В	6.75		
	4	to	5	ft.	В		&	В	9.00		
	-albur	n.	5'-6'					White	Carolina	Rhodo	dondron
	2		21/2	ft.	В		&	В		3.60	dendion
	21/2	to	3	ft.				В	5.25	0.00	
	3	to	4	ft.	В		&	В	6.75		
	catawb	ion		3′-10	1'				Code la	701 1 .	3 3
			11/2		В		&	В	Catawba 2.25	2.00	aenaron
	11/2		2	ft.	_			В		3.00	
	2	to			В		8	B	4.50	4.00	
		to	3	ft.				В		5.40	
	3	to	4	ft.	В			В	8.50	7.50	
	maximu		12'-		D		6	D	Rosebay		
	1 1½	to	1 1/2	ft.				В	2.00	1.80	
	2	to		ft.	В		&	B	2.75 3.50	2.40	
	21/2	to	3	ft.				В		4.00	
	3	to	31/2		В		&	В	5.75	5.25	
	31/2	to	4	ft.	В		&	B	7.00	6.50	
	4	to	5	ft.	В		&	В	9.00	8.00	
	5	to	6	ft.	В		&	D			
	6	to	7	ft.	В		&	В	15.00		
	minus	·			6′-8′				Diadmant	Dhada	donden
							2		Piedmont 5.00	mode	
	2	to	3	ft.	В			В	5.00	mode	
			3		B B		&		5.00	mode	
	2 3 4	to to	3 4 5	ft. ft. ft.	B B		&	B B B	5.00 7.5 0 10.00		
	2 3 4 myrtifol	to to to	3 4 5	ft. ft. ft.	B B B		& &	B B	5.00 7.5 0 10.00 yrtle Leaf	Rhodo	
	2 3 4 myrtifol 12	to to to lium	3 4 5 1. 3'	ft. ft. ft. -4' in.	B B B		& & B.	B	5.00 7.50 10.00 yrtle Leaf 3.50	Rhodo 3.00	
	2 3 4 myrtifo l 12 15	to to to lium to to	3 4 5 1. 3'	ft. ft. ft. -4' in. in.	B B spread spread		& & B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50	Rhodo	
	2 3 4 myrtifo l 12 15 1 ¹ ⁄ ₂	to to to lium to to to	3 4 5 1. 3' 15 18 2	ft. ft. ft. in. ft.	spread spread spread		& & B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00	Rhodo 3.00	
	2 3 4 myrtifol 12 15 1½ 2½	to to to to to to	3 4 5 n. 3' 15 18 2 3	ft. ft. ft. in. ft.	spread spread spread		& & B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00	Rhodo 3.00 4.00	dendron
	$\begin{array}{c} 2\\ 3\\ 4 \end{array}$ myrtifol $\begin{array}{c} 12\\ 15\\ 1\frac{1}{2}\\ 2\frac{1}{2} \end{array}$ wilsoni.	to to to to to	3 4 5 1. 3' 15 18 2 3	ft. ft. ft. in. in. ft. ft.	spread spread spread spread	d, d, d,	& & & B. B. B. B.	B B B & B & B & B & B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson	Rhodo 3.00 4.00	
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12	to to to to to to	3 4 5 1. 3' 15 18 2 3	ft. ft. ft. in. ft. ft. in.	spread spread spread spread	d, d, d,	& & & B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50	Rhodo 3.00 4.00	dendron
	$\begin{array}{c} 2\\ 3\\ 4\\ \\ \textbf{myrtifol}\\ 12\\ 15\\ 1\frac{1}{2}\\ 2\frac{1}{2}\\ \\ \textbf{wilsoni}\\ 12\\ 15\\ \end{array}$	to to to to to to to	3 4 5 15 18 2 3 1'-5' 15 18	ft. ft. ft. in. in. ft. ft.	spread spread spread spread spread	d, d, d, d, d,	& & B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50	Rhodo 3.00 4.00 Rhodo 3.00 4.00	dendron
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12	to to to to to to to	3 4 5 1. 3' 15 18 2 3	ft. ft. ft. in. in. ft. ft.	spread spread spread spread spread	d, d, d, d, d,	& & B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50	Rhodo 3.00 4.00	dendron
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½	to to to to to to to to to	3 4 5 1. 3' 15 18 2 3 1'-5' 18 2	ft. ft. ft. in. ft. ft. ft. ft.	spread spread spread spread spread	d, d, d, d, d,	& & B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00	Rhodo 3.00 4.00 Rhodo 3.00 4.00 5.40	dendron
	$\begin{array}{c} 2\\ 3\\ 4\\ \\ \textbf{myrtifol}\\ 12\\ 15\\ 1\frac{1}{2}\\ 2\frac{1}{2}\\ \\ \textbf{wilsoni}\\ 12\\ 15\\ \end{array}$	to to to to to to to to to	3 4 5 1. 3' 15 18 2 3 1'-5' 15 18 2	ft. ft. ft. in. ft. ft. ft.	spread spread spread spread spread spread	d, d, d, d, l, :	& & B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid	Rhodo 3.00 4.00 Rhodo 3.00 4.00 5.40	dendron
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni. 12 15 1½ 15	to	3 4 5 1. 3' 15 18 2 3 1'-5' 18 2 YBRII	ft. ft. ft. ft. in. ft. ft. ft.	spread sp	d, d, d, d, d,	& & B. B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock.	Rhodo 3.00 4.00 Rhodo 3.00 4.00 5.40	dendron dendron
	$\begin{array}{c} 2\\ 3\\ 4\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	to	3 4 5 15 18 2 3 4'-5' 15 18 2 YBRII L	ft. ft. ft. ft. in. in. ft. ft. os. ette	spread spread spread spread spread spread	d, d, d, d, d, d, Bl	& & B. B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo	dendron dendron H. J. K.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni. 12 15 1½ 15 1½ calbum Everest	to	3 4 5 1. 3 15 18 2 3 1'.5' 18 2 YBRII L	ft. ft. ft. in. in. ft. ft. in. ft. ft.	spread sp	d, d, d, d, d, El, El	& & B. B. B. B. B. B. B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A.	dendron dendron H. J. K. B. C. D.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni. 12 15 1½ NAMED album Everest maximu	to t	3 4 5 1. 3' 15 18 2 3 1'-5' 15 18 2 2 YBRII L	ft. ft. ft. in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	d, d, d, d, El, El, El, El, El, El, El, El, El, El	& & B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D.	dendron dendron H. J. K. B. C. D. E. F. G.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ NAMED album Everest maximu roseum	to t	3 4 5 1. 3' 15 18 2 3 1'.5' 18 2 YBRII L Lggans.	ft. ft. ft. in. in. ft. ft. os. ette	spread sp	d, d, d, d, d, c-p	& & B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D. D. E.	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni. 12 15 1½ NAMED album Everest maximu	to t	3 4 5 15 18 2 3 15 18 2 2 3 17 5 18 2 2 YBRII L L gans. wm iroseu gans oorbu	ft. ft. ft. in. in. ft. ft. ft. 15'-6' m. 8' im.	spread sp	d, d, d, d, d, etc.	& B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D. D. E.	dendron dendron H. J. K. B. C. D. E. F. G.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ NAMED album Everest maximu roseum	to t	3 4 5 15 18 2 3 15 18 2 2 3 17 5 18 2 2 YBRII L L gans. wm iroseu gans oorbu	ft. ft. ft. in. in. ft. ft. ft. 15'-6' m. 8' im.	spread sp	d, d, d, d, d, etc.	& B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D. D. E.	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ 15 1½ NAMED album Everest maximu roseum roseum	to t	3 4 5 15 18 2 3 15 18 2 YBRII L L gans. wm 5 coseu Price 15	ft. ft. ft. in. in. ft. ft. ft. 15'-6' m. 8' im.	spread sp	d, d, d, d, d, siccos s	& & B.	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E. A. B. C.	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D. E. D.	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni. 12 15 1½ 15 1½ NAMED album Everest maximu roseum roseum A. 12 B. 15	to t	3 4 5 15 18 2 3 15 18 2 2 3 YBRII L gans. Croseu Price 15 18 18 15 18 15 18 15 18 15 18 15 18 15 18 15 18 15 18	ft. ft. ft. in. in. ft. ft. in. in. ft. ft. lt. in. in. ft. ft. in. in. in. in. in. in. in. in. in. in	spread sp	d, d, d, d, d, etc. Bl-	& & B.	B	5.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E.	Rhodo 3.00 4.00 8hodo 5.40 F. G. A. C. D. D. E. D. 2.00 2.70	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni. 12 15 1½ 15 1½ NAMED album Everest maximu roseum roseum A. 12 B. 15 C. 1½	to t	3 4 5 15 18 2 3 4 5 15 18 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	ft. ft. ft. in. in. ft. ft. in. in. ft. ft. in. in. ft. ft. in. in. ft. ft. in. ft. ft. ft. in. ft. ft. ft. in. ft. ft. ft. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	dididididididididididididididididididi	B. B	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E. A. B. C. ed above. 2.25 3.00 4.00	Rhodo 3.00 4.00 8hodo 5.40 Rhodo F. G. A. C. D. D. E. D. 2.00 2.70 3.60	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ 15 1½ 25 NAMED album Everest maximu roseum roseum A. 12 B. 15 C. 1½ D. 2	to t	3 4 5 15 18 2 3 4 5 15 18 2 2 15 18 2 15 18 2 15 18 2 15 18 2 2 2 1/2	ft. ft. ft. in. in. ft. ft. sin. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	didididididis	B. B	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid In stock. D. E. A. B. C. ed above. 2.25 3.00 4.00 5.00	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D. D. E. D. 2.00 2.70 3.60 4.50	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ 15 1½ 2 NAMED album Everest maximu roseum roseum A. 12 B. 15 C. 1½ D. 2 E. 2½	to t	3 4 5 15 18 2 3 17.5' 15 18 2 2 2 1/2 3 18 2 2 2 1/2 3 18 2 2 2 1/2 3	ft. ft. ft. in. in. ft. ft. sin. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	didididididis	B. B	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid In stock. D. E. A. B. C. ed above. 2.25 3.00 4.00 5.00 6.75	Rhodo 3.00 4.00 Rhodo 5.40 Rhodo F. G. A. C. D. D. E. D. 2.00 2.70 3.60 4.50 6.00	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ 15 1½ 25 NAMED album Everest maximu roseum roseum A. 12 B. 15 C. 1½ D. 2 E. 2½ F. 3	to t	3 4 5 15 18 2 3 17.5' 15 18 2 15 18 2 15 18 2 2 17.5' 18 2 2 2 17.5' 18 2 2 17.5' 18 3 3 17.5' 3 3 17.5' 3 17.5' 18 2 2 17.5' 3 3 17.5' 3 17.5' 18 18 2 2 17.5' 3 17.5' 18 18 2 2 17.5' 3 17.5' 18 18 2 2 17.5' 18 18 2 2 17.5' 18 18 2 2 17.5' 18 18 2 2 17.5' 18 18 18 18 18 18 18 18 18 18 18 18 18	ft. ft. ft. in. in. ft. ft. st. ette in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	di,	B. B	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E. A. B. C. ed above. 2.25 3.00 4.00 5.00 6.75 9.00	Rhodo 3.00 4.00 Rhodo 5.40 F. G. A. C. D. D. E. D. 2.00 2.70 3.60 4.50 6.00 8.25	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ 1½ NAMED album Everest maximu roseum A. 12 B. 15 C. 1½ D. 2 E. 2½ F. 3 G. 3½	to t	3 4 5 15 18 2 3 17.5' 15 18 2 2 17.5' 15 18 2 2 17.5' 18 2 17.5' 18 2 17	ft. ft. ft. in. in. ft. ft. ft. sette in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	d, d	B.B.B. B.B. B.B.B.B.B.B.B.B.B.B.B.B.B.B	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E. A. B. C. ed above. 2.25 3.00 4.00 5.00 6.75 9.00 13.50	Rhodo 3.00 4.00 8hodo 5.40 Rhodo F. G. A. C. D. D. E. D. 2.70 3.60 4.50 6.00 8.25 12.00	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.
	2 3 4 myrtifol 12 15 1½ 2½ wilsoni 12 15 1½ 15 1½ 25 NAMED album Everest maximu roseum roseum A. 12 B. 15 C. 1½ D. 2 E. 2½ F. 3	to t	3 4 5 15 18 2 3 17.5' 15 18 2 15 18 2 15 18 2 2 17.5' 18 2 2 2 17.5' 18 2 2 17.5' 18 3 3 17.5' 3 3 17.5' 3 17.5' 18 2 2 17.5' 3 3 17.5' 3 17.5' 18 18 2 2 17.5' 3 17.5' 18 18 2 2 17.5' 3 17.5' 18 18 2 2 17.5' 18 18 2 2 17.5' 18 18 2 2 17.5' 18 18 2 2 17.5' 18 18 18 18 18 18 18 18 18 18 18 18 18	ft. ft. ft. in. in. ft. ft. st. ette in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	spread sp	d, d, d, d, d, d, see series s	B.B.B.B.B.B.B.B.B.B.B.B.B.B.B.B.B.B.B.	B	5.00 7.50 10.00 7.50 10.00 yrtle Leaf 3.50 4.50 6.00 12.00 Wilson 3.50 4.50 6.00 Hybrid in stock. D. E. A. B. C. ed above. 2.25 3.00 4.00 5.00 6.75 9.00	Rhodo 3.00 4.00 Rhodo 5.40 F. G. A. C. D. D. E. D. 2.00 2.70 3.60 4.50 6.00 8.25	dendron dendron H. J. K. B. C. D. E. F. G. F. G. H.

R

R

RH	ODO	DEN	IDRC	N—	-Conti	nue	H	Eacl	h Ten	Hundre
,	meri	ca.	5'-6		Briaht	che	erful re	d.		A. B. C
								pink ed		
								. Early.		C. D
								crimson.		
								nite. B.		
								rry-red.		
								. (
I	r. H.	C. 1	Dress	elhi	uis. 6'	-8'.	Good red	. A. I	B. C. D.	E. F. G
								on, dark		
H	. H.	Hur	new	ell.	7'-8'	. Da	k crims	on, rich	tone.	C. D. E.
I	gnatii	ıs S	arge	nt.	6'-8'.	Vigo	rous, br	ight rosy	red. B.	C. D. E.
L	ady .	Arm	stron	ıg.	6'-8'.	Ligh	t pink s	potted wi	ith green	. H. J.
N	Irs. C	. S.	Sarg	jent.	6′-8′	. Gl	owing p	ink. A.	B. C. D.	E. F. G.
C	old P	ort.	6′-8	'. U	nique	, rec	ddish vi	olet.	В. С.	D. E. F.
P	arsor	's r	ubru	m.	6'-8'.	Dee	p purpli	sh red.		H.
P	urpu	eun	n ele	gan	s. 6′-8	. Pu	rple ope	ening to l	.avender	. H. J. K.
7	10	4 -	1.5			D	r D	2.00	0.70	
A							S. B			
В		to 2 to		in ft.			S. B			
D		2 to		11. 2 ft.			§ B § B			
E		io 2 to		2 It. ft.			х Б В В			
F.		z to		11. 2 ft.			х Б \$ В			
G		ź to	-	2 11. ft.			х В В В			
Н		z to					ъ В		10.00	
11	. 7	iO	0	11.		D. C	х D	21.00		
В	oule	de :	Nier	Α.	41 21					dan J
			11109	•	4 - 5			Snowbal	II Knodo	dendron
	15	to	18	in.	spred		. & B	4.50	II Knodo	dendron
	15 1½	to to	18 2	in. ft.	spred	rd, E	. & B	4.50 6.00	n Knodo	dendron
	15 1½	to to	18 2	in. ft.	spred	rd, E		4.50 6.00	II Knodo	aenaron
Ā	15 1½ 2	to to to	18 2 2½	in. ft. ft.	spred	rd, E	. & B	4.50 6.00		
A	15 1½ 2	to to to	18 2 2½ Iybri	in. ft. ft.	spred spred	nd, E	. & B . & B	4.50 6.00 8.00	Separat	e colors
Ā	15 1½ 2	to to to	18 2 2½ Iybri	in. ft. ft. ds.	spred spred spred	ad, B ad, B	B	4.50 6.00 8.00	Separate 2.00	
Ā	15 1½ 2 ssorte 15 1½ 2	to to to to to	18 2 2½ 14/2 18 2 2½	in. ft. ft. ds. in. ft.	spred spred	ad, E ad, E B. & B. &	. & B . & B	4.50 6.00 8.00	Separat	
A	15 1½ 2 ssorte 15 1½ 2 2½	to to to to to to	18 2 2½ 14/2 18 2 2½ 3	in. ft. ft. ds. in. ft. ft. ft.	spred spred	B. &	B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00	2.00 2.70 3.60 4.50	
A	15 1½ 2 ssorte 15 1½ 2	to to to to to to	18 2 2½ 14/2 18 2 2½	in. ft. ft. ds. in. ft. ft. ft.	spred spred	B. &	B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00	2.00 2.70 3.60	
	15 1½2 2 ssorte 15 1½2 2 ½3	to to to to to to to	18 2 2½ 1ybri 18 2 2½ 3 3½	in. ft. ft. in. ft. ft. ft. ft. ft.	spred spred	B. &	B B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00	2.00 2.70 3.60 4.50 6.00	e colors
	15 1½2 2 ssorte 15 1½2 2 2½3	to to to to to to	18 2 2½2 Hybri 18 2 2½3 3½2	in. ft. ft. in. ft. ft. ft. ft. ft. ft. ft.	spred spred	B. &	B B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00	e colors
	15 1½2 2 ssorte 15 1½2 2½3	to to to to to to to to to	18 2 2½2 Hybri 18 2 2½2 3 3½2 OS ko	in. ft. ft. ds. in. ft. ft. ft. ft. ft. ft.	spred spred spred	B. &	B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	Separate 2.00 2.70 3.60 4.50 6.00	e colors Jetbead
	15 1½2 2 ssorte 15 1½2 2 2½3	to to to to to to	18 2 2½2 Hybri 18 2 2½3 3½2	in. ft. ft. in. ft. ft. ft. ft. ft. ft. ft.	spred spred spred	B. & B. & B. & B. & S. & B. & S. & S. &	B B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00	e colors
	15 1½ 2 ssorte 15 1½ 2 2½ 3	to to to to to to to to to	18 2 2½2 Hybri 18 2 2½3 3½2 OS ko	in. ft. ft. in. ft. ft. ft. ft. ft. ft. ft.	spred spred spred	B. & B. & B. & B. & S. & B. & S. & S. &	B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	Separate 2.00 2.70 3.60 4.50 6.00	e colors Jetbead
знс	15 1½ 2 ssorte 15 1½ 2 2½ 3	to to to to to to to to to	18 2 2½2 fybri 18 2 2½2 3 3½2 OS ke	in. ft. ft. ds. in. ft. ft. ft. ft. ft. ft. ft.	spred spred spred	B. & B. & B. & B. & S. & B. & S. & S. &	B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00	Jetbead .30 .40
знс	15 1½2 2 sssorte 15 1½2 2 2½3 3	to	18 2 2½2 fybri 18 2 2½2 3 3½2 OS ke	in. ft. ft. in. ft. ft. ft. ft. ft. ft. ft.	sprece	ad, B ad, B B. & B. & B. &	B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00	e colors Jetbead .30 .40
знс	15 1½2 2 sssorte 15 1½2 2 2½3 3	to	18 2 2½2 Hybri 18 2 2½2 3 3½2 OS ke	in. ft. ft. ds. in. ft. ft. ft. ft. ft. ft. ft.	sprece	B. & B. & S4.	B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00 35 .45 .50	e colors Jetbead .30 .40 Sumach .50
знс	15 1½2 2 ssorte 15 1½2 2 2½3 3 DDOT 1½2 2 3	to	18 2 2½2 Hybri 18 2 2½2 3 3½2 OS ke 2 3 4	in. ft. ft. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	sprece	B. & & & & & & & & & & & & & & & & & & &	BBBB	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00	e colors Jetbead .30 .40
RHC	15 11/2 2 sssorte 15 11/2 2 2 21/2 3 DDOT 11/2 2 3 3	to	18 2 21/2 14ybri 18 2 21/2 3 3 31/2 2 2 3 4 4 ensis 2 3 4	in. ft. ft. ds. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	sprece	B. & & & & & & & & & & & & & & & & & & &	B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75	2.00 2.70 3.60 4.50 6.00 .35 .45 .50 ragrant .55 .65 .90	Jetbead .30 .40 Sumach .50 .60
RHC	15 1½2 2 sssorte 15 1½2 2 2½3 3 DDOT 1½2 2 3 SS ca 1½2 3 3	to t	18 2 21/2 11ybri 18 2 21/2 3 3 31/2 OS ko 2 3 4 4 ensis 2 3 4 4 2'-15'	in. ft. ft. ds. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	sprece	ad, B ad, B B. & B. & B. & S'-1	B B B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75 .40 .50 .60	2.00 2.70 3.60 4.50 6.00 .35 .45 .50 ragrant .55 .65 .90	e colors Jetbead .30 .40 Sumach .50
RHC	15 11/2 2 ssorte 15 11/2 2 22/2 3 DDOT 11/2 2 3 S ca 11/2 2 3	to t	18 2 21/2 11ybri 18 2 21/2 3 31/2 2 3 4 4 ensis 2 3 4 4 22'-15' 3	in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	sprece	ad, E ad, E B. & B. & B. & S. & S. &	B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75 .40 .50 .60	2.00 2.70 3.60 4.50 6.00 .35 .45 .50 ragrant .55 .65 .90 Smo	Jetbead .30 .40 Sumach .50 .60
RHC	15 1½2 2 sssorte 15 1½2 2 2½3 3 DDOT 1½2 2 3 SS ca 1½2 3 3	to t	18 2 21/2 14ybri 18 2 21/2 3 3 31/2 2 5 kd 2 3 4 4 4 22'-15' 3 4	in. ft. ds. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	sprecessp	ad, E ad, E B. & B. & B. & S. & S. &	B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75 .40 .50 .60 .75 1.00	2.00 2.70 3.60 4.50 6.00 .35 .45 .50 ragrant .55 .65 .90 Smo	e colors Jetbead .30 .40 Sumach .50 .60
RHC	15 11/2 2 ssorte 15 11/2 2 2 21/2 3 DDOT 11/2 2 3 3 S ca 11/2 2 3 3	to t	18 2 21/2 11ybri 18 2 21/2 3 31/2 2 3 4 4 ensis 2 3 4 4 22'-15' 3	in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	sprece	ad, E ad, E B. & B. & B. & S'-4	B	4.50 6.00 8.00 2.25 3.00 4.00 5.00 6.75 .40 .50 .60	2.00 2.70 3.60 4.50 6.00 .35 .45 .50 ragrant .55 .65 .90 Smo	Jetbead .30 .40 Sumach .50 .60

I

				Each	Ten Hun	J J
ROSA hugo	nis.	6'-8'		Luch	Hugonis 1	
-			*******	.75	.65	liose
			3′	./ 5		
humilis (*		Pasture 1	Kose
1 ½ tC	2	II.	***************************************	.50	.40	
lucida (rirgin	iana).	. 2'-6'		Virginia !	Rose
1½ to	2	ft.	***************************************	.50	.45	
nitida. 2					D : .1	
1½ to		£,		0.0	Bristly 1	Kose
1 ½ to) Z	It.	••••••	.60	.50	
rouletti.	6"				Roulet	Rose
3" Po	ts		•••••	.50	.45	
rubrifolia					D = 31 = = 6	D
		_			Redleaf	nose
Z yed	ır		••••••	.50		
rugosa.	5'-6'			Red	Rugosa	Rose
1½ to		ft.	***************************************	.60	.54	
2 to	3	ft.	***************************************	.70	.60	
— alba.	4'-5'			White	Rugosa	Rose
1½ to				.60	.55	21000
2 to		ft.		.75	.00	
3 to	0 4	ft.	***************************************	1.00		
— Max C	lund.	4'-5'		Hubai	Dumana	Paga
2 to		ft.		.50	d Rugosa	nose
	5 4	ft.		.65	.60	
			***************************************	.00		
setigera.					Prairie	
2						
2 year	ar, 2	to 4	ft	.60	.55	.50
wichuria	nα.	Vine.	8′-10′	1	Memorial	Rose
wichuria 3 yea	nα. π, 1½	Vine. 2 to 3			Memorial .45	Rose
wichuria 3 yea Dorothy	nα. tr, 1½ Perki	Vine. 2 to 3	8'-10' 3 ft	1	Memorial .45 Double	Rose .36 Pink
wichuria 3 yea Dorothy	nα. tr, 1½ Perki	Vine. 2 to 3	8′-10′	1	Memorial .45	Rose .36 Pink
wichuria 3 yea Dorothy	nα. tr, 1½ Perki	Vine. 2 to 3	8'-10' 3 ft	.50	Memorial .45 Double	Rose .36 Pink .40
wichuria 3 yea Dorothy 2 yea Excelsa.	nα. ur, 1½ Perki ur str	Vine. 2 to 3 ins. cong	8'-10' 3 ft	.50	Memorial .45 Double .50	Rose .36 Pink .40
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea	na. ur, 1½ Perki ur str	Vine. 2 to 3 ins. cong	8'-10'	.50	Memorial .45 Double .50 Double	Rose .36 Pink .40 Red .40
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra	na. Perki ar str ar str	Vine. 2 to 3 ins. rong dorst.	8'-10' 3 ft	.50 .60 .60	Memorial .45 Double .50 Double .50 otendorst	Rose .36 Pink .40 Red .40
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra	na. Perki ar str ar str	Vine. 2 to 3 ins. rong dorst.	8'-10'	.50 .60 .60	Memorial .45 Double .50 Double .50	Rose .36 Pink .40 Red .40
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra	na. Perki ar str ar str	Vine. 2 to 3 ins. rong dorst.	8'-10' 3 ft	.50 .60 .60	Memorial .45 Double .50 Double .50 otendorst	Rose .36 Pink .40 Red .40
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra	na. Perki ar str ar str	Vine. 2 to 3 ins. rong dorst.	8'-10' 3 ft	.50 .60 .60	Memorial .45 Double .50 Double .50 otendorst	Rose .36 Pink .40 Red .40
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to	Perking structure structur	Vine. 2 to 3 ins. rong dorst. ft.	8'-10' 3 ft	.50 .60 .60 Gro .75	Memorial .45 Double .50 Double .50 otendorst .65	Rose .36 Pink .40 Rose
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to	Perking structure structur	Vine. 2 to 3 ins. rong dorst. ft.	8'-10' 3 ft	.50 .60 .60 .75	Memorial .45 Double .50 Double .50 otendorst .65	Rose .36 Pink .40 Red .40 Rose
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to	Perking structure structur	Vine. 2 to 3 ins. cong dorst. ft.	8'-10' 3 ft	.50 .60 .60 Gro .75	Memorial .45 Double .50 Double .50 otendorst .65	Rose .36 Pink .40 Rose
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to	Perking structure structur	Vine. 2 to 3 ins. rong dorst. ft. ft. ft. ft.	8'-10' 3 ft	.50 .60 .60 .75 bylon W	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30	Rose .36 Pink .40 Red .40 Rose
### wichuria 3 year 3 year 2 year 2 year 5 5 5 5 5 5 5 5 5	Perking structure of the structure of th	Vine. 2 to 3 ins. cong dorst. ft. ft. ft. ft. ft. ft. ft.	8'-10' 3 ft	.50 .60 .60 Gro .75 bylon W 1.80 2.70 3.75 4.50	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00	Rose .36 Pink .40 Red .40 Rose
### wichuria 3 year 3 year 2 year Excelsa. 2 year 5 J. Grown 3 to 5 Excelsa 5	Perking structure structur	Vine. 2 to 3 ins. rong dorst. ft. ft. ft., ft., ft.,	8'-10' 3 ft	.50 .60 .60 Gro .75 bylon W 1.80 2.70 3.75	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30	Rose .36 Pink .40 Red .40 Rose
### wichuria 3 year 3 year 2 year 2 year 5 5 5 5 5 5 5 5 5	Perking structure of the structure of th	Vine. 2 to 3 ins. rong dorst. ft. ft. ft., ft., ft., ft.,	8'-10' 3 ft	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00	Rose .36 Pink .40 Hed .40 Rose
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 8 to 10 to 10 to 10 to	Perking structure structur	Vine. 2 to 3 ins. rong dorst. ft. ft., ft., ft., ft., 60'	8'-10' 3 ft	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25	Memorial .45 Double .50 Double .50 otendorst .65 Geeping W 1.65 2.40 3.30 4.00 4.80	Rose .36 Pink .40 Hed .40 Rose
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 8 to 10 to 10 to 12 to eleganfis	Perking structure of the structure of th	Vine. 2 to 3 ins. cong dorst. ft. ft., ft., ft., ft., ft., ft., ft.	8'-10' 3 ft	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25	Memorial .45 Double .50 Double .50 otendorst .65 Geeping W 1.65 2.40 3.30 4.00 4.80 hurlow W	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25
wichuria 3 yec Dorothy 2 yec Excelsa. 2 yec F. J. Gra 3 to SALIX bab 6 to 8 to 10 to 12 to eleganfis 8 to pentandr	Perkii Perkii Potennar str ootennar str ootenna str	Vine. 2 to 3 ins. cong dorst. ft. ft., ft., ft., ft., 60' of ft.	8'-10' 3 ft	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00 4.80 hurlow W 2.00	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 8 to 10 to 10 to 12 to eleganfis 8 to pentandr 6 to	Perking structure structur	Vine. 2 to 3 ins. cong dorst. ft. ft., ft., ft., ft., ft., ft., ft.	8'-10' 3 ft	.50 .60 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25 T1 2.25	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00 4.80 hurlow W 2.00 Laurel W	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 8 to 10 to 10 to 12 to eleganfis 8 to pentandr 6 to	Perking structure structur	Vine. 2 to 3 ins. rong dorst. ft. ft., ft., ft., ft., ft., ft., ft.	8'-10' 3 ft. 4'-5' — S — 30'-40' Bal 1½ to 1¾ in 1¾ to 2 in 2 to 2½ in -70'	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25 T1 2.25 1.75 Chines	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00 4.80 hurlow W 2.00 Laurel W	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 10 to 10 to 12 to eleganfis 8 to pentandr 6 to SOPHORA 3 to	Perking structure structur	Vine. 2 to 3 ins. cong dorst. ft. ft., ft., ft., ft., ft., ft., ft.	8'-10' 3 ft	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25 T1 2.25 1.75 Chines 2.00	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00 4.80 hurlow W 2.00 Laurel W se Scholar 1.80	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 10 to 10 to 12 to eleganfis 8 to pentandr 6 to SOPHORA 3 to	Perking structure structur	Vine. 2 to 3 ins. cong dorst. ft. ft., ft., ft., ft., ft., ft., ft.	8'-10' 3 ft	.50 .60 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25 T1 2.25 1.75 Chines 2.00 3.00	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00 4.80 hurlow W 2.00 Laurel W se Scholar 1.80 2.70	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25
wichuria 3 yea Dorothy 2 yea Excelsa. 2 yea F. J. Gra 3 to SALIX bab 6 to 10 to 10 to 12 to eleganfis 8 to pentandr 6 to SOPHORA 3 to	Perking structure structur	Vine. 2 to 3 ins. cong dorst. ft. ft., ft., ft., ft., ft., ft., ft.	8'-10' 3 ft	.50 .60 .60 .75 bylon W 1.80 2.70 3.75 4.50 5.25 T1 2.25 1.75 Chines 2.00	Memorial .45 Double .50 Double .50 otendorst .65 eeping W 1.65 2.40 3.30 4.00 4.80 hurlow W 2.00 Laurel W se Scholar 1.80	Rose .36 Pink .40 Red .40 Rose illow 1.50 2.25

									П 1	т	7.1	
SOP	יס א ס	т ж .	h		-labt-		10'15'		Each			undred Spirea
SOn.			3		glabrata				.75	.65		phired
	2	to	3 4	ft.					1.00	.90		
	4	to	6	ft.					1.50	1.35		
	rbifo		5'-		***********		*************			al Fals		Spirog
30	1 1/2		-						.40	.35		Spired
	2	to	2	ft. ft.					.50	.45		
		to	4	ft.					.65	.60		
SOR					25′-30′					Moun		m Nah
SOR.	6		8						2.75			n Asn
	8	to	10	ft.					3.50	2.40		
	10	to	12	ft.					4.50	0.00		
cnin	STE									\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		C
SPIH					aterer.					Watere		
	12	to	15		•••••				.30	.27		.24
	11/2	to	2						.40	.36		.33
	2	to	3		***************************************				.60	.55		.50
					***************************************	••••			.00			
pr	unifo		7'-	_					00			Vreath
	3	to		ft.	•••••				.60	.55		.50
thu	unbe	rgi.	4'-	5′					T	hunber	g	Spirea
	11/2	to	2	ft.					.40	.35		.30
	2	to	3	ft.		• • • •			.50	.45		.40
	3	to	4	ft.					.75	.65		.55
tric	choco	rpc	z. 5	6'-6'						Korea	n	Spirea
	2	to	3	ft.					.50	.45		.40
	3	to	4	ft.					.70	.65		.60
vα	n ho	utte	i. (6′-8′					Van	Houtte	9 5	Spirea
	11/2	to	2	ft.					.35	.30		.25
	2	to	3	ft.					.40	.35		.30
	3	to	4	ft.					.50	.45		.40
	4	to	5	ft.		• • • • •			.65	.60		
STAI	PHYI	EA	cold	hica	. 10′-12	,			Colo	his Blo	rd	dernut
	2	to	3	ft.					.80	.70		
	3	to	4	ft.					1.00	.90		
	4	to	5	ft.	•••••				1.25	1.00		
STEP	HAN	AN	DRJ	fle	xuosα.	5'-	6′	C	Lutleaf	Steph	αn	andra
	11/2		2	ft.					.40	.35		.30
	2	to	3	ft.					.50	.45		.30
	3	to	4	ft.					.60	.55		
STEV	VAB:	TIA	pen	taav	na. 12'	-15			Mou	ntain S	to	urartia
	11/2		2	ft.			В			1.35		warna
	2	to	3	ft.	В.	8	B		2.50	2.25		
	3	to	4	ft.			В		3.50	4.40		
	4	to	5	ft.			В		5.00	4.50		
pse	eudo	-car	nelli	α. 2	25'-30'				Igng	nese S		tio
	4	to	5	ft.	В.	2	В		4.50		ie.	warna
	5	to	6	ft.	В.		B		6.00	4.00 5.40		
	6	to	8	ft.	В.		В		7.50	6.75		
	8	to	10	ft.	В.	&	В		10.00	0.70		
STRA	INV	AES	IA d	avid	liana.	2'.	15'		Day	vid Stro		:-
	11/2		2	ft.	В.		В		1.50			vaesia
	2	to	3	ft.	В.	&	В		2.25	1.35		
	3	to	4	ft.	B.	3	В		3.75			
	11m.d.	100		0' 1'	2'			Nec.		-		
-	undi 3	to	4	ft.		2	D	W	avy Le	eaf Stro	m	vaesia
	4	to	5	ft.	B. B	2	B		3.75			
					D.	4	D		5.25			

STYRAX				Each	Ten H	undred
japonica.	18'	-20'			nese Sn	
3 to	4	ft.	***************************************	.90	.80	Ownen
4 to	6	ft.	***************************************	1.50	1.35	1.20
6 to	8	ft.		2.25	2.00	1.20
8 to	10	ft.		3.00	2.70	
SYMPHORIC	'A DI	200				
1½ to	2	ft.			zult Core	
2 to	3	ft.	***************************************	.35	.30	.27
3 to	4	ft.	••••••	.45	.40	.35
4 to	5	ft.	***************************************	.55 .70	.50	.45
			***************************************	./0	.60	
FUCEMOSUS		'-5'				wberry
1 ½ to 2 to	2	ft.		.35	.30	.27
2 to 3 to	3	ft.		.45	.40	.35
			***************************************	.55	.50	.45
vulgaris.	4'-5			0.0		lberry
2 to	2	ft.	***************************************	.30	.27	.24
3 to	4	ft.	***************************************	.40	.35	.30
4 to	5	ft.	***************************************	.50	.45	.40
	_		***************************************	.60	.55	
SYMPLOCOS			lata. 20'-25'	T	urquoise	Ветту
2 to	3	ft.	***************************************	1.00	.90	.80
3 to	4	ft.	***************************************	1.35	1.20	1.00
4 to	5	ft.		2.00	1.80	1.65
5 to 6 to	6	ft.		3.00	2.70	2.40
0 10	0	ft.	***************************************	3.50	3.00	
SYRINGA ch	inen	sis.	12'-15'		Chinese	Lilac
1½ to	2	ft.	***************************************	.50	.45	
2 to	3	ft.	***************************************	.70	.65	
3 to	4	ft.	***************************************	.90	.80	
saugear	nα.	12'-	15'	Purple	Chinese	Lilac
1½ to	2	ft.	***************************************	.50	45	.40
1½ to 2 to		ft. ft.		_		
2 to	2	ft.	***************************************	.50	.45	.40
2 to	2 3	ft.	***************************************	.50	- .45 .65	.40
2 to persica. 8 1½ to	2 3 3'-10'	ft.		.50 .70	.45 .65 Persian	.40
2 to persica. 8 1½ to	2 3 3'-10'	ft.		.50 .70	45 .65 Persian .55	.40
2 to persica. 8 1½ to vulgaris. 1½ to 2 to	2 3 3'-10' 2 12'-1	ft. ft.		.50 .70	.45 .65 Persian .55 n Purple	.40 Lilac
2 to persica. 8 1½ to vulgaris. 1½ to	2 3 3'-10' 2 12'-1 2	ft. ft. 5' ft.		.50 .70 .60 Commo .40	.45 .65 Persian .55 n Purple .35	.40 Lilac Lilac .30
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to	2 3 3'-10' 2 12'-1 2 3	ft. ft. ft. ft. ft. ft. ft. ft.		.50 .70 .60 Commo .40 .60 .75	.45 .65 Persian .55 n Purple .35 .50	.40 Lilac .30 .40 .60
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to -alba. 1 1½ to	2 3 3'-10' 2 12'-1 2 3 4 12'-18	ft. ft. ft. ft. ft. ft. ft. ft.		.50 .70 .60 Commo .40 .60 .75	.45 .65 Persian .55 n Purple .35 .50 .65 n White	.40 Lilac .30 .40 .60
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1	2 3 3'-10' 2 12'-1 2 3 4	ft. ft. 5' ft. ft. ft. ft.		.50 .70 .60 Commo .40 .60 .75	.45 .65 Persian .55 n Purple .35 .50 .65	.40 Lilac .30 .40 .60 Lilac
2 to persica. 8 11/2 to vulgaris. 11/2 to 2 to 3 to — alba. 1 11/2 to 2 to	2 3 3'-10' 2 12'-1 2 3 4 12'-18 2 3	ft. ft. ft. ft. ft. ft. ft. ft.		.50 .70 .60 Commo .40 .60 .75 Commo .40	.45 .65 Persian .55 n Purple .35 .50 .65 n White .35	.40 Lilac .30 .40 .60 Lilac .30 .40
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to -alba. 1 1½ to 2 to	2 3 3'-10' 2 12'-1 2 3 4 12'-15 2 3	ft. ft. ft. ft. ft. ft. ft. ft.	5'	.50 .70 .60 Commo .40 .60 .75 Commo .40	.45 .65 Persian .55 n Purple .35 .50 .65 m White .35 .50	.40 Lilac .30 .40 .60 Lilac .30 .40 Lilac
2 to persica. 8 11/2 to vulgaris. 11/2 to 2 to 3 to — alba. 1 11/2 to 2 to French Lild Alphonse	2 3 3'-10' 2 12'-1 2 3 4 12'-1 2 3	ft. ft. 5' ft. ft. ft. ft. valle	5' Med. sized,	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60	.45 .65 Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid	.40 Lilac .30 .40 .60 Lilac .30 .40 Lilac lilac
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to —alba. 1 1½ to 2 to French Lilo Alphonse Charles	2 3 3'-10' 2 12'-1 2 3 4 12'-1 2 3 Ex.	ft. ft. 5' ft. ft. ft. ft. valle	5' Med. sized, Double	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60	.45 .65 Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, ourple-crit	Lilac 30 40 60 Lilac 30 40 60 Lilac 30 40 Lilac lilac mson.
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to —alba. 1 ½ to 2 to French Lild Alphonse Charles Emil Ger	2 33'-10' 2 112'-1 2 3 4 2'-15 2 3 5 Lay.	ft. ft. 5' ft. ft. ft. ft. valle	5' Med. sized, Double Bright cobalt blu	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60	.45 .65 Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid	Lilac Lilac A0 Lilac .40 .60 Lilac .30 .40 Lilac .40 Lilac lilac. mson. buble.
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to —alba. 1 1½ to 2 to French Lila Alphonse Charles Emil Ger Jean Ma	2 33'-10' 2 12'-1 2 3 4 2'-15 2 3 acs. p La.	ft. ft. ft. ft. ft. ft. ft. ft.	5. Med. sized, Double Bright cobalt blu Very larg	.50 .70 .60 .60 .75 .60 .60 .60 .75 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de	Lilac .30 .40 .60 Lilac .30 .40 .40 Lilac .30 .40 Lilac .bule.
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to French Lild Alphonse Charles Emil Gei Jean Ma Katherine	2 3 3'-10' 2 12'-1 2 3 4 2'-15 2 3 3 ccs. e La	ft. ft. 5' ft. ft. ft. ft. ft. ft. ft. syalle	5. Med. sized, Double Bright cobalt blu Very larg	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60	.45 .65 Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-criterally deepurple	Lilac 30 40 60 Lilac 30 40 60 Lilac 30 40 Lilac blue.
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to —alba. 1 1½ to 2 to French Lila Alphonse Charles Emil Ger Jean Ma Katherine Leon Ga	2 3 3'-10' 2 2 3 4 4 2'-15 2 3 4 2'-15 2 3 1 ccs. e La Joly. ntil. cce. e Hamber	ft. ft. 5' ft. ft. ft. ft. ft. ft. ft. syalle	5. Med. sized, Double Bright cobalt blu Very larg Large do Double pink	.50 .70 .60 .60 .60 .75 .75 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60	Persian .55 n Purple .35 .50 .65 m White .35 .50 Hybrid flowers, urple-cri reply de e purple twers, m c, tall gr	Lilac 30 40 60 Lilac 30 40 Lilac 10 Lil
2 to persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to French Lild Alphonse Charles Emil Gei Jean Ma Katherine	2 3 3'-10' 2 2 3 4 4 2'-15 2 3 4 2'-15 2 3 1 ccs. e La Joly. ntil. cce. e Hamber Space	ft.	5' Med. sized, Double Bright cobalt blu Very larg Large do Double pink Large single no	.50 .70 .60 .60 .70 .60 .75 .70 .60 .75 .70 .60 .75 .70 .60 .75 .70 .60 .60 .60 .60 .60 .60 .60 .60 .60 .6	Persian .55 n Purple .35 .50 .65 m White .35 .50 Hybrid flowers, urple-cri reply de e purple twers, m c, tall gr	Lilac 30 40 60 Lilac 30 40 Lilac 10 Lil
persica. S 1½ to vulgaris. 1½ to 2 to 3 to —alba. I 1½ to 2 to French Lila Alphonss Charles Emil Ger Jean Ma Katherine Leon Ga Ludwig Michael Paul Thir	2 3 3 3'-10' 2 2 112'-1 2 3 4 4 22'-15 2 3 accs. e La	ft. ft. ft. ft. ft. ft. ft. ft.	5. Med. sized, Double Bright cobalt blu Very larg Large do Double pind Large single no Double. Lovely	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60 double bright part e double flocish lilacommo uble, pir claret recommo claret recommo uble, pir claret recommo en commo uble, pir claret recommo en commo uble, pir claret recommo en commo en co	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, ourple-cri really do e purple wers, m c, tall gr rrple clu nkish flo	Lilac 30 40 60 Lilac 30 40 60 Lilac 30 40 Lilac blue cuve cower cuve cower swers buds.
persica. S 1½ to vulgaris. 1½ to 2 to 3 to —alba. I 1½ to 2 to French Lile Alphonse Charles Emil Ger Jean Ma Katherine Leon Ga Ludwig Michael Paul Thir	2 3 3 3 4 2 2 1 2 3 4 4 2 2 1 2 3 3 4 4 2 2 5 2 3 5 2 5 2 5 2 5 2 5 2 5 2 5 2 5	ft. ft. ft. ft. ft. ft. ft. ft.	5. Med. sized, Double Bright cobalt blu Very larg Large do Double pink Large single no Double. Lovely e. Great truss	.50 .70 .60 .60 .60 .40 .60 .75 .60 double bright per and reduble flactions lilacontrow puble, piric claret rees double.	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, curple-cri really de e purple ewers, m c, tall gr urple clu nkish flo	Lilac 30 40 60 Lilac 30 40 60 Lilac 30 40 Lilac blue cuve cuve cuve cuve sters sters buds lilac.
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to —alba. 1 1½ to 2 to Series and series Emil Ger Jean Ma Katherine Leon Ga Ludwig Michael Paul Thir	2 3 3'-10' 2 112'-1 2 3 4 22'-15 2 3 arcs. La L	ft.	5. Med. sized, Double Bright cobalt blu Very larg Large de Double pink Large single no Dou Double. Lovely e. Great truss Soft blue-v	.50 .70 .60 .60 .40 .60 .75 .60 .40 .60 .40 .60 double bright pare and reduble puble flocish lilacurrow puble, pir claret res doubviolet do	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de e purple bwers, m c, tall gr urple clu nkish flo	Lilac 30 40 60 Lilac 30 40 Lilac 30 40 Lilac blue duble blue duve ower ssters wers buds lilac wers
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to Trench Lila Alphonse Charles Emil Ger Jean Ma Katherine Leon Ga Ludwig Michael Paul Thir President President	2 3 3'-10' 2 112'-1 2 3 4 22'-15 2 3 arcs. La L	ft.	b. Med. sized, Double Bright cobalt blu Very larg Large do Double pink Large single no Double. Lovely Great truss Soft blue-ver	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60 double bright part e double proper de commo de co	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de e purple owers, m c, tall gr urple clu nkish flo	Lilac Lilac A0 Lilac 30 40 60 Lilac 30 40 Lilac blue cuve cuve cover sters buds lilac wers buds lilac wers ciolet
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to Service and to persical and to alba. I 1½ to be alba. I 1½ to consider and to charles Emil Gei Jean Ma Katherine Leon Ga Ludwig and Michael Paul Thir President President President Reamur.	2 3 3'-10' 2 12'-1 2 3 4 4 22'-15 2 3 3 4 4 22'-15 E La IJoly. ntil. ce. e Hamberton. Faii Gree Poi	ft.	Double Large single no Double. Lovely B. Great truss Soft blue-ver.	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60 .60 double bright p the edouble buble floatish lilace trow puble, pir claret r es doubt double double double double double se doubt buble, pir claret r es doubt double double double double double double se doubt buble, pir claret r	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri reple clu	Lilac .30 .40 .60 Lilac .30 .40 Lilac .30 .40 Lilac mson. ouble. ouble. ouber sters. wers. blue. auve. ower. isters. wers. buds. lilac wers. riolet. mine.
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to —alba. 1 1½ to 2 to Strench Lila Alphonse Charles Emil Gei Jean Ma Katherine Leon Ga Ludwig Michael Paul Thi President President President Reamur. Rubra de	2 3 3'-10' 2 12'-1 2 3 4 4 22'-15 2 3 3 4 4 22'-15 2 3 3 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	ft.	Double Large single no Double. Lovely B. Great truss Soft blue-ver.	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60 .60 double bright pare and recommo puble, pira claret residuation dark songle blue and sender send	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de e purple owers, m c, tall gr urple clu nkish flo rose-red ole rosy oble flo Double to ctiny car tish lave	Lilac .30 .40 Lilac .30 .40 Lilac .30 .40 Lilac lilac.mson. oubleblue. auve. ower. sters. wers. buds. lilac. wers. buds. lilac. mine. nder.
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to Service and to persica. 8 1½ to 2 to Service and to persica. 1 1½ to persica.	2 3 3'-10' 2 12'-1 2 3 4 4 22'-15 2 3 3 4 4 22'-15 E La Joly. ntil. ce. e Hamberton. i Faii Gree Poi Maninso	ft.	Double Large single no Double. Lovely B. Great truss Soft blue-ver.	.50 .70 .60 Commo .40 .60 .75 Commo .40 .60 .60 double bright p te and te double total lilace trow pu tuble, pir claret r es doub violet do dark so ngle blu Double	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de e purple owers, m c, tall gr urple clu nkish flo rose-red ole rosy oble flo Double flo Double v tiny car tish lave	Lilac .30 .40 Lilac .30 .40 Lilac .30 .40 Lilac lilac.mson. oubleblue. auve. ower. sters. wers. buds. lilac. wers. buds. lilac. mine. nder.
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to Trench Lila Alphonse Charles Emil Gei Jean Ma Katherine Leon Ga Ludwig Michael Paul Thi President President President Reamur. Rubra de Wm. Rob	2 3 3'-10' 2 12'-1 2 3 4 4 22'-15 2 3 3 4 4 22'-15 2 3 GCS. Special Experience of the control of	ft.	Double Large single no Double. Lovely B. Great truss Soft blue-ver.	.50 .70 .60 .60 .60 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de e purple wers, m c, tall gr urple clu nkish flo cose-red ele rosy uble flo Double to thiny car tish lave mauve .75	Lilac .30 .40 Lilac .30 .40 Lilac .30 .40 Lilac lilac.mson. oubleblue. auve. ower. sters. wers. buds. lilac. wers. buds. lilac. mine. nder.
persica. S 1½ to vulgaris. 1½ to 2 to 3 to —alba. I 1½ to 2 to French Lila Alphonse Charles Emil Ger Jean Ma Katherine Leon Ga Ludwig Michael Paul Thin President President President Reamur. Rubra de Wm. Rob	2 3 33'-10' 2 12'-1 2 3 4 4 22'-18 2 3 3 4 4 22'-18 2 3 GCS. Space Buckrion. Fair Gree Poi Machinso 2 3	ft.	b. Med. sized, Double Bright cobalt blu Very large Large do Double pink Large single no Double. Lovely b. Great truss Soft blue-v re. Single	.50 .70 .60 .60 .60 .60 .40 .60 .60 .40 .60 double bright per and recomble flexish lilace in claret residual violet day and complete in the co	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, purple-criterally deep purple wers, murple clunkish flowers, controlled to the cose-red sole rosy suble flowers, with lave mauve .75 1.00	Lilac .30 .40 Lilac .30 .40 Lilac .30 .40 Lilac lilac.mson. oubleblue. auve. ower. sters. wers. buds. lilac. wers. buds. lilac. mine. nder.
persica. 8 1½ to vulgaris. 1½ to 2 to 3 to — alba. 1 1½ to 2 to Trench Lila Alphonse Charles Emil Gei Jean Ma Katherine Leon Ga Ludwig Michael Paul Thi President President President Reamur. Rubra de Wm. Rob	2 3 3'-10' 2 12'-1 2 3 4 4 22'-15 2 3 3 4 4 22'-15 2 3 GCS. Special Experience of the control of	ft.	b. Med. sized, Double Bright cobalt blu Very larg Large de Double pink Large single no Double. Lovely b. Great truss Soft blue-ver. Single	.50 .70 .60 .60 .60 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75	Persian .55 n Purple .35 .50 .65 n White .35 .50 Hybrid flowers, urple-cri really de e purple wers, m c, tall gr urple clu nkish flo cose-red ele rosy uble flo Double to thiny car tish lave mauve .75	Lilac .30 .40 Lilac .30 .40 Lilac .30 .40 Lilac lilac.mson. bubleblue. auve. ower. sters. wers. buds. lilac. wers. buds. lilac. myers. buds. lilac. myers. buds. lilac. myers.

T			
		Ten Hun	
TAXUS baccata compacta. 10'-12' 5 to 6 ft. B. & B	13.50	English 1	iew
— ovata. 12'-15'		Oval 1	Yew
1½ to 2 ft. B. & B	3.00	2.70	
2 to 2½ ft. B. & B	4.00	3.60	
2½ to 3 ft. B. & B 3 to 3½ ft. B. & B	5.25 6.00		
		English 1	Yew
12 to 15 in. spread, B. & B	2.25	2.00	
15 to 18 in. spread, B. & B	3.00	2.70	
1½ to 2 ft. spread, B. & B	4.00	3.60	
canadensis. 3'-4'	0.05	Canada	Yew
12 to 15 in. spread, B. & B 15 to 18 in. spread, B. & B	2.25 2.75	2.00 2.50	
1½ to 2 ft. spread, B. & B	3.50	3.00	
— strictα. 2'-2½'	Dwar	f Hedge	Yew
12 to 15 in. B. & B	2.25	2.00	
15 to 18 in. B. & B 1½ to 2 ft. B. & B	3.00 3.75	2.70 3.50	
2 to 2½ ft. B. & B	5.25	4.80	
2½ to 3 ft. B. & B 3 to 3½ ft. B. & B	6.00 7.50	5.40	
cuspidata. 12'-15'		apanese	Yew
12 to 15 in. spread, B. & B	1.50	1.35	1.20
15 to 18 in. spread, B. & B	2.25	2.00	1.80
1½ to 2 ft. spread, B. & B 2 to 2½ ft. spread, B. & B	3.00 4.00	2.70 3.60	2.40
2½ to 3 ft. spread, B. & B	5.50	5.00	4.50
3 to 3½ ft. spread, B. & B 3½ to 4 ft. spread, B. & B	7.50 10.00	6. 7 5 9.00	6.00
4 to 5 ft. spread, B. & B	15.00	3.00	
5 to 6 ft. spread, B. & B	20.00		
Anderson form. 12'-15'		Anderson	Yew
15 to 18 in. spread, B. & B 1½ to 2 ft. spread, B. & B	2.25 3.00	2.00	1.80
2 to 2½ ft. spread, B. & B	4.00	3.60	3.30
2½ to 3 ft. spread, B. & B 3 to 3½ ft. spread, B. & B	5.50 7.50	5.00 6.75	4.50
— capitata. 20'-25'			V
2 to 2½ ft. B. & B	3.00	rm Japan 2.70	2.40
2½ to 3 ft. B. & B	4.00	3.60	3.30
3 to 3½ ft. B. & B 3½ to 4 ft. B. & B	5.50 7.50	5.00	4.50
4 to 5 ft. B. & B	10.00	6.75 9.00	6.00 8.00
5 to 6 ft. B. & B	13.50	12.00	10.00
6 to 7 ft. B. & B	18.00	16.50	
— compact form. 6'-8'	Compact	Japanese	Yew
1½ to 2 ft. B. & B 2 to 2½ ft. B. & B	4.00		
2 to 2½ ft. B. & B 2½ to 3 ft. B. & B	5.50 7.50		
—densa. 3'-4'	Dense	Japanes	Yew
9 to 12 in. B. & B	2.00		

TAXUS cuspidata—Continued	Each Ten Hundred
- nana. (brevifolia). 5'-6'	Dwarf Japanese Yew
6 to 9 in. spread, B. &	
9 to 12 in. spread, B. &	
12 to 15 in. spread, B. &	
15 to 18 in. spread, B. &	
1½ to 2 ft. spread, B. &	B 4.50 4.00 3.75
2 to 2½ ft. spread, B. &	
$2\frac{1}{2}$ to 3 ft. spread, B. &	
3 to 3½ ft. spread, B. &	
3½ to 4 ft. spread, B. &	B 18.00
— Upright form. 4'-5'	Dwarf Upright Yew
	2.25 2.00 3.00 2.70
12 to 15 in. B. & B 15 to 18 in. B. & B	
1½ to 2 ft. B. & B	
— nigra. 6'-8' 1 ½ to 2 ft. spread, B. &	Black Japanese Yew 4.50 4.00
2 to 2½ ft. spread, B. &	
2½ to 3 ft. spread, B. &	
sieboldi. 12'-15'	Siebold Yew
12 to 15 in. B. & B	
15 to 18 in. B. & B	
	3.00 2.70
2 to 2½ ft. B. & B	4.00 3.60 3.30
	6.00 5.50 5.00
	9.00 8.00
3½ to 4 ft. B. & B	12.00
media. 12'-15'	Hybrid Yew
12 to 15 in. spread, B. &	
15 to 18 in. spread, B. & 1½ to 2 ft. spread, B. &	
1½ to 2 ft. spread, B. & 2 to 2½ ft. spread, B. &	
$2\frac{1}{2}$ to 3 ft. spread, B. &	
3 to 3½ ft. spread, B. &	
— browni. 5'-6'	Brown's Yew
12 to 15 in. B. & B	
	2.40 2.25 2.00
	3.30 3.00 2.70
	4.50 4.00 3.60
2½ to 3 ft. B. & B	6.00 5.40
— hatfieldi. 12'-15'	Hatfield Yew
12 to 15 in. B. & B	
15 to 18 in. B. & B	
1½ to 2 ft. B. & B	
	4.50 4.00 3.50 6.00 5.40
2½ to 3 ft. B. & B 3 to 3½ ft. B. & B	
5½ to 4 ft. B. & B	
	Hicks Yew
— hicksi. 10'-12' 12 to 15 in. B. & B	1.20 1.10 1.00
	1.80 1.65 1.50
	2.50 2.25 2.00
	3.75 3.50 3.25
	5.25 4.80 4.50
3 to 3½ ft. B. & B	8.00 7.20 6.75
	10.00 9.00
	13.50
— wellesleyana. 8'-10'	Wellesley Yew
12 to 15 in. B. & B	
15 to 18 in. B. & B	
	4.00 3.60
2 to 2½ ft. B. & B	6.00

- 7			r	IN.	ISHED	Y	EW	76	EDGES	,	
	AXU	5 cu	spid	ata						Japanes	e Yew
					. Clipp						
							to 21	in	ches broo		
7					siebold			т	71		d Yew
									Flat top a		
					capitate					orm Japan	
									Clipped to		I Tew
									es at bas		er foot
1	AXUS	cu	spide	nta	Clippe	d d	cubes			Topiar	y Yew
	1 1/2	to	2	ft.	x 1½ f	t.	В.	&	В		
		to			x 2 f				В		
			3	ft.	x 2 f	t.	B.	8	В	12.00	Each
	3	to	3 1/2	It.	x Z½ 1	t.	B.	Or .	В		
m==	TODIL	73.5	,	,			=//		Each	Ten H	
IE					lrys. 12				00		nander
								• • • •			.18
TH				tlis.	30′-35′				Amer	ican Arbo	orvitae
	21/2		3	ft.	В.		В		1.80	1.65	1.00
	3	to	4 5	ft.	В. В.		B		2.25	2.00 3.00	1.80
	5	to	6	ft.	В.				4.50	4.00	
	6	to	7	ft.	В.				5.50	5.00	
	7	to	8	ft.	В.		В			6.00	
	8 10	to	10	ft.	В.		В		9.00		
		to			В.		В		12.00		
ame	- dou								ıglas Gol	den Arbo	rvitae
	4	to	5	ft.	B.					3.30	
	5	to	6	ft.	В. В.		В		5.00	4.50 5.40	
	7	to	8	ft.	В.				8.00	7.20	
	8	to	10	ft.	В.		В		10.00	9.00	
	10	to	12	ft.	В.	&	В		13.50		
-	– eleg	ant	issim	α.	15'-20'			G	olden Tip	ped Arbo	rvitae
	21/2	A	3	ft.	В.	&	В		2.25	2.00	
		10	0			3	В		075		
	3		4	ft.	В.	~	D		2.75	2.50	
-	3 – glob	to	4		В.	~	D			2.50 obe Arbo	rvitae
_		to	4				В				rvitae .80
_	- glob 12 15	to to to to	4 . 3'. 15 18	.4' in. in.	В. В.	& &	B		G1 1.00 1.35	obe Arbo .90 1.20	
	- glob 12 15 1½	to to to to	4 . 3'. 15 18 2	in. in. ft.	В. В. В.	& &	В		G1	obe Arbo	.80
	- glob 12 15 1½ - Little	to to to to	4 . 3'. 15 18 2 em.	in. in. ft.	B. B. B.	& & &	B B		1.00 1.35 1.80	obe Arbo .90 1.20	.80
	- glob 12 15 1½ - Little	to to to to to	4 . 3'. 15 18 2 em.	in. in. ft.	B. B. B.	& & &	B B		1.00 1.35 1.80	.90 1.20 1.65 Gem Arbo	.80 1.00 Prvitae 1.20
	- glob 12 15 1½ - Little 12 15	to to to to to to	4 . 3'. 15 18 2 em. 15 18	in. in. ft. 2'-; in. in.	B. B. B. spread,	& & & B. B.	B B B		1.00 1.35 1.80 Little C 1.75 2.25	.90 1.20 1.65 Gem Arbo 1.50 2.00	.80 1.00 Prvitae 1.20 1.80
	- glob 12 15 1½ - Little 12 15 1½ 15 1½	to to to to to to	4 . 3'. 15 18 2 em. 15 18 2	in. in. ft. 2'-; in. in. ft.	B. B. B. spread,	& & & B. B. B.	B B B & B & B & B		1.00 1.35 1.80 Little C 1.75 2.25 3.00	.90 1.20 1.65 Gem Arbo 2.00 2.70	.80 1.00 Prvitae 1.20
	- glob 12 15 1½ - Little 12 15	to to to to to to	4 . 3'. 15 18 2 em. 15 18 2	in. in. ft. in. ft. ft. ft.	B. B. B. Spread, spread, spread, spread,	& & & B. B. B. B. B.	B B B & B & B & B		1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00	.90 1.20 1.65 Sem Arbo 1.50 2.00 2.70 3.60	.80 1.00 Prvitae 1.20 1.80
-	- glob 12 15 1½ - Little 12 15 1½ 2 2½	to to to to to to to	4 . 3'. 15 18 2 em. 15 18 2 2½ 3	in. in. ft. in. ft. ft. ft. ft.	B. B. B. spread,	& & & B. B. B. B. B.	B B B & B & B & B	••••	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80	.90 1.20 1.65 1.50 2.00 2.70 3.60 4.50	.80 1.00 Prvitae 1.20 1.80 2.40
-	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutec	to to to to to to to to	4 . 3'. 15 18 2 em. 15 18 2 2 ¹ / ₂ 3	in. in. ft. in. ft. ft. ft. ft.	B. B. B. 3' spread, spread, spread, spread,	& & & & B. B. B. B. B. B. B.	B B & B & B & B & B & B	G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab	.90 1.20 1.65 Gem Arbo 2.00 2.70 3.60 4.50 ody Arbo	.80 1.00 Prvitae 1.20 1.80 2.40
-	- glob 12 15 1½ - Little 12 15 1½ 2 2½	to to to to to to to	4 . 3'. 15 18 2 em. 15 18 2 2½ 3	in. in. ft. 2'-4 in. in. ft. ft. ft. ft. ft.	B. B. B. B. Spread, spread, spread, spread, spread, spread, spread, spread.	& & & & B. B. B. B. B. B. B.	B B & B & B & B & B & B	G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab	.90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 ody Arbo 6.00	.80 1.00 Prvitae 1.20 1.80 2.40
-	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutec 6	to	4 . 3'. 15 18 2 em. 15 18 2 2½ 3	in. in. ft. in. ft. ft. ft. ft.	B. B. B. B. Spread, spread, spread, spread, spread, spread, spread, spread.	& & & & B. B. B. B. B. B. & &	B B & B & B & B & B & B	G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab	.90 1.20 1.65 Gem Arbo 2.00 2.70 3.60 4.50 ody Arbo	.80 1.00 Prvitae 1.20 1.80 2.40
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10	to to to to to to to to	4 . 3'. 15 18 2 em. 15 18 2 2½ 3 12'-1:	in. in. ft. 2'-4 in. in. ft. ft. ft. ft. ft.	B. B. B. Spread, spread, spread, spread, spread, spread, spread, spread, spread.	& & & & B. B. B. B. B. B. & &	B B & B & B & B & B B B	G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50	.90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 6.00 8.00	.80 1.00 prvitae 1.20 1.80 2.40
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10 - nigr	to	4 . 3'. 15 18 2 em. 15 18 2 2 ¹ / ₂ 3 12'-1: 8 10 12	in. in. ft. 2'-4 in. in. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. Spread, spread, spread, spread, spread, spread, B. B. B. B.	& & & & B. B. B. B. B. & & &	8 8 8 B 8 B 8 B 8 B 8 B 8 B 8 B	G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50	.90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 6.00 8.00	.80 1.00 prvitae 1.20 1.80 2.40
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10 - nigre	to t	4 . 3'. 15 18 2 em. 15 18 2 2½ 3 12'-1'. 8 10 12 30'. 5	in. in. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. Spread, spread, spread, spread, spread, spread, B. B. B. B.	& & & & B. B. B. B. B. & & &	B B & B & B & B & B B B	G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50 rk Ameri 4.50	90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 6.00 8.00 can Arbo	.80 1.00 prvitae 1.20 1.80 2.40 prvitae
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10 - nigr	to t	4 . 3'. 15 18 2 em. 15 18 2 2½/2 3 112'-11' 8 10 12 30' 5	in. in. ft. 2'-1 in. in. ft. ft. ft. ft. ft. ft. ft. ft.	B. B. B. Spread, spread, spread, spread, spread, spread, B. B. B. B. B.	& & & & B. B. B. B. B. & & & & & & & & &	B B & B & B & B B B	G	Gl 1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50 rk Ameri 4.50	.90 1.20 1.65 .90 1.20 1.65 .90 2.00 2.70 3.60 4.50 .90 8.00 .90 .90 .90 .90 .90 .90 .90 .90 .90	.80 1.00 prvitae 1.20 1.80 2.40 prvitae
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10 - nigr 4 - pum	to t	4 . 3'. 15 18 2 em. 15 18 2 2½3 3 12'-1: 8 10 12 30' 5	in. in. ft. 2'-: in. in. ft. ft. ft. ft. ft. ft. ft.	B. B. B. Spread, spread, spread, spread, spread, B. B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	BBBBBBB	 G	CI 1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50 rk Ameri 4.50 Dv 1.20	90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 ody Arbo 6.00 8.00 can Arbo 1.00	.80 1.00 prvitae 1.20 1.80 2.40 prvitae prvitae .90
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10 - nigre 4 - pum 12 15	to t	4 . 3'. 15 18 2 em. 15 18 2 2½ 3 112'-11' 8 10 12 30' 5 3'.4	in. in. ft. ft. ft. ft. ft. ft. ft. in. in. in.	B. B	& & & & & & & & & & & & & & & & & & &	B	 G	1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50 rk Ameri 4.50 Dv 1.20 1.50	.90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 6.00 8.00 can Arbo 1.00 1.35	.80 1.00 prvitae 1.20 1.80 2.40 prvitae prvitae .90 1.20
	- glob 12 15 1½ - Little 12 15 1½ 2 2½ - lutee 6 8 10 - nigr 4 - pum	to t	4 . 3'. 15 18 2 em. 15 18 2 2½3 3 12'-1: 8 10 12 30' 5	in. in. ft. 2'-5 in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	B. B	& & & & & & & & & & & & & & & & & & &	B	 G	CI 1.00 1.35 1.80 Little C 1.75 2.25 3.00 4.00 4.80 eo. Peab 6.75 9.00 13.50 rk Ameri 4.50 Dv 1.20	90 1.20 1.65 6em Arbo 2.00 2.70 3.60 4.50 ody Arbo 6.00 8.00 can Arbo 1.00	.80 1.00 prvitae 1.20 1.80 2.40 prvitae prvitae .90

THU	YA	occi	dente	rlis-	-Cor	ntin	ue	d	Each	Ten	Hundred
-	- pyro	ımic	lalis.	25	-30				Pyran	nidal Ar	borvitae
	11/2	to	2	ft.		В.	2	В	1.20	1.00	
	2	to	21/2			B.	&	В	1.80	1.65	
	4	to	5	ft.		В.	&	В	3.75	3.30	
	5	to	6	ft.		B.	3	В	5.00	4.50	
	6	to	7	ft.		B.	&	В	6.00	5.40	
	7	to	8	ft.		В.	&	В	8.00	7.00	
	8	to	10	ft.		B.	&	B	10.00	9.00	
	10	to	12	ft.				В	13.50		
	rose			8'-10							borvitae
		to	21/2					B	2.00	1.80	
	21/2	to	3	ft.		В.	8	В	2.50		
_	- verv	aen	eand	z. 1	0'-12	2"			Verv	raen Ar	borvitae
	5	to	6	ft.				B	5.00	4.50	
	6	to	7	ft.		B.	&	B	6.00		
	7	to	8	ft.		B.	&	В	8.00		
	8	to	10	ft.		B.	&	B	10.00		
_	- war							_			borvitae
			18					В	1.20	1.00	
	11/2		2			B.		B	1.80	1.65	1.50
			21/2					B	2.50	2.25	
	21/2	to	3	ft.		B.	Ċ	В	3.30	3.00	
01	ienta	lis c	urea	con	spic	ua.		10'-12'	Golds	spire Ar	borvitae
									2.50		
	21/2	to	3	ft.		В.	&	B	3.50		
		to	4	ft.				В	5.00		
	- aure	a n		4".							borvitae
-	12	to	15	in.				В	1.80	1.65	borvitae
	12 15	to to	15 18	in.		B.	&	B	1.80 2.25	1.65 2.00	borvitae
	12	to to	15	in.		B.	&	В	1.80	1.65	borvitae
	12 15 1½	to to	15 18 2	in. in. ft.		В. В.	&	B B	1.80 2.25	1.65 2.00 2.70	
	12 15	to to	15 18 2	in. in. ft.	0′-12	B. B.	& &	B B	1.80 2.25 3.00	1.65 2.00 2.70	
	12 15 1½ -elego	to to to antis	15 18 2 ssimo	in. in. ft.	0′-12	B. B.	& & &	B B Yel	1.80 2.25 3.00	1.65 2.00 2.70 umn Ar	
	12 15 1½ - eleg o 2	to to to antis	15 18 2 ssimo	in. in. ft.	0′-12	B. B. B.	88	B B Yel	1.80 2.25 3.00 llow Col- 2.50	1.65 2.00 2.70 umn Ar 2.25	
_	12 15 1½ -elego 2 2½ 3	to to to to to to	15 18 2 ssimo 2½ 3 4	in. in. ft. ft. ft. ft. ft. ft.	0′-12	B. B. B. B.	888	B B Yel B B	1.80 2.25 3.00 8 2.50 3.50 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50	borvitαe
_	12 15 1½ -elego 2 2½ 3	to to to to to to	15 18 2 ssimo 2½ 3 4	in. in. ft. ft. ft. ft. ft. ft. ft.	0′-12	B. B. B. B. B.	8 8 8 8 8	B B Yel B B B	1.80 2.25 3.00 llow Col- 2.50 3.50 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50	borvitαe borvitαe
_	12 15 1½ -elego 2 2½ 3	to to to to to to to	15 18 2 ssimo 2½ 3 4	in. in. ft. ft. ft. ft. ft. ft. ft. ft.	0′-12	B. B. B. B. B. B. B.	8888	B B Yel B B B B	1.80 2.25 3.00 llow Col- 2.50 3.50 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50	borvitαe borvitαe 1.80
_	12 15 1½ -elego 2 2½ 3 icata 2 3	to to to to to to to	15 18 2 ssimo 2½ 3 4	in. in. ft. ft. ft. ft. ft. ft. ft. ft.	0′-12	B. B. B. B. B. B. B. B.	888 888	B	1.80 2.25 3.00 llow Col: 2.50 3.50 5.00 G 2.25 2.75	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 icant Ar 2.00 2.50	borvitae borvitae 1.80 2.25
_	12 15 1½ -elego 2 2½ 3 icata 2 3 4	to to to to to to to to	15 18 2 ssimo 2½ 3 4 ovire 3 4 5	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft.	0′-12	B. B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 G 2.25 2.75 3.75	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30	borvitαe borvitαe 1.80
_	12 15 1½ -elego 2 2½ 3 icata 2 3 4 5	to to to to to to to	15 18 2 ssimo 2½ 3 4 ovire 3 4 5 6	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	0′-12	B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 G 2.25 2.75 3.75 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 icant Ar 2.00 2.50	borvitae borvitae 1.80 2.25
_	12 15 1½ -elego 2 2½ 3 icata 2 3 4	to to to to to to to to	15 18 2 ssimo 2½ 3 4 ovire 3 4 5	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft.	0′-12	B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 G 2.25 2.75 3.75	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30	borvitae borvitae 1.80 2.25
pl	12 15 1½ -elego 2 2½ 3 icata 2 3 4 5	to to to to to to to to	15 18 2 ssimo 2½ 3 4 ovire 3 4 5 6	in. in. ft. t. I ft.	0′-12	B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 8 Col- 2.50 3.50 5.00 6 2.25 2.75 3.75 5.00 15.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 icant Ar 2.050 3.30 4.50	borvitae borvitae 1.80 2.25
pl	12 15 1½ elego 2 2½ 3 icata 2 3 4 5	to to to to to to to to	15 18 2 2 // ₂ 3 4 4 5 6 12 12'-1	in. in. ft. t. I ft.	0′-12	B. B. B. B. B. B. B. B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 G 2.25 2.75 3.75 5.00 15.00 Stand 2.25	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 icent Ar 2.00 2.50 3.30 4.50 dish Ar 2.00	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	12 15 1½ elego 2 2½ 3 icata 2 3 4 5 10	to	15 18 2 2 // ₂ 3 4 4 5 6 12 12'-1	in. in. ft. ft. ft. ft. ft. ft. ft. ft.	0′-12	B.	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 6 2.25 2.75 3.75 5.00 15.00 Stand 2.25 2.75	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50	borvitae 1.80 2.25 3.00 borvitae
pl	12 15 1½ 2 2½ 3 icata 2 3 4 5 10	to	15 18 2 2 ssimo 2 ¹ / ₂ 3 4 5 6 12 12'-1 3 4	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 2.25 2.75 3.75 5.00 15.00 Stand 2.25 2.75 3.75	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 icent Ar 2.00 2.50 3.30 4.50 dish Ar 2.00	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	12 15 1½ 2 2 2½ 3 iccata 2 3 4 5 10	to to to to to to to to to	15 18 2 21/2 3 4 0 vvire 3 4 5 6 12'-1 3 4 5 6	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 5.00 6 2.25 2.75 3.75 5.00 15.00 Stand 2.25 2.75 3.75 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to	15 18 2 21/2 3 4 0 vvire 3 4 5 6 12 12'-1 3 4 5 6	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0′-12	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 G 2.25 2.75 3.75 5.00 15.00 Stan 2.25 2.75 3.75 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	12 15 1½ 2 2 2½ 3 iicata 2 3 4 5 10	to t	15 18 2 2 3 4 5 6 12 12'-1 3 4 5 6 7 8	in. in. ft. ft. ft. ft. ft. ft. ft. ft.	0′-12	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 6.225 2.75 3.75 5.00 15.00 Stand 2.25 2.75 3.75 5.00 6.50 9.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	to t	15 18 2 21/2 3 4 0 vvire 3 4 5 6 12 12'-1 3 4 5 6	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0′-12	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 G 2.25 2.75 3.75 5.00 15.00 Stan 2.25 2.75 3.75 5.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	12 15 1½ 2 2 2½ 3 iicata 2 3 4 5 10	to	15 18 2 2 3 4 5 6 12 12'-1 3 4 5 6 7 8 10	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12	B. B	& & & & & & & & & & & & & & & & & & &	B	1.80 2.25 3.00 2.50 3.50 5.00 2.25 2.75 3.75 5.00 15.00 Stan 2.25 2.75 3.75 5.00 6.50 9.00 12.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 icant Ar 2.00 2.50 3.30 4.50 dish Ar 2.00 2.50 3.30	borvitae 1.80 2.25 3.00 borvitae 1.80 2.25
pl	12 15 1½ 2 2 2½ 3 icata 2 3 4 5 10 undis: 2 3 4 5 10	to t	15 18 2 2 3 4 5 6 12 12'-1 3 4 5 6 12 12'-1 3 4 5 6 12	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12 lobb	B. B	88 88888888888888888888888888888888888	B	1.80 2.25 3.00 2.50 3.50 5.00 5.00 6.2.25 2.75 3.75 5.00 15.00 8 Stand 2.25 2.75 3.75 5.00 6.50 9.00 12.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50 dish Ar 2.00 2.50 3.30	borvitae 1.80 2.25 3.00 borvitae 1.80
pl	12 15 1½ 2 2 2½ 3 iicata 2 3 4 5 10 2 3 4 5 10 8	to t	15 18 2 2 3 4 5 6 12 12'-1 3 4 5 6 7 8 10	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12 lobb	B. B	&& &&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&	B	1.80 2.25 3.00 2.50 3.50 5.00 2.25 2.75 3.75 5.00 15.00 Stand 2.25 2.75 3.75 5.00 15.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50 dish Ar 2.00 2.50 3.30	borvitae 1.80 2.25 3.00 borvitae 1.80 2.25
pl	12 15 1½ 2 2½ 3 4 5 10 23 4 5 6 7 8	to t	15 18 2 2 3 4 5 6 12 12'-1 3 4 5 6 12 12'-1 12'-1 14	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12 lobbi	B. B	&& && && && && && && && && && && && &&	B	1.80 2.25 3.00 llow Col. 2.50 3.50 5.00 C.2.25 2.75 3.75 5.00 15.00 Stan. 2.25 2.75 3.75 5.00 6.50 9.00 12.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50 dish Ar 2.00 2.50 3.30	borvitae 1.80 2.25 3.00 borvitae 1.80 2.25
pl	12 15 1½ 2 2½ 3 4 5 10 23 4 5 6 7 8	to t	15 18 2 2 ¹ / ₂ 3 4 5 6 12 12'-1 3 4 5 6 7 8 10	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12 lobb:	B. B	&& && && && && && && && && && && && &&	B	1.80 2.25 3.00 llow Col. 2.50 3.50 5.00 CG 2.25 2.75 3.75 5.00 15.00 Stant 2.25 2.75 3.75 5.00 6.50 9.00 12.00 A	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50 dish Ari 2.00 2.50 3.30	borvitae 1.80 2.25 3.00 borvitae 1.80 2.25
pl	12 15 1½ 2 2½ 3 4 5 10 23 4 5 6 7 8	to t	15 18 2 2 ¹ / ₂ 3 4 5 6 12 12'-1 3 4 5 6 7 8 10	in. in. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	0'-12 lobb:	B. B	&& && && && && && && && && && && && &&	B	1.80 2.25 3.00 llow Col. 2.50 3.50 5.00 C.2.25 2.75 3.75 5.00 15.00 Stan. 2.25 2.75 3.75 5.00 6.50 9.00 12.00	1.65 2.00 2.70 umn Ar 2.25 3.30 4.50 iant Ar 2.00 2.50 3.30 4.50 dish Ar 2.00 2.50 3.30	borvitae 1.80 2.25 3.00 borvitae 1.80 2.25

TITE	77 0								T	Ten	Uundrad
111	LIA—C	ontu	nued.								Hundred
	cordate	x. 7	04-80	,				Lit	tleleaf Eu	iropean	Linden
					11/-	4 -	1.3/	in	4.50 5.50	4.00	3.60
	10	to					1 74	111	4.50	5.00	4.50
	11	to	12		13/4		2	ın	5.50	5.00	5.30
	12	to						in	6.75	6.00	5.40
	12	to	14	ft.,	21/2	to	3	in	6.75 9.00 12.00	8.00	7.20
	12	to	14	ft.	3	to	31/2	in	12.00	11.00	
	14	to	16	f+	31/2	to	1	in	13.50		
	14	Į.O	10	11.,	072	10	7	111	10.00		
				•						· · · · · · · · · · · · · · · · · · ·	Linden
1	euchlo	ra.	70′-8	U							Linden
	8	to	10	ft.					3.00	2.70	
	8	to	10	ft	1 1/4	to	11/2	in	3.75	3.30	
	10	to	12					in	5.00		
									6.50		
	10	to	12	II.,	1 %4	10	4	in			
	12	to						in	9.00		
	12	to	14	ft.,	$2\frac{1}{2}$	to	3	in	12.00	11.00	
	-104	h11-	(~-		1:41~	~) (20' 11	nn' 1	Riglant Fr	ironean	Linden
			s (gr	and	HIHOT	u) i	00 -11	100 1	Bigleaf Eu	nopedn	
	10	to	11	ft.,	11/2	to	13/4	in	4.00 5.25 6.75 9.00 12.00	3.60	
	- 11	to	12	ft	13/4	to	2	in	5.25	4.80	4.25
	12	to	14	ft	2	to	21/2	in	6.75	6.00	5.40
	12		14	£1	216	+0	2	in	9.00	8.00	
			14	Il.,	272	10	01/	111	3.00	13.00	
	14		16	it.,	3	to	31/2	in	12.00	11.00	
	14	to	16	ft.,	$3\frac{1}{2}$	to	4	in	13.50		
	— руг	amid	lalie	40	1,501				Pv	ramidal	Linden
									-		
	8	to	10	ft.,	1 1/2	to	13/4	in	9.00		
	toment	losα.	(arg	ent	eα)	50	-60'			Silver	Linden
	8	to	10	f+	11/6	to	13/4	in	5.25		
	10		12								
								in			
	10		12	It.,	2	to	21/2	in			
	12	to	14	ft.,	21/2	to	3	in	12.00		
тс	SUGA	a arm a	dona		70' (ממי			C	anada 1	Hemlock
1 1	OGA	cuna									
	2	to	$2\frac{1}{2}$	ft.		В.	& 1	3	2.00	1.80	1.65
	21/2	to	3	ft.		B.	&]	B	2.70	2.40	2.25
	3	to	4	ft.		B.	8 1	3	3.50	3.30	3.00
	4	to	5	ft.		В.		3		4.50	
	5	to		ft.				3	7 50		
										6.75	
	6		8	ft.				B		10.00	
	12	to	14	ft.	spe	cim	ens,	B.&B.	42.00		
	14	to	16	ft.	spe	cim	ens,	B.&B.	50.00		
	- dw	conf 1	forme	. ,	1' 10'				Т	Samuel Ti	lemlocks
										wall I	Cimocks
	2					B.	å .	R	4.00		
	4	to	5	ft.		В.	& .	В	9.00		
	5	to	6	ft.				В			
	6	to	7	ft.				В			
									20.00		
		7-	3.57	00/							
	— fre	mai.	15′-	20						fremd	Hemlock
	15	to	18	in.		В.	&	B	4.00		
	11/	2 to	2	ft.		B.	8	В	6.00		
	2	to	21/2					В			
		2 to	3					B			
	3	to	31/2	It.		B.	E	В	. 12.00		
		a deel	- 6	. 0.				C.	387		77- 1 1
	per								rgent W	eeping	nemlock
	3	to	31/2	ft.	spre	ead	, B.	& B	. 12.00	11.00)
	31/	2 to						& B		13.50	
	4	to	-					& B		18.00	
	5	to	0	IT.	spre	ead	, D.	& B & B	. 24.00	21.00	
	6	to	8	it.	spre	ead	, B .	.œ B	. 27.00	24.00	J

	ntinued		Each	Ten Hu	ndred				
diversifoli	x. 40'-5	0'		nese He					
12 to	15 in.	В. & В	2.25	2.00					
15 to	18 in.		3.00	2.70					
1 ½ to	2 ft.	B. & B	4.00	3.60					
2 to	2½ ft.	В. & В	5.25	4.80					
2½ to	3 ft.	В. & В	6.00	5.40					
			0.00	0.10					
		— U —							
ULMUS ame	ricana.	100'		America	n Elm				
12 to	14 ft.,	2 to 2½ in	4.00	3.60					
12 to		2½ to 3 in	5.00	4.50					
14 to		3 to 3½ in	7.00	6.30					
16 to		3½ to 4 in	11.00	10.00					
16 to	18 ft.,	4 to 5 in	16.50						
- molini.	80'-100			Molin	e Elm				
8 to		1½ to 1½ in	2.50	2.25					
10 to		1½ to 1¾ in	3.30	3.00					
10 to		13/4 to 2 in	4.00	3.60					
12 to		2 to 2½ in	5.00	4.50					
14 to		2½ to 3 in	6.50	6.00					
16 to		3 to 3½ in	9.00	0.00					
16 to		3½ to 4 in	12.00						
18 to		4 to 5 in	15.00	13.50					
— vαse sh	aped.	80'-100'		Vas	e Elm				
12 to		2 to 2½ in	5.00						
14 to	16 ft.,	2½ to 3 in	6.50						
16 to		3 to 3½ in	9.00						
			0.00		-				
campestris		00'		Englis	h Elm				
10 to		1½ to 1¾ in	4.50	4.00					
10 to	12 ft.,	13/4 to 2 in	6.00	5.40					
12 to	14 ft.,	2 to 2½ in	7.50	6.75					
14 to		2½ to 3 in	10.00	9.00					
16 to	18 ft.,	3 to 3½ in	13.50						
		V							
VACCINIUM	corymb		High	bush Blue	berry				
		osum. 6'-8'			berry				
VACCINIUM 2 to 3 to	3 ft.	osum. 6'-8' B. & B	High! 2.00 3.00	bush Blue 1.80 2.70	berry				
2 to	3 ft.	osum. 6'-8' B. & B	2.00	1.80	berry				
2 to 3 to 4 to	3 ft. 4 ft. 5 ft.	B. & B B. & B B. & B	2.00 3.00 4.00	1.80 2.70					
2 to 3 to 4 to VIBURNUM	3 ft. 4 ft. 5 ft.	osum. 6'-8' B. & B B. & B B. & B M	2.00 3.00 4.00 aple Led	1.80 2.70 3.60 aved Vibu					
2 to 3 to 4 to VIBURNUM 1½ to	3 ft. 4 ft. 5 ft. acerifoliu 2 ft.	B. & B B. & B B. & B	2.00 3.00 4.00 aple Lec	1.80 2.70 3.60 aved Vibu	ırnum				
2 to 3 to 4 to VIBURNUM	3 ft. 4 ft. 5 ft.	osum. 6'-8' B. & B B. & B B. & B M	2.00 3.00 4.00 aple Led	1.80 2.70 3.60 aved Vibu	ırnum				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 ft. 4 ft. 5 ft. acerifoliu 2 ft. 3 ft. 4 ft.	osum. 6'-8' B. & B B. & B B. & B M. am. 5'-6' M	2.00 3.00 4.00 aple Leo .55 .65 .75	1.80 2.70 3.60 xved Vibu .50 .60 .65	irnum .45				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu	3 ft. 4 ft. 5 ft. accerifoliu 2 ft. 3 ft. 4 ft. m. 10'-1	osum. 6'-8' B. & B B. & B B. & B M 12' Am	2.00 3.00 4.00 aple Lec .55 .65 .75	1.80 2.70 3.60 wed Vibu .50 .60 .65	irnum .45				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to	3 ft. 4 ft. 5 ft. accerifolia 2 ft. 3 ft. 4 ft. m. 10'-1 2 ft.	osum. 6'-8' B. & B B. & B B. & B M. im. 5'-6' M.	2.00 3.00 4.00 aple Lec .55 .65 .75 erican (1.80 2.70 3.60 wed Vibu .50 .60 .65 Cranberry .35	Bush				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 5	3 ft. 4 ft. 5 ft. 2 ft. 4 ft. 4 ft. 2 ft. 2 ft. 3 ft. 4 ft. 2 ft. 3 ft. 3 ft. 4 ft. 3 ft.	osum. 6'-8' B. & B B. & B B. & B M. im. 5'-6' M.	2.00 3.00 4.00 aple Lec .55 .65 .75	1.80 2.70 3.60 xved Vibu .50 .60 .65 Cranberry .35 .45	irnum .45				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to	3 ft. 4 ft. 5 ft. accerifolia 2 ft. 3 ft. 4 ft. m. 10'-1 2 ft.	osum. 6'-8' B. & B B. & B B. & B M. im. 5'-6' M.	2.00 3.00 4.00 aple Lec .55 .65 .75 erican (1.80 2.70 3.60 wed Vibu .50 .60 .65 Cranberry .35	######################################				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to	3 ft. 4 ft. 5 ft. 2 ft. 3 ft. 4 ft. m. 10'-1 2 ft. 3 ft. 4 ft. 5 ft.	osum. 6'-8' B. & B B. & B B. & B Cam. 5'-6' M 12' Am	2.00 3.00 4.00 aple Lea .55 .65 .75 erican (.50 .60	1.80 2.70 3.60 xved Vibu .50 .60 .65 Cranberry .35 .45 .55	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to	3 ft. 4 ft. 5 ft. 2 ft. 3 ft. 4 ft. 2 ft. 3 ft. 4 ft. 5 ft.	osum. 6'-8' B. & B B. & B B. & B Cam. 5'-6' M 12' Am	2.00 3.00 4.00 aple Lea .55 .65 .75 erican (.40 .50 .60	1.80 2.70 3.60 xved Vibu .50 .60 .65 Cranberry .35 .45 .55 .70	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4	3 ft. 4 ft. 5 ft. 2 ft. 3 ft. 4 ft. 2 ft. 3 ft. 4 ft. 5 ft. 5 ft.	osum. 6'-8' B. & B	2.00 3.00 4.00 aple Lea .55 .65 .75 erican (.50 .60 .75 Frag	1.80 2.70 3.60 rved Vibu .50 .65 .65 Cranberry .35 .45 .55 .70 grant Vibu	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4 1 to 1½ to	3 ft. 4 ft. 5 ft. accerifoliu 2 ft. 3 ft. 4 ft. 2 ft. 3 ft. 4 ft. 5 ft. 1½ ft. 2 ft. 2 ft. 5 ft.	B. & B	2.00 3.00 4.00 4.00 aple Lec .55 .65 .75 erican C .40 .50 .60 .75 Frag .75 1.20	1.80 2.70 3.60 rved Vibu .50 .60 .65 Cranberry .35 .45 .55 .70 grant Vibu .65 1.00	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4 1 to 1½ to 2 to	3 ft. 4 ft. 5 ft. accerifolia 2 ft. 3 ft. 4 ft. 2 ft. 3 ft. 4 ft. 5 ft. 5 ft. 2 ft. 5 ft.	B. & B	2.00 3.00 4.00 aple Lec .55 .65 .75 erican C .40 .50 .60 .75 Frag .75	1.80 2.70 3.60 rved Vibu .50 .65 .65 Cranberry .35 .45 .55 .70 grant Vibu	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4 1 to 1½ to 2 to 3 to	3 ft. 4 ft. 5 ft. accerifolia 2 ft. 3 ft. 4 ft. 2 ft. 3 ft. 4 ft. 5 ft. 5 ft. 2 ft. 3 ft. 4 ft. 5 ft. 5 ft.	B. & B	2.00 3.00 4.00 4.00 aple Lec .55 .65 .75 erican C .40 .50 .60 .75 Frag .75 1.20	1.80 2.70 3.60 xved Vibu .50 .65 .65 Cranberry .35 .45 .55 .70 yrant Vibu .65 1.00 1.65	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4 1 to 1½ to 2 to 2½ to cassinoide	3 ft. 4 ft. 5 ft. 2 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 2 ft. 2 ft. 2 ft. 3 ft. 4 ft. 5 ft. 6 ft.	B. & B B. & B	2.00 3.00 4.00 aple Lec .55 .65 .75 erican (.40 .50 .60 .75 Frag .75 1.20 1.80 2.25	1.80 2.70 3.60 xved Vibu .50 .60 .65 Cranberry .35 .45 .55 .70 yrant Vibu .65 1.00 1.65	Bush .30 .40 .50 .65				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4 1 to 1½ to 2 to 2½ to cassinoide 1½ to	3 ft. 4 ft. 5 ft. 2 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 2 ft. 2 ft. 2 ft. 3 ft. 4 ft. 5 ft. 5 ft. 2 ft. 2 ft. 2 ft. 3 ft. 5 ft. 6'-8' 2 ft. 6'-8' 2 ft.	B. & B	2.00 3.00 4.00 4.00 aple Lec .55 .65 .75 erican C .40 .50 .60 .75 Frag .75 1.20 1.80 2.25	1.80 2.70 3.60 xved Vibu .50 .65 .65 Cranberry .35 .45 .55 .70 yrant Vibu .65 1.00 1.65	Bush .30 .40 .50 .65 armum				
2 to 3 to 4 to VIBURNUM 1½ to 2 to 3 to americanu 1½ to 2 to 3 to 4 to carlesi. 4 1 to 1½ to 2 to 2½ to cassinoide	3 ft. 4 ft. 5 ft. 2 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 4 ft. 5 ft. 2 ft. 2 ft. 2 ft. 3 ft. 4 ft. 5 ft. 6 ft.	B. & B B. & B	2.00 3.00 4.00 aple Lec .55 .65 .75 erican (.40 .50 .60 .75 Frag .75 1.20 1.80 2.25	1.80 2.70 3.60 xved Vibu .50 .60 .65 Cranberry .35 .45 .55 .70 yrant Vibu .65 1.00 1.65	Bush .30 .40 .50 .65				

VIBURN	UM-	-Cor	itinue	ed	Each	Ten Hu	ndred
dentat	um.	10'	-12'			Arrow \	Wood
1 1/2	to	2	ft.		.40	.36	.33
2	to	3	ft.		.50	.45	.40
3	to	4	ft.		.70	.65	.60
4	to	5	ft.		.90	.80	
5	to	6	ft.		1.20		
321		8'-1	10'		Lin	den Vibu	rnum
dilatat						.54	.50
	to	2	ft.		.60	.70	.65
2	to	3	ft.		.80 1.00	.90	.80
3	to	4	ft.				
lantan	α.	12'-1	5'		W	ayfaring	Tree
2	to	3	ft.		.50	.45	.40
3	to	4	ft.		.60	.55	.50
4	to	5	ft.		.80	.70	
5	to	6	ft.		1.20		
lentag		2012	5'			Nanny	berry
	to	2			.50	.45	.40
		3	ft. ft.		.65	.60	.55
2 3	to	4	ft.		.80	.75	.70
4	to	5	ft.		1.00	.90	., 0
			11.				
molle.	10	'-12'			Kentu	cky Vibu	rnum
11/	2 to	2	ft.		.50	.45	
2	to	3	ft.		.60	.55	
opulu	s na	num.	. 1'-	2'	Dv	vari Cran	berry
_		9			.40	.36	.33
6	to	12			.60	.55	.50
9	10				.00		
prunif	oliur	n.	12'-1	5′		Black	Haw
11/	2 to	2	ft.		.75	.70	.65
2	to	3	ft.		1.00	.90	.85
3	to	4	ft.		1.50	1.35	1.20
4	to	5	ft.		2.00	1.80	
5	to	6	ft.		2.50		
rhytid	lophy	vllun	n. 8	′-10′	Leather	rleaf Vibu	ırnum
4	to	5	ft.	В. & В	6.00		
5	to	6	ft.	В. & В	7.50		
O	10	O	11.	D. Q D	7.00		
siebo	ldi.	8'-1	0'		Sie	bold Vib	urnum
13	/2 to	2	ft.	***************************************	.50	.45	.40
2	to	3	ft.	***************************************	.60	.55	.50
3	to		ft.	********	.80	.70	.60
4	to		ft.	***************************************	1.00	.90	
5	to	6	ft.	***************************************	1.20	1.00	
tomer	ntosu	m.	8'-10	· ·	Doubl	efile Vib	urnum
	/2 to		ft.		.40	.35	.30
2	to		ft.		.50	.35	.40
3	to		ft.	***************************************	.65	.60	.55
4	to		ft.	***************************************	.85	.75	.55
•		J		*******************************	.00	./ 3	
— pli	catu	m.	7'-8'		Japa	nese Sno	owball
11	/2 to	2	ft.	***************************************	.40	.35	
2	to		ft.	***************************************	.50	.45	
3	to	4	ft.		.65	.60	
wrigl	nti.	8'-10)'		W	right Vib	urnum
3	to	4	ft.	***************************************	.90	.80	
N CAMPAGE			11	F/ 0/	-		
VITEX		-	_	5'-6'		eaf Chas	te Tree
	1/2 to	_	ft.	•••••	.40	.35	.30
2	to		ft.	***************************************	.50	.45	.40
3	to	4	ft.	***************************************	.65	.60	.54

-- W ---

	**			
		Each	Ten Hu	indred
WEIGELA amabilis.	7′-8′		Rose We	eigela
3 to 4 ft.	***************************************	.50	.40	
7 7 11 4				
— Eva Rathke. 4'		Red Flow	ering W	eigela
$1\frac{1}{2}$ to 2 ft.		.40	.35	.30
2 to 3 ft.	***************************************	.50	.45	
- Feerie. 6'-8'			eerie W	oi maler
				eigeia
1½ to 2 ft.			.45	
2 to 3 ft.			.55	
3 to 4 ft.	***************************************	.80	.70	
Venusta. 6'-8'		7	Venus W	eigela
1½ to 2 ft.		50	.45	
2 to 3 ft.			.55	
3 to 4 ft.			.70	
	***************************************	.00	./0	
rosea. 6'-8'			Pink W	eigela
2 to 3 ft.	• • • • • • • • • • • • • • • • • • • •	.40	.35	
3 to 4 ft.		.50	.45	
WICTEDIAlii	25' 20'	T	-leader TE	
WISTERIA multijuga			cluster W	isteria
3 year, GRAF	rs Polgrown	1.50		
— alba. 25'-30'	WI	nite Longo	luster W	isteria
5 year, GRAF	rs B. & B	4.50		
— roseα.	R	osy Longo	duster W	isteria
		_		
3 year, GRAF	TS Pots	4.00		
	ft. B. & B			
/ to 8 ft.	standards, B.&B.	30.00		

--- X ---

XANTHO	OCEF	RAS	sorbii	oliα.	10'		Chinese Buckeye
						В	
3	to	4	ft.	В.	8	В	5.00

--- Z ----

ZANTHO	RHI	ZA	apiifolia. 2'-2½'		Yellow	Root
9	to	12	in	.25	.22	.20
12	to	18	in	.35	.30	.25



Herbaceous Perennials

All herbaceous perennials, except as noted are:-30c each. \$2.40 per ten, \$18.00 per hundred. Five plants of any one variety sold at the ten rate. Twenty-five plants of any one variety sold at the hundred rate.

ACHILLEA millefolium roseum. 11/2'-2'.

Pink Yarrow

Crimson. June-July

ptarmica, Boule de Neige. 1½'-2'. Ball of Snow Yarrow

White. June-July.

Woolly Yarrow

tomentosa. 6"-8". Yellow. May-June. ACONITUM fischeri. 2'-3'.

Azure Monkshood

Sept.-Oct.

napellus, Sparks Variety. 5'. Deep blue. July-Aug.

Sparks Monkshood

ACORUS calamus. 3'.

Aromatic herb. Good foliage.

Sweetflag

ACTINIA herbacea. 4"-6". Golden Sun Golden. April-Sept. 35c each, \$2.40 per 10, \$21.00 per 100.

AETHIONEMA iberideum. 6". Spanish Stonecress White. May. 35c each, \$2.40 per 10, \$21.00 per 100.

Warley Rose. 6". Warley Stonecress May-June. 40c each, \$3.60 per 10, \$30.00 per 100.

AJUGA brockbanki. 6"-8". Blue. May-June.

Brockbank Bugle

genevensis. 6"-8".

Geneva Bugle

Deep blue. May-June.

reptans. 4"-6". Carpet Bugle Purple. May-June. 25c each, \$2.00 per 10, \$15.00 per 100. --alba. 6"-8". White Bugle

White. May-June. Good carpeter.

ALLIUM flavum minor. 6". Golden Allium Golden. July. 60c each, \$5.00 per 10. \$45.00 per 100. schoenoprasum. 8"-10".

Salads and soups.

Chive

senescens glaucum, 6"-9". Twisted Allium Rose. Aug. Sept. 35c each, \$2.40 per 10, \$21.00 per 100. Thibet. 6".

Lilac. May-June.

Tibetian Allium

ALTHAEA rosea. 5'-7'. Hollyhock Various colors. July-Aug. 25c each, \$1.50 per 10, \$10.00 per 100.

ALYSSUM saxatile citrinum. 6"-8".

Lemon Alyssum

Lemon. April-May. -compactum. 6"-9".

Dwarf Goldentuft April-May. 25c each, \$2.00 per 10, \$15.00 per 100.

-flore pleno. 6"-9". Double Goldentuft Gold. April-May. 35c each, \$3.00 per 10, \$24.00 per 100.

ANCHUSA italica Dropmore. 4'-5'. Cobalt blue. June-July.

myosotidiflora.—See Brunnera

ANEMONE hupehensis splendens. 18"-24" Hupeh Anemone Pink. August.

japonica alba. 2'-3'. Single white. Sept.-Oct.

Japanese Anemone

ANEMONE japonica—Continued

-Queen Charlotte. 2'-3'. Double pink. Sept.-Oct.

-September Charm. 18"-24". Single pink. Sept.

Japanese Anemone

Japanese Anemone

-Whirlwind. 2'-3'. Double white. Sept.-Oct.

Japanese Anemone

pulsatilla. 8"-10". Purple. April-May.

Pasque Flower

vernalis. 3"-4".

Spring Anemone

May. 50c each, \$4.50 per 10. White.

ANTHEMIS nobilis. 3"-4". White. May.

Camomile

tinctoria Moonlight. 11/2'-2'. Pale yellow. June-October.

Camomile

—**Perry's variety.** 1½'-2'. Yellow. June-October.

Camomile

APHYLLANTHES monspeliensis. 6"-8". Blue. June. 60c each, \$4.80 per 10. Blue Lily Grass

AQUILEGIA alpina. 8"-10". Light blue. June. canadensis. 18".

Alpine Columbine American Columbine

Scarlet and gold. May-June. chrysantha. 2'-21/2'.

Golden Columbine

Golden. May-June.

Hensol Harebell. 11/2'-2'. Short Spurred Columbine Blue. May-June. 60c each, \$4.80 per 10.

hybrida Dobbies Strain. 21/2'-3'. Long Spurred Hybrid Various colors. May-June.

Pearson's Blue Shades. 21/2'-3'. Long Spurred Hybrid May-June.

longissima. 3'. Long Spurred Columbine Yellow. June. 50c each, \$4.50 per 10, \$36.00 per 100.

pyrenaica. 8"-10". Pyrenees Columbine Deep blue. June-July. 35c each, \$2.80 per 10, \$21.00 per 100.

ARABIS albida. 6"-9". White Rock Cress White. April-May. 25c each, \$2.00 per 10, \$15.00 per 100. -flore pleno. 6"-9". Double Rock Cress

White. April-May. carmineus. 6"-9". Rock Cress Carmine red. New. April-May. 45c each, \$3.60 per 10.

kellereri. 3"-4". White. April.

Kellerer Rock Cress

Rose Rock Cress Rosa Bella. 6". Rose. April-May. 35c each, \$3.00 per 10, \$24.00 per 100.

Mountain Sandwort ARENARIA montana. 4"-6".

White. May-June.

verna caespitosa. 1"-2". White. May-Sept. Low cushions. Moss Sandwort

-aurea. 1"-2".

Goldmoss Sandwort

White. May-Sept. ARTEMISIA abrotanum.

Southernwood

2'-3'. Aromatic herb. Gray foliage.

Wormwood

absinthium. 12"-18". An herb used as tonic.

All herbaceous perennials, except as noted are:—30c each. \$2.40 per ten, \$18.00 per hundred.

ARTEMISIA—Continued

dracunculus. 11/2'-2'. Tarragon 35c each, \$2.40 per 10, \$21.00 per 100.

Roman Wormwood pontica. 15"-18".

Silver foliage herb. Ghost Plant

Silver King. 2'-21/2'. Silvery white foliage.

ASCLEPIAS tuberosa. 2'-3'. **Butterfly Weed** Orange. July-Aug.

ASTER alpinus. 6"-8". Rock Aster Violet blue. May.

frikarti. 2'-3'. Frikart's Aster Lavender. Aug.-Oct. 50c each, \$4.00 per 10, \$36.00 per 100. Dwarf hybrids.

Countess of Dudley. 9"-12". Pink, yellow eye. Sept.

Nancy. 9". Flesh pink. Sept. Snowsprite. 10". White. Sept. Victor. 6". Lavender blue. Sept.

Hybrids.

Blue Eyes. 3'. Michaelmas Daisy Blue, semi-double. Sept.

Blue Gown. 3'-4'. Michaelmas Daisy Good clear blue. Sept. 40c each, \$3.20 per 10, \$24.00 per 100.

Charles E. Wilson. 3'-4'. Michaelmas Daisy Red Shade. Sept.

Harrington's Pink. 3'-31/2'. Michaelmas Daisy Pink. Sept. 50c each, \$4.00 per 10, \$30.00 per 100.

Little Boy Blue. 2'. Michaelmas Daisy Sept. Little Pink Lady. 2'.

Michaelmas Daisy Sept. Mount Everest. 3'-31/2'. Michaelmas Daisy

Best white. Sept. Michaelmas Daisy

Queen Mary. 4'-5'
Lavender. Sept. Red Rover. 3'-4'. Michaelmas Daisy

Sept. Ryecroft Purple. 3'-4'.

Michaelmas Daisy Royal purple. Aug.-Sept.

Skylands Queen. 3'-4'. Michaelmas Daisy Lavender. Aug.-Sept.

subcaeruleus Wartburg Star. 12"-15". India Aster Blue. June-July.

ASTILBE arendsi Gladstone. 2'. Hybrid Astilbe Large white. June. 45c each, \$3.60 per 10.

-Gloria. 2'. Hybrid Astilbe Deep rose. June. 45c each, \$3.60 per 10.

—Peach Blossom. 2'. Light pink. June. 45c each, \$3.60 per 10. Hybrid Astilbe

AUBRIETIA New Hybrids. 3"-6". Hybrid Rock Cress Various colors. April-May.

BAPTISIA australis. 2'-3'. Blue Indigo Blue. May-June.

All herbaceous perennials, except as noted are:-30c each, \$2.40 per ten, \$18.00 per hundred.

BOLTONIA latisquama nana. 21/2'-3'. Dwarf Pinkray Boltonia Pink. Aug.-Sept. 25c each, \$1.50 per 10, \$10.00 per 100.

BRUNNERA macrophylla. 12"-18". Forget-me-not blue. May.

Siberian Bubloss

CALAMINTHA alpina. 6"-8". Lilac. May.

Alpine Savory

CAMPANULA carpatica. 6"-9".

Carpathian Bellflower

Blue. June-Aug.
—alba. 6"-9".
White. July-Aug.
garganica. 3"-4".

Carpathian Bellflower

Alpine Bellflower Blue. May-June. glomerata acaulis. 12"-18".

Danesblood Purple. June-July. 35c each, \$2.40 per 10, \$21.00 per 100. medium. 2'-3'. Single Canterbury Relie

Blue, white, pink. June. calycanthema. 2½'-3'.
Blue, white, pink. June. persicifolia humosa. 2'-2½'

Cup and Saucer

Peach leaf Bellflower Double blue. June-July. 50c each, \$4.00 per 10. persicifolia Moerheimi. 2'-2½'. Peach Leaf

Peach Leaf Bellflower

Double white. June-July. 50c each, \$4.00 per 10.

Telham Beauty. 3'. Peach Leaf Bellflower
Lavender blue. June-July. 50c each, \$4.50 per 10, \$35.00 per 100.

portenschlagiana. 3"-4".

Dalmatian Bellflower

Violet. May.
pusilla alba. 3"-4".

Dwarf Bellflower White. June. 35c each, \$2.80 per 10.

turbinata. 3". Top Bellflower True blue. June. 50c each, \$4.50 per 10, \$40.00 per 100.

CARYOPTERIS incana. 1½'.2'.

Lavender blue. Sept.-Oct. 35c each, \$3.00 per 10, \$24.00 per 100.

CASSIA marylandia. 4'-5'.
Yellow. Herb. Sept. 50c each, \$4.50 per 10. CENTAUREA montana. 11/2'-2'.

Cornflower

Senna

Blue. May-July. ruthenica. 21/2'-3'.

Ruthenian Cornflower

Lemon yellow. Aug.

CERASTIUM tomentosum. 6"-8". Snow-in-Summer White. June. 25c each, \$1.80 per 10, \$12.00 per 100.

CHEIRANTHUS allioni. 1'-11/2'. Orange. May-June.

Wallflower

CHIOGENES hispidula. 2"-3". Creeping Snowberry White berries. Ground cover. 35c each, \$2.80 per 10, \$21.00 per 100.

CHRYSANTHEMUM arcticum. 1'-11/2'. False Arctic Daisy White. Sept.-Oct.

Costmary balsamita. 21/2'-3'. Aromatic herb. Yellow. Sept. 35c each, \$2.80 per 10.

Garden Chrysanthemums hybrids. 2'-3'. 25c each, \$1.80 per 10, \$12.00 per 100.

Adelaide, bronze.

Amelia, pink, bronze, white. Astrid, pink, single.

Barbara Cumming, yellow.

Caliph, red double.

Donald Wells, single white.
Early Bronze, bronze.
Ethel, red button.

All herbaceous perennials, except us noted are:-30c each. \$2.40 per ten, \$18.00 per hundred.

CHRYSANTHEMUM—Continued.

Frances Whittlesey, red. Indian Summer, orange.

Irene, white.

October Girl, pink.
Pygmy Gold, yellow button.

R. Marion Hatton, yellow. Ruth Cumming, bronze.

Tasiva, white, large.

Korean hybrids. 2'-21/2'. Single.

Apollo, bronze red.
Louise Schling, salmon red.

Physke, pink.

Sappho, yellow. Saturn, orange.

maximum Alaska. 2'-21/2'.

Shasta Daisy

White. June-Sept.

-chiffon. 15"-18". Shasta Daisy White double. June-Sept. 50c each, \$4.00 per 10, \$30.00 per 100.

leucanthemum White Swan. 2'. White double. June-July.

Oxeye Daisy

CHRYSOGONUM virginianum. 9". Yellow. June-Sept.

Golden Star

CIMICIFUGA racemosa.

White spikes. July-Aug.

Bugbane

2'-3'. simplex. Japanese Bugbane White arching spikes. Oct. \$1.00 each, \$9.00 per 10, \$85.00 per 100.

CONVALLARIA majalis. 9"-12". Lily of the Valley White. May-June. 40c each, \$3.50 per 10, \$30.00 per 100.

-flore pleno. 9"-12". Double Lily of the Valley White. May-June. 75c each, \$6.00 per 10, \$45.00 per 100.

COREOPSIS auriculata nana. 9"-12". Dwarf Coreopsis Golden. June-Sept.

lanceolata grandiflora. 2'-21/2'. Big Coreopsis Golden. June-Aug. 25c each, \$1.50 per 10, \$10.00 per 100.

CORNUS canadensis. 4"-6". Bunchberry White, red berry. 40c each, \$3.20 per 10, \$24.00 per 100.

CORYDALIS lutea. 6"-9". Fumitory Yellow. May-Sept. 35c each, \$2.80 per 10, \$21.00 per 100.

CYCLAMEN europaeum. 3"-4". Alpine Sow Bread Rose-crimson. \$1.00 each, \$9.00 per 10, \$75.00 per 100.

DALIBARDA repens. 3"-4". Dalibarda White. May. Ground cover. 35c each, \$2.80 per 10, \$21.00 per 100.

DELPHINIUM Belladonna. 21/2'-3'. Belladonna Larkspur Blue. June-Aug.

-Clivedon Beauty. Pale blue. June-Oct.

Larkspur

Bellamosum. 2'-21/2'.

Larkspur

Dark blue. June-Oct. 11/2'-2'. chinense. Deep blue. June-Sept. Nice foliage.

Slender Larkspur

-album. 1½'-2'. White. June-Sept. White Slender Larkspur

All herbaceous perennials, except as noted are:-30c each. \$2.40 per ten, \$18.00 per hundred.

DELPHINIUM—Continued.

Gold Medal Hybrids. 4'-6'.

Hybrid Larkspur

Various. June-Oct.

Lamartine.

Formosum Larkspur

Violet, blue. June-Oct. Pacific Hybrids. 4'-6'. Hybrid Larkspur

Light blue, dark blue, white. 60c each, \$4.80 per 10, \$36.00 per 100.

DIANTHUS arvernensis. 3"-4".
Rose. May-June.
Beatrix. 9"-12". Dwarf Cheddar Pink

Salmon. May-Sept.

Hybrid Pink

Bobby. 6"-9". Hybrid Pink
Pink. Compact. June-Sept. 35c each, \$2.80 per 10, \$21.00 per 100.

deltoides Brilliant. 6"-9". Pink. May-July.

Maiden Pink

Furst Bismark. 9"-12". Deep pink. May-Sept.

Hybrid Pink Hybrid Pink

Highland Hybrids. 9"-12". Various. May-Sept.

Hybrid Pink

Mrs. Sinkins. 9"-12". White. May-June. neglectus. 3"-4".

Ice Pink

Roy's Pink

Rose. June. roysii. 3"-4". Rose. May-June.

Hybrid Pink

winteri Mrs. Wormald. 9"-12". Pink, deep eye. June-Sept. DICENTRA cucullaria. 4"-6".

Dutchman's Breeches

Creamy white. May-June. eximia. 1'-11/2'.

Fringed Bleeding Heart

Deep pink. May-July.

spectabilis. 1½'-2'. Bleeding Heart Pink, white. May-June. 50c each, \$4.50 per 10, \$40.00 per 100.

DICTAMNUS albus. 2'-21/2'. Gasplant White. May-June. 35c each, \$2.80 per 10, \$24.00 per 100. -ruber. 2½'-3'. Pink Gasplant

Rosy purple. May-June. 35c each, \$2.80 per 10, \$24.00 per 100.

DIGITALIS alba. 2'-3'. White. June-July. White Foxglove

Shirley. 3'-4'. Pink shades. June-July.

Hybrid Foxglove

DODECATHEON meadia. 12"-15". Pink. May-June.

Shooting Star

DORONICUM caucasicum. 11/2'-2'. Leopardbane Yellow. May-June. 35c each, \$2.70 per 10, \$21.00 per 100.

DRABA siberica. 2"-4". Whitlow Grass Yellow. April and October.

DRACOCEPHALUM ruyschiana. 1'-11/2'. Siberian Dragonhead Intense blue. June-July.

ECHINACEA purpurea. 3'-4'. Purple Coneflower Reddish purple. July-Oct.

The King. 3'-4'. Coneflower Deep crimson. New. July-Aug. 45c each, \$3.60 per 10, \$30.00 per 100.

All herbaceous perennials, except as noted are: -30c each. \$2.40 per ten, \$18.00 per hundred.

ELSHOLTZIA farquhari. 3'. Mint Shrub Pink. Buddleia-like spikes. Aug.-Sept. 50c each, \$4.50 per 10, \$40.00 per 100.

EPIMEDIUM macranthum niveum. Barrenwort White. May-June. 50c each, \$4.00 per 10, \$35.00 per 100. -rubrum. 9". Red. May-June. 50c each, \$4.00 per 10, \$35.00 per 100.

ERIGERON speciosus Mesa Grande. 1'-11/2'.

Oregon Fleabane

Lilac blue. June-July.

ERODIUM chamaedrioides roseum. 2". Pink Heronsbill Rose pink. May-Sept. 35c each, \$3.00 per 10.

18"-24". ERYNGIUM bourgatti. Steel blue. June.

EUPATORIUM coelestinum. 11/2'-2'. Blue Mist Flower Blue. Aug.-Oct.

EUPHORBIA corollata. 2'-21/2'. Flowering Spurge White. July-Aug.

epithymoides. 11/2'-2'. Yellow. April-May.

Cushion Spurge

FERNS. 35c each, \$3.00 per 10. Maidenhair Adiantum pedatum. Asplenium platyneuron.
Asplenium trichomanes. Ebony Spleenwort Maidenhair Spleenwort Goring Spleenwort Athyrium goringianum. Mottled Spleenwort -goringianum pictum. -Felix femina. Lady Fern Walking Fern Camptosorus rhizophyllus. Osmunda cinnamonea. Cinnamon Fern Polypodium virginianum. Rockcap Fern Polystichum acrostichoides. Christmas Fern Rusty Woodsia Common Woodsia Woodsia ilvensis. -obtusa.

FESTUCA glauca. 9"-12". Dwarf Blue Stem Grass Blue gray foliage.

FUCHSIA magellanica. 12"-15". Hardy Fuchsia Scarlet and purple. July-Oct. 50c each, \$4.50 per 10, \$36.00 per 100.

GAILLARDIA Mr. Sherbrook. 18". Blanket Flower Gold. May-Sept. 40c each, \$3.00 per 10, \$25.00 per 100. Portola Hybrids. 11/2'-2'. Blanket Flower Various shades. June-Sept.

Ruby. 11/2'-2'. Blanket Flower Deep red, cutting. 50c each, \$4.00 per 10, \$35.00 per 100.

GENISTA prostrata. 6"-9". Creeping Broom Yellow. June. 75c each, \$6.00 per 10.

sagitalis. 9"-12". Arrowhead Broom Yellow. June-July. 90c each, \$7.50 per 10.

sylvestris pungens. 4". Prickly Broom Gold. June. 75c each, \$6.50 per 10.

18". GENTIANA hascombensis. Hascomb Gentian Blue. Aug.-Sept. 50c each, \$4.50 per 10. GERANIUM sanguineum lancastriense. 4"-6".

Dwarf Cranesbill Shell pink. May-Aug. 40c each, \$3.60 per 10, \$27.00 per 100.

All herbaceous perennials, except as noted are:-30c each. \$2.40 per ten, \$18.00 per hundred.

Double Avens

GEUM borisi. 12"-15". Avens Brilliant Orange. June-Sept. 45c each, \$3.60 per 10, \$30.00 per 100.

Fire Opal. 11/2'-2'. Avens Brilliant orange red. 50c each, \$4.50 per 10.

Lady Stratheden. 11/2'-2'. Double Avens Golden. June-Sept.

Mrs. Bradshaw. 11/2'-2'.

Vivid red. June-Sept.

Red Wings. 12"-18".

Bright scarlet. June-Sept. 50c each, \$4.00 per 10.

Wilton Ruby. 15"-18". Av
Deep red. New. June-Sept. 60c each, \$4.80 per 10.

GYPSOPHILA cerastioides. 3"-4". Mouse-ear Gypsophila White. May. Flamingo. 2'-3'.

Baby's Breath Pink. June-Sept. 75c each, \$6.50 per 10, \$55.00 per 100. Oldhamiana. 11/2'-2'. Rose Baby's Breath

Delicate pink. July-Sept.

paniculata. 2'-2½'. Baby's Breath
White. June-July. 25c each, \$1.50 per 10, \$10.00 per 100. Baby's Breath -Bristol Fairy. 2'-3'. Double Baby's Breath Double white. June-Sept. 40c each, \$3.60 per 10, \$27.00

per 100.

Creeping Gypsophila

white. June-July.

Bodgeri. 12". Bodger's Gypsophila Double white. May-Sept. 40c each, \$3.50 per 10, \$30.00 per 100. Rosy Veil. 12"-15".

Double Baby's Breath Pink. June-Sept. 40c each, \$3.50 per 10, \$30.00 per 100.

HELENIUM perigrinum. 3'-31/2'. Bronzy red. Aug.-Sept. Riverton Gem. 2½'-3'.

Bronze Sneezeweed

Bronze. Aug.-Sept. HELIANTHEMUM gureum. Sunrose Single yellow. June-July.

Mrs. Earle. 9". Double crimson. June-July.

Sunrose

Sneezeweed

Rose Queen. 9".
Rose-pink. June-July.

Sunrose

HELIOPSIS Incomparibilis Summer Gold. 3'-31/2'. Heliopsis Golden. June-Oct.

HELLEBORUS niger. 8"-10". Christmas Rose White. Winter. \$1.00 each, \$8.00 per 10, \$60.00 per 100.

HEMEROCALLIS Cressida. 3'. Hybrid Daylily Orange. July-Aug. 75c each, \$6.00 per 10, \$50.00 per 100. Hybrid Daylily D. D. Wyman. 3'. Golden. July-Aug. 75c each, \$6.00 per 10, \$50.00 per 100.

Hybrid Daylily

Dr. Regel. 2'-21/2'. Orange. May.

flava. 21/2'-3'.

Lemon Lily Yellow. May.

Golden Dream. 3'. Hybrid Day. Golden. Aug. 75c each, \$6.00 per 10, \$50.00 per 100. Hybrid Daylily

Hybrid Daylily Gypsy. 3'. Orange. July-Aug. 75c each, \$6.00 per 10, \$50.00 per 100. Hybrid Daylily Hyperion. 31/2'.

Lemon. June-July. \$1.00 each, \$9.00 per 10, \$80.00 per 100.

All herbaceous perennials, except as noted are:—30c each. \$2.40 per ten, \$18.00 per hundred.

HEMEROCALLIS—Continued.

Hybrid Daylily J. A. Crawford. 4'. Apricot. July-Aug. 75c each, \$6.00 per 10, \$50.00 per 100. Tawny Daylily Kwanso flore pleno. 4'.

Double orange. June-July. Hybrid Daylily Lemona. 4'. Lemon. July-Aug. 75c each, \$6.00 per 10, \$50.00 per 100. Dwarf Daylily minor. 12"-15". Yellow. June.
Mrs. W. H. Wyman.

Hybrid Daylily Lemon. Aug. 75c each, \$6.00 per 10, \$50.00 per 100.

Three lobe Hepatica HEPATICA triloba. 4"-6". Blue. April-May. Dames Rocket

HESPERIS matronalis. 2'-21/2'. Pink. July-Aug. nana candissima. 2'-21/2'.

White Rocket

White Coralbells

HEUCHERA sanguinea Perry's White. 15"-18".

White. June-July. -Pluie de Feu. 15"-18". Crimson Bells 35c each, \$2.70 per 10, \$21.00 Bright red. June-July.

Pink Bells 15"-18". Rosamonde. Pink. June-July.

HIBISCUS moscheutos. 4'-6'. Common Rosemallow Pink, red, white. Aug.-Sept.

HIERACIUM bombycinum. 6"-8". Hawkweed Yellow. Silver leaves. 35c each, \$2.80 per 10, \$21.00 per 100.

HOSTA caerulea (FUNKIA). 11/2'-2'. Blue Plantainlily Purplish-blue. July-Aug.

18"-24" Fortune Plantainlily fortunei. 35c each, \$2.80 per 10, Glaucous foliage. Lilac. Aug. \$21.00 per 100

plantaginea grandiflora. 11/2'-2'. Big Plantainlily White. July-Aug. 35c each, \$2.70 per 10, \$21.00 per 100. Dwarf Plantainlily -minor. 9"-12". White. July. 35c each, \$3.00 per 10, \$24.00 per 100.

HYPERICUM moserianum. 1'-11/2'. Goldflower Golden. July-Aug. 40c each, \$3.00 per 10, \$25.00 per 100. olympicum. 6"-9". Olympic Goldflower June-Aug. Golden.

HYSSOPUS officinglis. Hyssop An aromatic herb.

IBERIS saxatilis. 2"-3". Rock Candytuft White. April. 35c each, \$3.00 per 10, \$24.00 per 100.

sempervirens. 8"-10". Candytuft White. April-May. 25c each, \$1.80 per 10, \$12.00 per 100.

-Little Gem. 6"-8".

Dwarf Candytuft Dwarf Candytuft

White. April-May.

—Snowflake. $1'-1\frac{1}{2}'$. Snowflake Candytuft Pure white. April-May.

IRIS chrysographes. 12"-15". Golden Iris Violet golden. June. 35c each, \$3.00 per 10. Crested Iris

cristata. 4"-6". Lavender blue. May.

-alba. 4"-6". White Crested Iris White. May. 40c each, \$3.60 per 10, \$30.00 per 100.

All herbaceous perennials, except us noted are: -30c each. \$2.40 per ten, \$18.00 per hundred.

IRIS—Continued.		
germanica Alta Californica. 48". Yellow. 50c each, \$4.00 per 10.	German	Iris
—Ambassadeur. 2'-3'. Purple-ruby.	German	Iris
— Autumn King. 2'. Blue. 50c each, \$4.00 per 10, \$30.00 per 10	German	Iris
— Autumn Queen. 18". White. 50c each, \$4.00 per 10, \$30.00 per	German 100.	Iris
—Frieda Mohr. 3'6". Pink. 50c each, \$4.00 per 10, \$30.00 per 1	German	Iris
—Grace Sturtevant. 3'.	German	Iris
Red, violet. 50c each, \$4.00 per 10, \$30.00 —Indian Chief. 3'6". Red.	German	Iris
—Isoline. 2'-3'. Purple lilac.	German	Iris
—Jean Siret. 18". Yellow. Fall.	German	Iris
— Opera. 2'-3'. Violet crimson.	German	Iris
— Pink Satin. 48". Pink. 50c each, \$4.00 per 100, \$30.00 per	German 100.	Iris
—Pluie d'Or. 3'6". Yellow. 50c each, \$4.00 per 10, \$30.00 pe	German	Iris
—Princess Beatrice. 3'6". Lavender blue.	German	Iris
—Seminole. 2'.3'. Violet crimson.	German	Iris
— Sensation. 48". Blue. \$1.00 each, \$8.00 per 10, \$60.00 per	German 100.	Iris
—Shasta. 3'. White.	German	
— Wedgewood. 3'6". Blue.	German	Iris
gracilipes. 4"-5". Lilac blossoms. June. 60c each, \$4.50 p per 100.	Slender er 10, \$4	
	Japanese per 100.	
Mahogany, 3',	Japanese	Iris
Purple red. July. 50c each, \$4.00 per 10, \$3	Japanese	IUU
Single. July. 50c each, \$4.00 per 10, \$30.00		
pumila atroviolacea. 6"-9". Purple. May.	Pygmy	Iris
—caerulea. 6".9". Sky blue. May.	Pygmy	Iris
-cyanea. 8"-12". Violet. May.	Pygmy	Iris
—excelsa. 8".12". Yellow. May.	Pygmy	Iris
—Puck. 8"-12". Maroon. May.	Pygmy	Iris
—Schneecuppe. 10"-12". White. May.	Pygmy	Iris
pseudocorus. 2½'-3'. Yellow. July.	Water	Iris
siberica. 2'-3'. Purple. May-June.	Siberian	Iris

All herbaceous perennials, except as noted are:—30c each, \$2.40 per ten, \$18.00 per hundred.

IRIS—Continued.

sibirica Perry's Blue. 2'-3'.

Blue. May-June.

Snow Queen. 2'-3'. Siberian Iris
White flowers. May-June.

tectorum. 1½'-2'.

Blue. June.

-album. 1½'.2'.

White. June. 50c each, \$4.00 per 10, \$35.00 per 100.

JEFFERSONIA diphylla. 12".

White. May.

KNIPHOFIA uvaria pfitzeriana. 3'-3½'.

Bonfire Torchlily

Orange scarlet. Aug.-Oct.

LAVANDULA vera. 12"-18".

Lavender

Lavender. July-Aug.

—Munsted Variety. 9"-12".

Lavender. June-July.

Dwarf Lavender

LEONTOPODIUM alpinum. 4"-6". Common Edelweiss Silver. May-June.

LIATRIS pycnostachya. 4'-5'. Cattail Gayfeather
Purple. July-Aug.
scariosa alba. 3'-3½'. White Gayfeather

White. Aug.-Sept. 35c each, \$2.80 per 10, \$21.00 per 100.

LILIUM regale. 2'-3'. Regal Lily

White. June-July.

LINARIA aequitriloba. 1".

Violet. June-Sept.

hepaticaefolia. 2"-3".

Liverleaf Toadflax

Pale lilac. June-Aug.

LINNAEA borealis americana. 3"-4". Twin Flower

Pink trailer. June.

LINUM perenne. 15"-18".

Blue Perennial Flax

Blue. June-Sept.

—album. 15"-18". White Flax White. June-Sept.

LOBELIA cardinalis. 2½'-3'. Cardinal Flower
Red. July-Aug.
syphilitica. 2½'-3'. Blue Lobelia

Blue native. Aug.

LOTUS corniculatus fl. pl. 4".

Double Birdsfoot Trefoil

Double form.

LUPINUS polyphyllus Downers Strain. 3'-4'. Lupin
Various. 35c each, \$2.80 per 10, \$21.00 per 100.

—Russell Hybrids. 3'-4'. New Hybrids

Various. 50c each, \$4.00 per 10, \$30.00 per 100.

LYCHNIS viscaria splendens fl. pl. 12"-15". Catchfly

Deep rose pink. May-June.

LYCORIS squamigera. 2'6". Hardy Amaryllis

Pink. Aug. \$1.00 each, \$8.00 per 10, \$60.00 per 100.

LYTHRUM salicaria roseum. 3'-3½'. Rose Loose-strife

Rose. July-Aug.

MARRUBIUM vulgare. Hoarhound

For the herb garden.

MAZUS rugosus. 3"-4". Mazu

Mazus rugosus. 3"-4". Mazus
Lilac. May-June.

MELISSA officinalis. Balm

All herbaceous perennials, except us noted are:—30c each.

Lemon-scented herb.

\$2.40 per ten, \$18.00 per hundred.

MENTHA requieni. 1"-2". Creeping Mint Lilac. May-June. 35c each, \$3.00 per 10.

rotundifolia. 6"-8". Apple Mint
For the herb garden,

spicata. 18". Spearmint
MERTENSIA virginica. 2'-2½'. Virginian Bluebell

Blue and pinkish. April.

MITCHELIA repens.

Evergreen, red berries.

Partridgeberry

MONARDA didyma Cambridge Scarlet. 2½'.3'.
Red. June-Aug.
Oswego Beebalm

MUEHLENBACKIA mann. 2"-3". Dwarf Wirevine
Neat carpeter. 35c each, \$2.80 per 10, \$24.00 per 100.

MYOSOTIS Pearl of Ronnenberg. 8"-12". Forget-me-not Blue. May-Sept.

MYRRHIS odorata. 18".

Ferny foliage, herb.

Sweet Cecily

NEPETA mussini. 9"-12".

Lavender. June-Aug. 25c each, \$2.00 per 10, \$15.00 per 100.

Six Hills Giant. 15"-18".

Lavender. June-Aug.

NIEREMBERGIA rivularis. 4"-6". Whitecup
White. June-Aug.

OENOTHERA youngi. 1½'-2'. Evening Sundrops Yellow. June-Aug.

 OPHIOPOGON jaburan.
 9"-12".
 Snakesbeard

 Blue. June-July.
 35c each, \$2.80 per 10, \$21.00 per 100.

 —variegata.
 9"-12".
 Snakesbeard

 Blue. June-July.
 35c each, \$2.80 per 10, \$21.00 per 100.

ORIGANUM majorana.

A seasoning herb.

onites. 12"-15".

Pot Marjoram

Pink herb. June.

PACHYSANDRA terminalis. 6"-9". Japanese Spurge
Ground cover. \$1.50 per 10, \$10.00 per 100, \$90.00 per 1000.

PAEONIA Baroness Schroeder. 2½'-3'. Peony
Flesh pink to white. May-June. 50c each, \$4.00 per 10, \$30.00 per 100.

Delachi. 2½'-3'.

May-June. 75c each, \$6.00 per 10, \$50.00 per 100.

Edulis Superba. 2½'-3'. Peony
Early rose pink. May-June. 50c each, \$4.00 per 10, \$30.00
per 100.

Eugene Verdier. 2½'-3'.

Midseason pale pink. May-June. 60c each, \$5.00 per 10, \$40.00 per 100.

Festiva maxima. 2½'.3'. Peony Early white, flecked red. May-June. 50c each, \$4.00 per 10, \$30.00 per 100.

Karl Rosenfield. 2½'-3'. Peony Vigorous early red. May-June. 60c each, \$5.00 per 10, \$40.00 per 100.

Lady Alex Duff. 2½'-3'.

Pale pink, semi-double. May-June. 60c each, \$5.00 per 10, \$40.00 per 100.

All herbaceous perennials, except as noted are:—30c each. \$2.40 per ten, \$18.00 per hundred.

PAEONIA—Continued. Sarah Bernhardt. 21/2'-3'. Peony Late, mauve rose. May-June. 50c each, \$4.00 per 10. \$30.00 per 100. Therese. 21/2'-3'. Peony Midseason, rose. May-June. \$1.50 each, \$12.50 per 10. PAPAVER orientale. Oriental Poppy Beauty of Livermere. 21/2'-3'. Deep red. June. Oriental Poppy -Jeanne Mawson. 21/2'-3'. Shrimp pink. June -Mrs. Perry. 21/2'-3'. Oriental Poppy Salmon pink, striking. June. Oriental Poppy -Olympiad. 2½'-3'. Scarlet orange, double. June. Oriental Poppy -Perry's White. 21/2'-3'. Well formed flowers. June. Scented Geranium PELAGONIUM crispum. Scented leaved. Several varieties. Not hardy. PENTSTEMON barbatus Torreyi. 21/2'-3'. Beard Tongue Coral red. Aug.-Sept. Garnet. 15"-18". Pentstemon June-Sept. 40c each, \$3.20 per 10, \$24.00 per 100. PHLOX decussata Attraction. 11/2'-21/2'. Garden Phlox Salmon, tall variety, good. July-Sept. -B. Comte. 11/2'-21/2'. Garden Phlox Vinous red, large heads. July-Sept. -Caroline Vandenberg. 11/2'-21/2'. Garden Phlox Blue violet. July-Sept. -Daily Sketch. 11/2'-21/2'. Garden Phlox Largest. Salmon deep eye. July-Sept. -Enchantress. 11/2'-21/2'. Garden Phlox Large bright salmon pink. July-Sept. -Karl Foerster. 11/2'-21/2'. Garden Phlox Large orange scarlet, tall. -Leo Schlageter. 11/2'-21/2'. Garden Phlox Brightest fire scarlet. July-Sept. -Lilian. 11/2'-21/2'. Garden Phlox Soft pink. Lovely color. July-Sept. Mrs. Jenkins. 11/2'-21/2'. Garden Phlox White. A good grower. July-Sept. -Rheinlander. 1 1/2'-2 1/2' Garden Phlox Salmon, deep eye. July-Sept. -Sommerkleid. 11/2'-21/2'. Garden Phlox White, red eye, large. July-Sept. -Wanadis. 11/2'-21/2'. Garden Phlox Light violet, purple eye. divaricata. 9"-12". Garden Phlox Lavender blue. May-June. 25c each, \$2.00 per 10, \$15.00 per 100. 4"-6". subulata alba. White Moss Pink White. April-May. 25c each, \$2.00 per 15, \$15.00 per 100. -Camlaensis. 6"-8". Moss Pink New pink. May. 40c each, \$3.20 per 10, \$24.00 per 100. -Fairy. 6"-8". Moss Pink Lavender blue. May. -nelsoni. 3"-5". Moss Pink White. May. -Vivid. 4"-6". Rosy Moss Pink Pink, compact. May.

All herbaceous perennials, except as noted are:—30c each. \$2.40 per ten, \$18.00 per hundred.

PHLOX—Continued.

suffruticosa Miss Lingard. White.

Glossy Phlox

PHYSOSTEGIA virginiana Vivid.

Vivid Dragonhead

Deep pink. July-Aug.

Horned Rampion

PHYTEUMA scheuczeri. 9"-12". Round heads. Blue. June. 35c each, \$2.80 per 10, \$21.00 per 100.

PLATYCODON grandiflorum. 1½'-2'. Blue. June-July.

Balloon Flower

PLUMBAGO larpentae. 9"-12". Blue. July-Sept.

Blue Leadwort

POLEMONIUM carneum. 18"-24".

Jacob's Ladder Light pink. Good foliage. June-July.

repians. 9".
Blue. April-June.

Creeping Polemonium

POTENTILIA nepalensis Willmott. 15". Cerise. May-Sept.

Hybrid Cinquefoil

rupestris pygmaea. 3"-4". Low Cinquefoil Delicate white flowers. May. 35c each, \$2.70 per 10, \$21.00 per 100.

tonguei. 6". Divided Cinquefoil Apricot. May-Aug. 35c each, \$2.70 per 10, \$21.00 per 100. tridentata. 6"-9". Wineleaf Cinquefoil Flossy foliage. White. June. 35c each, \$2.80 per 10,

\$21.00 per 100. verna nana. 3"-4".

Spring Cinquefoil

Golden. May.

Warensi. 18". Yellow. May-Aug. Waren's Cinquefoil English Primrose

PRIMULA acaulis. 6"-8". Yellow. April-May.

Blue Primrose

-Blue Shades. 4"-6". Various shades blue. April-May. 50c each, \$4.00 per 10, \$30.00 per 100.

-Teichers Giants. 6"-8". Hybrid Primrose Various. May-June. 35c each, \$3.00 per 10, \$24.00 per 100. auricula. 4"-6". Auricula

Various. May-June.

cachemiriana. 9"-12". Kashmir Primrose Lilac blue. June. 35c each, \$2.70 per 10, \$21.00 per 100. polyanthus Munsted. 6"-9".

Various. May-June.

Polyantha Primrose

white. 8"-12". Polyantha Primrose
Large white flower. April-May. 35c each, \$2.80 per 10,

\$21.00 per 100.

Exhibition Strain. 8"-12". Polyantha Primrose
Various shades. Best strain. April-May. 35c each, \$2.80 per 10, \$21.00 per 100.

-yellow. 8"-12". Polyantha Primrose
Popular free flowering. April-May. 35c each, \$2.80 per 10, \$21.00 per 100.

Juliana Primrose Wanda. 4". Carmine. May-July. 50c each, \$4.50 per 10.

veris duplex. 6"-9". Hose-in-hose Primrose Yellow, semi-double. 35c each, \$3.00 per 10, \$24.00 per 100.

-Kleyni. 6"-9". Hybrid Primrose Deep yellow. April-May. 35c each, \$3.00 per 10, \$24.00 per 100.

PULMONARIA angustifolia azurea. 12". Cowslip Lungwort Blue. April-May.

All herbaceous perennials, except as noted are:—30c each. \$2.40 per ten, \$18.00 per hundred.

Sage

Bloodroot

Lavender Cotton

PYRETHRUM hybridum. 2'-21/2'.

Painted Lady

Mixed. June-Aug.

—Lord Roseberry. 2'-2½'. Double Hybrids
Carmine scarlet. 40c each, \$3.60 per 10, \$30.00 per 100.

Double Hybrids -Sylvia. 2'-21/2'. 40c each, \$3.60 per 10, \$30.00 per 100. Cream.

Roulet's Rose ROSA rouletti. 6"-8". Rose pink. May-Oct. 50c each, \$4.50 per 10.

Rosemary ROSEMARINUS officinalis. Tender, fragrant herb shrub. 35c each, \$2.80 per 10, \$24.00 per 100.

RUDBECKIA speciosα. 2'-2½'. Yellow cut flower. June-Aug. Black Eyed Susan

RUELLIA ciliosa. 6"-8". Ruellia Blue. Dry, hot place. June-Oct. 35c each, \$2.80 per 10, \$21.00 per 100. Rue

RUTA graveolens. 1'-2'.

Blue, green foliage. SALVIA azurea grandiflora. 3'-4'.

Azure Salvia Light blue. Aug.

officinalis. 11/2'-2'. Herb for seasoning.

Blue Meadow Sage pitcheri. 3'-4'.

Deep blue. Aug. Sept.

SANGUINARIA canadensis. 6".

White. April. SANGUISORBA canadensis. Burnet

A seasoning herb. officinalis. 15"-18".

Burnet Herb. Cucumber flavor for salads.

SANTOLINA incana. 15"-18".

Yellow. June. viridis. 12"-18". Green Santolina For hedges. 35c each, \$2.80 per 10, Green foliage.

\$21.00 per 100. SAPONARIA ocymoides splendens. 9"-12". Rock Soapwort

Deep rose. May-July. SATUREIA montana. 4"-6". Winter Savory Used for seasoning.

SAXIFRAGA cordifolia. 15"-18". Heartleaf Saxifrage Pink. June-July. 35c each, \$2.70 per 10.

SCABIOSA caucasica House Hybrids. 2'. New Hybrids All summer. 40c each, \$3.60 per 10, \$30.00 per 100.

SEDUM acre minus. 2". **Dwarf Goldmoss** Yellow. May.

album. 3"-4". White Stonecrop White. May-June. 25c each, \$1.50 per 10, \$12.00 per 100.

anglicum minus. 2". English Stonecrop White. May.

kamtschaticum. 6"-8". Orange Stonecrop Yellow. June-July.

sarmentosum. 4"-6".

Yellow. June-July. 20c each, \$1.50 per 10, \$9.00 per 100.

Showy Stonecrop

spurium. 4"-6". False Stonecrop Pink. July-Aug. 25c each, \$1.80 per 10, \$12.00 per 100.

All herbaceous perennials, except as noted are:—30c each. \$2.40 per ten, \$18.00 per hundred.

SEMPERVIVUM Asst. Named Var. 4"-6". Houseleek

Various species. June. SHORTIA galacifolia. 6"-8".

White, glossy foliage. 50c each, \$4.00 per 10, \$30.00 per 100.

SILENE acaulis. 1"-2". Moss Campion Pink. May

schafta. 3"-4". Schafta Catchfly

Pink. June-Aug.

Wherryi. 6"-8". Wherry Catchily Pink. Grand rock plant. June. 60c each, \$4.80 per 10, \$36.00 per 100.

18"-24". STACHYS grandiflorg.

Attractive medicinal herb. July.

lanata. 8"-12". Lamb's Ears Woolly silver leaves, edging. June. Thrift

STATICE armeria laucheana. 4"-8". Red. May-June.

-Six Hills Hybrid. Dwarf Thrift Rose. May-July. 35c each, \$2.80 per 10, \$21.00 per 100.

pseudo-armeria Bees Ruby. 15"-18". False Thrift Red. June-July. 35c each, \$3.00 per 10, \$25.00 per 100.

STOKESIA lilacina grandiflora. 11/2'-2'. Stokes Aster Lilac. July-Aug. 40c each, \$3.60 per 10, \$30.00 per 100.

-Blue Moon. 11/2'-2'. Stokes Aster Lavender Blue. June-Sept. 40c each, \$3.20 per 10, \$24.00 per 100.

TANACETUM crispum. 15". Foliage herb.

Tansy

Big Betony

TEUCRIUM chamaedrys 12"-15". Pink. July-Aug.

Germander

Lemon Thyme

THALICTRUM aquilegifolium. 1½'-2'. Columbine Meadowrue Rosy purple. June-July.

THERMOPSIS caroliniana. 3'-4'. Yellow pea flowers. June.

Carolina Thermopsis

Lemon Scented Thyme

Herb Scented Thyme

THYMUS citriodorus argenteus.

Silver variegated.

-aureus. 9"-12". Golden variegated.

herba barona. 1"-2".

Rose. June-July.

nitidus. 6". Pink. June.

serphyllum albus. 2"-3". White. June-July.

-coccineus. 2"-3".

Deep pink. June-July.

-Lanuginosus. 3"-4". Silvery foliage.

vulgaris. 9"-12". Foliage herb for seasoning. Shining Thyme White Thyme

Scarlet Thyme

Woolly Thyme

Common Thyme

TRICYRTIS hirta. 2'-21/2'. Toad Lily White spotted. Sept. 50c each, \$4.50 per 10, \$35.00 per 100.

TRILLIUM grandiflorum. 8"-12". Snow Trillium White. Woodlands. April-May.

Globe Flower TROLLIUS europaeus. 11/2'-2'. Lemon. May-Aug. 35c each, \$3.00 per 10, \$25.00 per 100.

All herbaceous perennials, except as noted are: -30c each, \$2.40 per ten, \$18.00 per hundred.

TROLLIUS—Continued.

ledebouri Golden Queen. 1½'.2'. Globe Flower
Gold. May-Sept. 35c each. \$3.00 per 10, \$25.00 per 100.

TUNICA saxifraga flore pleno. 6"-8". Double Tunic Flower Flesh pink.

VERBASCUM harkness hybrids. 5'-6'. Mullein Stately, yellow spikes. June-Aug. 40c each, \$3.20 per 10, \$24.00 per 100.

VERBENA canadensis. 6"-9". Canada Verbena
Pink purple. May-Sept.

VERONICA filiformis. 2"-3".

Blue. April-May.

Birds-eye
Woolly Speedwell

incana. 9"-12".

Deep blue. June-July.
—rosea. 9"-12". Woolly Speedwell

Silver foliage. Pink. June-July. 40c each, \$3.20 per 10. longifolia subsessilis. 1½'-2'. Clump Speedwell Violet blue. Aug. 35c each, \$2.70 per 10, \$21.00 per 100. repens. 2"-3". Creeping Speedwell

Pale blue. May.

Hungarian Speedwell

Rich blue. June.

—Royal blue. I'-1½'.

Blue. June-July.

teucrium rupestris. 4"-5".

Royal Blue Speedwell

VINCA minor. 4"-6". Periwinkle
Lilac blue. April-May. 3" pots. 20c each, \$1.50 per 10, \$12.00 per 100, \$90.00 per 1000.

—alba. 4"-6". White. April-May. White Periwinkle

Bowles Variety. 4"-6".

Larger flowers. 3" pots.

Bowles Periwinkle

VIOLA Catherine Sharp. 6"-8".

Blue, yellow eye. May-Sept. 35c each, \$2.80 per 10, \$24.00 per 100.

cornuta. Apricot. 6"-8". May-Aug.

Apricot Viola

—Jersey Gem. 6"-8". Violet. May-Sept.

Jersey Gem Viola

odorata Double Russian.

Exquisitely fragrant. Double flowers. 40c each, \$3.50 per 10, \$25.00 per 100.

pedata bicolor. 3"-5".
Purple and lavender. April.

Birdsfoot Violet

rosina. 4"-6". Pink. April-May.

Sweet Violet

List of Herbs

Herbal Name	Botanical Name	Use	Each
Angelica	Angelica Archangelica	Soups	\$.35
Apple Mint	Mentha rotundifolia	Julen	7 CE. &
Balm	Melissa officinalis	Salade	.30
Beebalm	Monarda didyma	Fragranco	30
Burnet	Sanguisorbia canadensis	Flavor	30
Betony (big)	Stachys grandiflora	Medicinal	30
Betony (big) Betony (Woolly)	Stachys lantana	Purantive	30
Calamintha	Calamintha alpina	Seasonina	.30
Camomile	Calamintha alpina Anthemis nobilis	Julep Salads Fragrance Flavor Medicinal Purgative Seasoning Tonic Cats	.30
Cat nip	Nepeta mussini	Cats	.30
Chive	Allium schoenoprasum		
Creeping Mint	mentha requient	Drinks Medicinal Flavor wines	.35
Costmary	Chrysanthemum balsamita	Medicinal	.35
Cowslip	Primula veris	Flavor wines	.35
Dittany	Origanum Dictamnus	Medicinal	.75
Elecampane	Inula helenium	Medicinal	.30
Germander	Teucrium chamaedrys	Medicinal Medicinal Medicinal	.30
Greek Valerian	Polemonium caeruleum	Medicinal	.30
Hoarhound	Marrubium vulgare	Colds	.30
Hyssop	Hyssopus officinalis	Aromatic	.30
Lavender	Lavendula vera	Fragrance	.30
Lavender dwarf	Lavandula munsted	Knot gardens	.30
Lavender cotton	Santolina incana	Aromatic	.30
Marjoram (pot)	Origanum onites	Seasoning	.30
Pennyroyal	Mentha pulegium	Seasoning	.35
Peppermint	Mentha piperita	Medicinal Medicinal Colds Aromatic Fragrance Knot gardens Aromatic Seasoning Seasoning Drinks Headaches Tonic Garnich Soun	.35
Rosemary	Rosmarinus officinalis	Headaches	.35
Roman Wormwood	Artemisia pontica	lonic	.30
	Ruta graveolens Salvia officinalis		
Sage Santolina green	Santolina viridis	Flavoring Knot gardens	.30
Savory (winter)	Satureia montana	Knot gardens	.55
Senna	Cassia marilandica	Seasoning Medicinal Finger bowls Salads Snake bite	.50
Scented Geranium	Pelagonium crispum	Finger bowls	.50
Skirret	Sium sisarum	Salade	.50
Snake root	Cimicifuga racemosa	Snako hito	.50
Southernwood	Artemisia abrotanum		
Sow bread	Cyclamen europaeum	Medicinal	1.00
Spearmint	Mentha spicata	Medicinal Flavoring Mhyrr-Perfume	30
Sweet Cecily	Mhyrris adorata	Mhyrr-Perfume	30
Sweetflag	Acorus calamus	Aromatic	.30
Sweet Marjoram	Origanum majorana	Flavorina	30
Sweet Woodruff	Asperula odorata	Punch	.30
Sweet Violet	Viola adorata	Perfume	.30
Tansy	Tanacetum crispum	Mnyrr-Pertume Aromatic Flavoring Punch Perfume Flavoring Pickles Seasoning Seasoning Seasoning Spice	.30
Tarragon	Artemisia dracunculus	Pickles	.35
Thyme (common)	Thymus vulgaris	Seasoning	.30
Thyme (citron)	Thymus citriodorus	Seasoning	.30
Thyme, various,	See main list	Seasoning	.30
Wild Ginger	Asarum canadense	Spice	.35
Woolly Yarrow	Achillea tomentosum	Aromatic	.30
Wormwood	Artemisia absinthinum	Vermifuge	.30

Annual Herbs

Which Should Be Raised from Seed Sown in Spring

Anise Basil Borage Caraway Coriander Dill Savory, Summer Pimpinella anisum Ocimum basilicum Borago officinalis Carum carvi Coriandrum sativum Anthum graveolens Satureia hortensis Cordials
Flavoring
Cordials—salads
Flavoring pastries
Candies—Gin
Pickles—sauces
Soups—stews

LAWN GRASS SEED

Here are the things that will keep the sparkling look of Spring in your lawn . . .

SCOTT'S REGULAR MIXTURE

For sunny lawns. Produces bright green turf for deep rooting perennial grasses. Contains creeping bent for finer texture and thicker growth. Can be sown thinner than ordinary seed because the chaff is removed.

-		ordered book a			-	
1	lb.		\$.65	10	lbs.	 \$ 5.75
3	lbs.		1.85	25	lbs.	 13.75
5	lbs.		2.95	50	lbs.	24.75

SCOTT'S SHADE MIXTURE

For lawns receiving less than half a day of sunshine. Special perennial grasses which produce fine thick turf under trees and between houses. Pure seed with chaff removed.

1	lb	\$.75	10 1	bs	\$ 6.75
	lbs				
5	lbs	3.50	50 11	bs	30.00

SCOTT'S WHITE DUTCH CLOVER

1/2 lb. bag	\$.60	1	lb.	bag	***************************************	1.10
	Larger amounts					


SCOTT'S PURE CREEPING BENT


1	lb.	can	\$	1.65	5	lb.	bag	\$ 7.75
3	ID.	pag		4.70	10	lb.	bag	 15.00
			25 lb. 1	haa			36 25	

SCOTT'S TURF BUILDER—FOOD FOR GRASS

A special preparation for giving new grass a better start and renewing the color and vigor of old grass. It supplies all the necessary food elements and is composed of only the cleanest ingredients. Ten pounds does a better job of feeding grass than thirty pounds of ordinary fertilizer.

or directly totalizer.	
10 lbs. \$1.25 50 lbs. 2.25 lbs. 2.25 100 lbs.	\$3.75 6.50







Fertilizers

Ammo-Phosphate 11-48	00
Animal Tankage 8.2N	00
Bone Meal (Raw) 3.7N 20 TPA 100 lbs., 3.50; Ton lots 60.	00
Bone Meal (Steamed) 2.5N 21 TPA 100 lbs., 3.25; Ton lots, 55.	00
Cyanamid 21N	00
Dried Blood 13N	00
Goat Manure	00
Gran-Phosphate 32%	00
Gro-leaf 6-6-5	00
Gro-leaf 6-6-5	40
Lime (Agricultural)	00
Limestone	00
Muriate of Potash 60%	00
Nitrate of Soda	00
Peat Moss (soil sponge)	00
Peat Moss (in bulk)Bushel, \$0.40; Yard \$7.	50
Sheep Manure	00
Sulphate of Ammonia 20.5N100 lbs., 3.50; Ton lots, 60.	00
Super-Phosphate 20%	00
OPEN FORMULAS G. L. F.	
0-12-12	.00
4-8-8	.00
4-12-4	.00
5-10-5	.00
7-7-7	.00

Insecticides

Arsenate of lead	4 lb. pkgs., 23c lb.; 96 lb. lots, 20c lb.
Black Leaf 40	2 lb. tins, \$3.25; 10 lb. tins, \$10.60
Bordeaux Mixture	4 lb. pkgs., 22c lb.; 96 lb. lots, 18c lb.
Bor-Tox	2 oz. tubes, 75c; 1 lb. cans, \$2.50
Casein Spreader	1 lb. pkgs., 22c lb.; 100 lb. lots, 20c lb.
Dry Lime Sulphur	50 lb. lots, \$8.50; 200 lb. lots, \$29.00
Dusting Sulphur	
Tobacco Dust 1%	
Tree Wound Dressing	
Wilson's O. K. Plant Spro	ry1 gallon, 3.00; 5 gallons, 12.00
Wilson's Scale-O	1 gallon, 2.00; 5 gallons, 9.00

Memorandum

Memorandum

Memorandum



